

X10: Specifications

[Print Datasheet](#)

Recommended maximum daily output

| | |
|----------------------------------|-----|
| Recommended maximum daily output | 100 |
|----------------------------------|-----|

Areas of use

| | |
|---------------|---|
| Large offices | ✓ |
|---------------|---|

| | |
|------------|---|
| Cafeterias | ✓ |
|------------|---|

| | |
|--------------------|---|
| Self-service areas | ✓ |
|--------------------|---|

| | |
|-----------------|---|
| Care facilities | ✓ |
|-----------------|---|

Specialties

| | |
|----------|---|
| Espresso | ✓ |
|----------|---|

| | |
|--------------|---|
| 2 × Espresso | ✓ |
|--------------|---|

| | |
|--------------------|---|
| Cold Brew Espresso | ✓ |
|--------------------|---|

| | |
|--------|---|
| Coffee | ✓ |
|--------|---|

| | |
|------------|---|
| 2 × Coffee | ✓ |
|------------|---|

| | |
|------------------|---|
| Cold Brew Coffee | ✓ |
|------------------|---|

| | |
|-----------|---|
| Americano | ✓ |
|-----------|---|

| | |
|--------------|---|
| 2 xAmericano | ✓ |
|--------------|---|

| | |
|--------------------|---|
| Cold BrewAmericano | ✓ |
|--------------------|---|

| | |
|-------|---|
| Lungo | ✓ |
|-------|---|

| | |
|-----------|---|
| 2 x Lungo | ✓ |
|-----------|---|

| | |
|-----------------|---|
| Cold Brew Lungo | ✓ |
|-----------------|---|

| | |
|---------------|---|
| Jug of coffee | ✓ |
|---------------|---|

| | |
|-------------|---|
| Caffè latte | ✓ |
|-------------|---|

| | |
|---|-----|
| 2 × Caffè latte | ✓ |
| Cold Brew Caffè latte | ✓ |
| Caffè latte Extra Shot | ✓ |
| Cappuccino | ✓ |
| 2 × Cappuccino | ✓ |
| Cold Brew Cappuccino | ✓ |
| Cappuccino Extra Shot | ✓ |
| Flat white | ✓ |
| 2 × Flat white | ✓ |
| Cold Brew flat white | ✓ |
| Flat white Extra Shot | ✓ |
| Latte macchiato | ✓ |
| 2 × Latte macchiato | ✓ |
| Cold Brew Latte macchiato | ✓ |
| Latte macchiato Extra Shot | ✓ |
| Portion of milk foam | ✓ |
| 2 × Portion of milk foam | ✓ |
| Portion of milk | ✓ |
| 2 × Portion of milk | ✓ |
| Hot water | ✓ |
| Number of cups per hour (as per DIN 18873-2) | |
| Espresso | 80 |
| 2 × Espresso | 114 |
| Coffee | 74 |
| 2 × Coffee | 95 |
| Cappuccino | 51 |

| | |
|--|---------------------------------|
| 2 × Cappuccino | 68 |
| Hot water | 77 |
| Specific benefits | |
| Number of specialties | 34 |
| Cold Extraction Process | ✓ |
| Intelligent preheating | ✓ |
| Automatic switching between milk and milk foam | ✓ |
| Transmitter supplied as standard | - |
| JURA coffee machine standards | |
| Pulse Extraction Process (P.E.P.®) | ✓ |
| Lungo function | ✓ |
| Variable brewing unit | 5–16 g |
| Grinder | P.A.G.2+ |
| High-performance pump, 15 bar | 1 |
| Thermoblock heating system | 1 |
| Fluid systems | 1 |
| Milk system / interchangeable milk spout | HP3 / CX2 |
| Active bean monitoring | ✓ |
| Operating and programming standards | |
| Display | 3.5" color display with buttons |
| Individually programmable quantity of coffee water | ✓ |
| Individually programmable coffee strength | 10 levels |
| Individually programmable amount of milk/milk foam | ✓ |
| Individually programmable milk/milk foam temperature | 3 levels |
| Individually programmable brewing temperature | 3 levels |

| | |
|--|--|
| Individually programmable hot water temperature | 3 levels |
| Resettable day counter | ✓ |
| Shows the number of preparations for each individual product | ✓ |
| Connectivity | |
| Wi-Fi Connect V2 | ✓ |
| MDB Connect | ✓ |
| Business Connect | ✓ |
| Payment and telemetry systems | |
| Pocket Pilot 2.0 | ✓ |
| Pocket Pilot 3.0 | ✓ |
| MDB Interface 2.0 | ✓ |
| Hygiene standards | |
| Filter cartridge | CLEARYL Pro Smart maxi / CLEARYL Pro Smart+ |
| One-Touch milk system cleaning (automatic) | ✓ |
| Integrated rinsing, cleaning, and descaling program | ✓ |
| Monitored drip tray | ✓ |
| Lockable bean container and water tank | ✓ |
| JURA hygiene: TÜV-certified | ✓ |
| Energy standards | |
| Energy Save Mode (E.S.M.©) | ✓ |
| Zero-Energy Switch or power switch | ✓ |
| Programmable switch-off time | ✓ |
| Design and materials | |
| Cup illumination | ✓ |

In figures

| | |
|---|--|
| Height-adjustable dual spout with hot-water spout | 2.5 – 5.9 in / 63 – 150 mm |
| Water tank capacity | 169 oz / 5 l |
| Bean container holding capacity | 17.6 oz / 500 g |
| Bean container optionally expanded to | 2.2 lbs / 1 kg |
| Coffee grounds container (approx. servings) | 40 |
| Cord length | 47.2 in / 1.2 m |
| Voltage / power | 120 V ~ / 1450 W |
| Current | 10 A |
| Stand-by power | < 0,5 W |
| Weight | 30.9 lbs / 14 kg |
| Dimensions (W × H × D) | 14.7 in × 18.5 in × 18.1 in / 37.3 cm × 47 cm × 46.1 cm |
| Dimensions (W×H×D) with bean container attachment | 37.3 × 52.4 × 46.1 cm |
| Dimensions (W×H×D) with bean container attachment | 14.7 in × 20.6 in × 18.1 in / 37.3 cm × 52.4 cm × 46.1 cm |
| Article number, Product code | 15783, Dark Inox (NAB) |
| EAN code | 7610917157839 |
| Country of production | Made in Switzerland |
| Model year | 2025 |
| Supplied as standard | |
| Milk pipe including connector | ✓ |
| Container for milk system cleaning | ✓ |
| Milk system cleaner (mini tabs) | ✓ |
| 3-phase cleaning tablets | ✓ |
| CLEARYL Pro Smart+ filter cartridge | ✓ |

Instructions for use

✓

Warranty conditions

✓
