

NORIOTA



NI360F

FULL DICE CUBE
2.2 x 2.2 x 2.2 CM
7/8 x 7/8 x 7/8 IN

*Available in half dice upon request



NI360F Shown on NIB310 Bin, Sold Separately



Advanced Controller with Auto Clean and Diagnostics




Heavy Duty Nickel Plated Evaporator

FEATURES & BENEFITS

- **Large ice production in slim 22 inch wide footprint:** This compact design fits in areas with limited space without sacrificing performance, producing up to 169 kg (373 lb) of clear ice per day
- **Clear ice with less impurities:** Vertical evaporator with water flow design uses gravity to remove impurities during the freezing process, producing clear and great tasting ice
- **Advanced digital programmable control system:** Easy to use with precise control over settings and feedback on the status of the machine
- **Automatic self-cleaning function for use with nickel-safe cleaning solution:** Ensures hygiene and reduces maintenance effort, safe for all components
- **Automatic shut-off and overflow protection:** Experience worry-free operation with this standard feature
- **Internal LED light in the storage bin:** When combined with the matching ice storage bin NIB310; increase visibility inside the bin, making it easier to monitor ice levels and access ice even in low-light conditions
- **Stackable design for expanded ice production needs:** Stack 2 units on top of each other on the same ice bin; provides the flexibility to scale up your ice-making capacity as needed, making it an ideal solution for growing businesses (requires stacking kit sold separately)

ELECTRICAL

115V / 60Hz / 1Ph / 7.5-11.3A
190 cm (74.4 in) cord set included



NEMA 5-15P

WARRANTY

5-year compressor (parts only)
2-year parts & labour


360LB MODULAR ICE MAKER – NARROW 22IN WIDTH

NORIOTA

NI360F 360LB MODULAR ICE MAKER – NARROW 22IN WIDTH

Technical Data

Daily Ice Production	
Air Temperature 21°C (70°F) / Water Temperature 10°C (50°F)	169 kg (373 lb)
Air Temperature 32°C (90°F) / Water 21°C (70°F)	131 kg (288 lb)
Storage Bin Capacity	Must be used with separate ice bin NIB310, 139 kg (310 lb) storage
Refrigerant	R290




Installation

- REQUIRED: Gravity drain connection & water supply line
- RECOMMENDED: Water Filter
- 15CM (6IN) clearance required on left side and rear, 51CM (20IN) required on right side for proper cooling air circulation

Operating Requirements

Ambient Temperature Range	4.4 °C to 43 °C (40 °F to 110 °F)
Water Temperature Range	4.4 °C to 32 °C (40 °F to 90 °F)
Water Supply Line Connection	3/8" FPT
Water Pressure Range	Min 15 PSI Max 80 PSI (Above 80 requires a regulator) Min 1.0 Bar Max 5.5 Bar
Water Usage / 45.5 kg (100 lb) of Ice Produced	50 L (13.3 Gallons)
Energy Consumptions / 45.5 kg (100 lb) of Ice Produced	5.9 kWh



Dimensions

Unit Dimensions	56.0x 61.0 x 53.0 cm (22 x 24 x 20.9 in)
Unit Weight	44 kg (97 lb)
Shipping Weight	56 kg (123.4 lb)
Shipping Dimensions	61.8 x 68 x 72.4 cm (24 x 27 x 29 in)

Includes

- Ice Scoop
- Tubing for supply and drain lines
- NEMA 5-15 cord set

