

# N O R I O T A

## 150LB SELF-CONTAINED ICE MAKER



**FULL DICE CUBE**  
2.2 x 2.2 x 2.2 CM  
7/8 x 7/8 x 7/8 IN

\*Available in half dice upon request



**NI150F**



Advanced Controller with Auto Clean and Diagnostics



Removeable and Cleanable Air Filter to Protect Condenser



Convenient Ice Scoop with Built-In Scoop Holder




Heavy Duty Nickel Plated Evaporator

## FEATURES & BENEFITS

- **Optimized ice production and storage capacity:** produces up to 59 kg (150 lb) per day and stores 40 kg (88 lb) of clear ice in its integrated ice bin
- **Clear ice with less impurities:** Vertical evaporator with water flow design uses gravity to remove impurities during the freezing process, producing clear and great tasting ice
- **Advanced digital programmable control system:** Easy to use with precise control over settings and feedback on the status of the machine
- **Automatic self-cleaning function for use with nickel-safe cleaning solution:** Ensures hygiene and reduces maintenance effort, safe for all components
- **Automatic shut-off and overflow protection:** Experience worry-free operation with this standard feature
- **15.24 cm (6 in) adjustable leveling legs:** Allow for easy leveling on uneven surfaces, ensuring stability and optimal performance while also making it easy to clean under the machine

## ELECTRICAL

115V / 60Hz / 1Ph / 5.2-6.4A  
190 cm (74.4 in) cord set included



NEMA 5-15P

## WARRANTY

5-year compressor (parts only)  
2-year parts & labour

# NORIOTA

## NI150F 150LB SELF-CONTAINED ICE MAKER

### Technical Data

#### Daily Ice Production

<b>Air Temperature 21°C (70°F) / Water Temperature 10°C (50°F)</b>	69 kg (150 lb)
<b>Air Temperature 32°C (90°F) / Water Temperature 21°C (70°F)</b>	59 kg (130 lb)
<b>Storage Bin Capacity</b>	40 kg (88 lb)
<b>Refrigerant</b>	R290

### Installation

- **REQUIRED:** Gravity drain connection & water supply line
- **RECOMMENDED:** Water Filter
- 5CM (2IN) clearance from the wall in rear to ensure proper cooling air circulation; no clearance required on sides

### Operating Requirements

<b>Ambient Temperature Range</b>	4.4 °C to 43 °C (40 °F to 110 °F)
<b>Water Temperature Range</b>	4.4 °C to 32 °C (40 °F to 90 °F)
<b>Water Supply Line Connection</b>	3/8" FPT
<b>Water Pressure Range</b>	Min 20 PSI Max 80 PSI (Above 80 requires a regulator) Min 1.4 Bar Max 5.5 Bar
<b>Water Usage / 45.5 kg (100 lb) of Ice Produced</b>	50 L (13.3 Gallons)
<b>Energy Usage / 45.5 kg (100 lb) of Ice Produced</b>	8.09 kWh

### Dimensions

<b>Unit Dimensions</b>	61 x 61 x 98.6 cm (24 x 24 x 39 in)
<b>Unit Weight</b>	63 kg (140 lb)
<b>Shipping Dimensions</b>	65 x 67 x 88.5 cm (25 x 26 x 39 in)
<b>Shipping Weight</b>	70.5 kg (155 lb)

### Includes

- Ice Scoop
- Tubing for supply and drain lines
- NEMA 5-15 cord set

