

# Ambit Pendant Lamp

“What defines our attraction to shapes? With the Ambit Pendant Lamp, we wanted to explore form and proportions in a thorough and meticulous way. We discovered a unique dynamic between linear and rounded shapes that gives the lamp its unique outline, making the Ambit Pendant Lamp a timeless design that you’ll never grow tired of, while its aluminum material and contrasting white inner make for an elegant touch.”

— TAF Studio



<b>Designed by</b>	TAF Studio
<b>About the Designer</b>	TAF Studio is a Stockholm-based design and architecture studio, founded by Gabriella Gustafson and Mattias Ståhlbom. The duo works within product and interior design.
<b>Environment</b>	Indoor
<b>Country of Production</b>	China
<b>Preassembled</b>	Yes.
<b>Description</b>	Embodying the values of Scandinavian design, the Ambit Pendant Lamp is as timeless as it is contemporary. Made of aluminum, the lamp features clean lines and a white interior that heightens the contrast of its exterior shade while enhancing the light emitted in any room of a home, office, or commercial space. Use the design on its own or in symmetric formations and vibrant clusters.
<b>Material</b>	The lampshade is made from press-spun aluminum. Colored versions are polished and wet-painted, while the Brushed Aluminum version is brushed and lacquered. The cord is made from extruded PVC, and the canopy is made from injection-molded ABS. The Brushed Aluminum EU version is designed for disassembly. The lamp is produced without intentionally added PFAS.
<b>Cleaning &amp; Care</b>	The lamp should be cleaned with a soft, dry cloth. The electricity supply must always be switched off before cleaning.
<b>Cord Length</b>	400 cm / 157.5"
<b>Light Source Included</b>	Ø 16,5 cm: Yes. Ø 25 cm, Ø 40 cm, Ø 55 cm: No.
<b>Ceiling Cap Included</b>	Ø 16,5 cm, Ø 25 cm, Ø 40 cm, Ø 55 cm: Yes.
<b>Dimmable Function</b>	Yes.

# Ambit Pendant Lamp

## Dimensions


**Ø 16,5 cm**  
 Length: 16,7 cm / 6.6"  
 Height: 9,8 cm / 3.9"  
 Width: 16,7 cm / 6.6"  
 Diameter: 16,7 cm / 6.6"  
 Cord Length: 400 cm / 157.5"



**Ø 25 cm**  
 Length: 25 cm / 9.8"  
 Height: 15 cm / 5.9"  
 Width: 25 cm / 9.8"  
 Diameter: 25 cm / 9.75"  
 Cord Length: 400 cm / 157.5"



**Ø 40 cm**  
 Length: 40 cm / 15.7"  
 Height: 23,8 cm / 9.4"  
 Width: 40 cm / 15.7"  
 Diameter: 40 cm / 15.75"  
 Cord Length: 400 cm / 157.5"



**Ø 55 cm**  
 Length: 55 cm / 21.7"  
 Height: 33,5 cm / 13.2"  
 Width: 55 cm / 21.7"  
 Diameter: 55 cm / 21.7"  
 Cord Length: 400 cm / 157.5"



## Ready-to-Ship

Grey  
 White  
 Dusty Green  
 Black  
 Taupe  
 Light Blue  
 Brushed Aluminum - Ø40 cm  
 Brushed Aluminum - Ø25 cm



## Lamp Rating

	Ø 16,5 cm	Ø 25 cm	Ø 40 cm	Ø 55 cm
<b>Voltage</b>	220-240V	220-240V	220-240V	220-240V
<b>Frequency</b>	50/60Hz	50/60Hz	50/60Hz	50/60Hz
<b>IP Rating</b>	IP20	IP20	IP20	IP20
<b>Classification</b>	Class II	Class II	Class II	Class II
<b>Socket</b>	1 x Gx53 Max. 12W LED	1 x E14 Max. 60W; incandescent lamp Max. 13W; self-ballasted; Type G Max. 11W; self-ballasted LED bulb	1 x E27 Max. 60W; incandescent lamp Max. 13W; self-ballasted; Type G Max. 18W; self-ballasted LED bulb	1 x E27 Max. 60W; incandescent lamp; Max. 13W; self-ballasted CFL Max. 11W; self-ballasted LED bulb

# Ambit Pendant Lamp

## Light Source Recommendation

	Ø 25 cm	Ø 40 cm	Ø 55 cm
Lamp Base	E14	E27	E27
Dimensions	Ø45 x 85 mm	Ø60 x 110 mm	Ø60 x 110 mm
Light Source Shape	P45 / G45	A60 / A69	A60 / A69
Light Source Type	Halogen / LED with frosted diffuser	Halogen / LED with frosted diffuser	Halogen / LED with frosted diffuser
Max Voltage	Max. 60W; incandescent lamp Max. 13W; self-ballasted; Type G Max. 11W; self-ballasted LED bulb	Max. 60W; incandescent lamp Max. 13W; self-ballasted Max. 18W; self-ballasted LED bulb	Max. 60W; incandescent lamp; Max. 13W; self-ballasted CFL Max. 11W; self-ballasted LED bulb


## Light Source Specification

Item	Ø 16,5 cm 1x GX53 LED bulb, diffused.
Watt	5,5W
Lumen	330 lm
Lumen Maintenance	30.000h
Kelvin	2700K
CRI	90
Dimmable	Yes

## Energy Label



**Muuto**  
Ambit Pendant 16.5



**6**  
kWh/1000h



# Ambit Pendant Lamp

## Tests, Labels & Certifications

Electromagnetic  
Compatibility

Electromagnetic Compatibility (EMC)

Safety & Regulations

CCC  
ECO Design Directive  
Low Voltage Directive 2014/35 EU (LVD)  
REACH  
Regulatory Compliance Mark (RCM)  
Restriction of Hazardous Substances Directive (RoHS)  
Waste of Electronic and Electrical Equipment (WEEE)



[Explore Assets](#)

[DOWNLOAD SITE](#)