



BONBON SHADE

Inspired by her drawings, Ana Kraš' woven Bonbon Shades are produced using an original technique to create textured, one-of-a-kind pieces. Every one is hand woven with cottonwool yarn around a powder-coated steel frame, resulting in individual lampshades that vary slightly in their appearance and surface aesthetic. Sold with a choice between two different cord sets, Bonbon is available either as a table/floor lamp or as a pendant, but it stands on its own as a powerful decorative object even when the bulb is not switched on.





ANA KRAŠ

Born in Belgrade, Serbia, in 1984, Ana Kraš studied furniture design and interior architecture at the University of Applied Arts in Belgrade. In 2013, she moved to New York, where she has continued pursuing various projects in the fields of object design, art, photography, and fashion.

Her work has been exhibited in numerous solo and group exhibitions around the world, and featured in many international publications. For HAY, Ana has designed the Bonbon Shade and the Perla Phone Holder.



Ana created her first Bonbon Lamp as a student project back in 2009, and years later she designed different variants of Bonbon for HAY, using the same process and type of yarn.







Ana Kraš uses carefully selected threads and palettes to create bold combinations of textures and colours.



Bonbon is a unique design that combines the craftsmanship and originality of handmade artwork with the quality of a functional object.

































Please use below link to download packshots, lifestyle photos and other sales material of Bonbon Shades IMAGE BANK

Please use below link for order placement and further information **HAYB2B.COM**



BONBON SHADE PRODUCT FACT SHEET



11.05.2021

BONBON SHADE

DESIGN BY ANA KRAŠ, 2019

Inspired by her drawings, Ana Kraš' Bonbon Lamp Shades are hand-woven using an original technique to create textured, one-of-a-kind pieces that can stand on their own as powerful decorative objects even when the bulb is not switched on. In Ana's lampshade collaboration with HAY, every shade is hand woven with nylon-wool yarn around a powder-coated steel frame, resulting in individual lampshades that vary slightly in their appearance and surface aesthetic.

HIGHLIGHTS

- ·A family of hand-woven lamp shades that trancends art and design boundaries.
- · High quality fabric, 80% wool, 20% nylon yarn mix.
- · The cord sets for the lamps are sold separately and are available in two designs a table/floor variant with an in-line on/off rocker switch,

38

- and a pendant variant for ceiling lamps.
- · Both cord sets come without a bulb.
- · Available in different sizes and colours.
- · Suitable for both private and office environments.
- · For indoor use only.

DIMENSIONS



BONBON SHADE 320 WIDTH 32 CM | 12.6" DEPTH 32 CM | 12.6" HEIGHT 38 CM | 15"

MATERIALS

SHADE FRAME



32



38

BONBON SHADE 380 WIDTH 38 CM | 15" DEPTH 38 CM | 15" HEIGHT 32 CM | 12.6"

SHADE EXTERIOR

Yarn in 80% wool and 20% nylon mix.



BONBON SHADE 500 WIDTH 50 CM | 19.69" DEPTH 50 CM | 19.69" HEIGHT 46 CM | 18.11"



Powder coated steel.

CONSTRUCTION

The shade is hand-woven in an original weaving technique around a spot welded, powder coated steel frame. The entire production is based in Europe.

COUNTRY OF ORIGIN

Ukraine

COLOUR & FINISH

Please note that the colour codes are indicative.





CORD SET TABLE

A versatile Cord Set designed for use with table lamps. It comprises a E27 fitting, fabric cord, inline on/off rocker switch and plug. The design is compatible with all HAY lamps that are based around a standard removable E27 light fitting.

DIMENSIONS



DIAMETER 4 CM | 1.57" CORD LENGTH 240 CM | 94.49" HEIGHT 6 CM | 2.36"

MATERIALS FITTING

Injection moulded ABS.

CORD Braided fabric with silicone insulation. SWITCH Injection moulded ABS.

COLOUR & FINISH

Please note that the colour codes are indicative.



BONBON SHADE 320 & 380

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	RECOMMENDED POWER (WATTS)	DIMMABLE	POWER SUPPLY	CORD LENGTH	SWITCH
LED E27 (A19)	10-13W (max. 15W)	No	220-240V AC at 50/60Hz	240 cm	Inline switch located 80 cm from the fitting

*Bulb not included.

TEST SPECIFICATIONS

FLUX (LUMENS)	CCT (KELVIN) & CRI (1-100)
1000-1500lm	The levels will vary depending on the type of bulb used in the lamp.

BONBON SHADE 500

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	RECOMMENDED POWER (WATTS)	DIMMABLE	POWER SUPPLY	CORD LENGTH	SWITCH
LED E27 (A21 or G30)	10-13W (max. 15W)	No	220-240V AC at 50/60Hz	240 cm	Inline switch located
					80 cm from the fitting
*Duille meet in aluala al					

*Bulb not included.

TEST SPECIFICATIONS

 FLUX (LUMENS)
 CCT (KELVIN) & CRI (1-100)

 1000-1500lm
 The levels will vary depending on the type of bulb used in the lamp.

CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following european EN IEC standards which relate specifically to electrical lighting products including

- \cdot EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- · EN 61000-3-2:2014 (EMC compatibility)
- $\cdot\,\text{EN}$ 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- ·EN 60598-1:2015 (general requirements)
- $\cdot\,\text{EN}$ 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

LINK TO IMAGE BANK

- CORD SET PENDANT -



CORD SET PENDANT

A versatile ceiling mounted Cord Set that allows for multiple cable configurations. The ceiling mount is round, made from ABS plastic and contains a magnet for easy fitting. The fabric cable can be adjusted in length to suit the environment. The design is compatible with all HAY lamps that are based around a standard removable E27 light fitting.

DIMENSIONS



DIAMETER 10,5 CM | 4.513 CORD LENGTH 400 CM | 157.48" HEIGHT 4,5 CM | 1.77"

MATERIALS

FITTING Injection moulded ABS. CORD Braided fabric with silicone insulation. CEILING MOUNT Textured ABS.

COLOUR & FINISH

Please note that the colour codes are indicative.



SOFT BLACK RAL 9004

BONBON SHADE 320 & 380

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	RECOMMENDED POWER (WATTS)	DIMMABLE	POWER SUPPLY	CORD LENGTH	SWITCH
LED E27 (A19)	10-13W (max. 15W)	Yes**	220-240V AC at 50/60Hz	400 cm	No

*Bulb not included.

**If used in conjunction with a wall mounted dimmer and suitable LED bulb.

TEST SPECIFICATIONS

FLUX (LUMENS)	CCT (KELVIN) & CRI (1-100)
	The levels will vary depending on the type of bulb used in the lamp.

BONBON SHADE 500

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	RECOMMENDED POWER (WATTS)	DIMMABLE	POWER SUPPLY	CORD LENGTH	SWITCH
LED E27 (A21 or G30)	10-13W (max. 15W)	Yes**	220-240V AC at 50/60Hz	400 cm	No
*Bulb not included.					

**If used in conjunction with a wall mounted dimmer and suitable LED bulb.

TEST SPECIFICATIONS

 FLUX (LUMENS)
 CCT (KELVIN) & CRI (1-100)

 1000-1500lm
 The levels will vary depending on the type of bulb used in the lamp.

CERTIFICATES CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following european EN IEC standards which relate specifically to electrical lighting products including

- · EN 55015:2013 (radio disturbance)
- ·EN 61547:2009 (EMC immunity)
- $\cdot\,\text{EN}$ 61000-3-2:2014 (EMC compatibility)
- $\cdot\,\text{EN}$ 61000-3-3:2013 (EMC compatibility)
- · EN 60598-2-4:1997 (portable luminaires)
- ·EN 60598-1:2015 (general requirements)
- $\cdot\,\text{EN}$ 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

LINK TO IMAGE BANK