

Cut Resistant Chaps

Cut, puncture and abrasion-resistant Chaps protect your body from high-risk hazards.

In addition to ANSI Level A5 cut-resistance, these chaps provide ANSI Level 3 puncture-resistance. Dual-layer area is ANSI Level A8 cut-resistant.

Constructed from an innovative combination of advanced fibers and a modified fabric structure to deliver high levels of protection.



TTP576



TTP576VELCROLEG-VBP

Product Specifications

Product Codes	TTP576 TTP576VELCROLEG-VBP
Sizes	Small – 6XL
Base	RhinoYarn™ Woven 009
Construction	Engineered woven with cut & sew finishing
Coating	n/a
Waist Closure	Adjustable buckle
Leg Closure	Adjustable Velcro®
Origin	USA

Packaging

Case Quantity	20 per case
Internal Packaging	1 per bag

Performance

ANSI 105: 2016



CUT

PUNCTURE:

3

ANSI 105: 2016



CUT

**Dual Layer Areas

Available Sizes

Size	S	M	L	XL	2X	3X	4X	5X	6X
Total Length	32.5"	34.5"	36.5"	38.5"	40.5"	42.5"	44.5"	46.5"	48.5"
Inseam	22"	24"	26"	28"	30"	32"	34"	36"	38"



Made with Tilsatec Rhino Yarn technology. Produced in the UK and developed by Tilsatec's specialist team of yarn technologists to deliver the optimum in performance and comfort.

United States Office
1.877.466.8499
info@tilsatec-na.com
www.tilsatec-na.com

Canadian Office
1.866.960.9454
info@tilsatec.net

Features

Style Shown:

TTP576



Integrated pockets

Dual Layer Area
ANSI Cut Level A8



Adjustable Waist
with Buckle Closure

Adjustable Legs
with Buckle Closure

Ankle / Shoe Guard



Made with Tilsatec Rhino Yarn technology.
Produced in the UK and developed by Tilsatec's
specialist team of yarn technologists to deliver
the optimum in performance and comfort.

United States Office
1.877.466.8499
info@tilsatec-na.com
tilsatec.com

Canadian Office
1.866.960.9454
info@tilsatec.net

Features



Style Shown:

TTP576-VELCROLEG-VBP

Dual Layer Area
ANSI Cut Level A8

Adjustable Velcro®
Leg Closure

Ankle / Shoe Guard



Made with Tilsatec Rhino Yarn technology. Produced in the UK and developed by Tilsatec's specialist team of yarn technologists to deliver the optimum in performance and comfort.

United States Office
1.877.466.8499
info@tilsatec-na.com
tilsatec.com

Canadian Office
1.866.960.9454
info@tilsatec.net