



360 Photo Booth User Manual



Product Composition



Remote Control




APP Control

Angle and Height Adjustment

Freely adjustable angle



Loosen the angle adjustment knob to adjust the angle freely.
Loosen the telescopic stand fixing knob to adjust the height of the stand.




Remote control

By using the remote control, you can control the rotation speed of the 360 photo booth (clockwise/counterclockwise), RGB stage lights color switching, and color brightness settings.

App control

You can also download our APP (BanlanX) to control the rotation speed of the 360 photo booth (clockwise/counterclockwise), RGB stage lights color switching, and color brightness settings.



How to download BanlanX APP

1.Android systems can scan the code to download the installation package or search BanlanX directly on Google Play. (Please note that the installation package should be listed as an installation file.)

2.IOS systems can scan the code to download the installation package or search BanlanX directly on APP Store. (Please note that the installation package should be listed as an installation file.)

3.For more APP installation and usage videos, please check out our youtube link. The link and QR code are as follows.


<https://www.youtube.com/@PhotoBooth-r4u/shorts>




Scan it

How to use BanlanX APP


Motor



Dynamic






Solid




Adjustable RGB Ring Light

Adjust the color and brightness according to the scene to meet various needs.



10 Levels of Brightness Adjustment



Package Contents


1-16  360 photo booth base X1	2-16  Short M8 screws X4 (Match photo booth base)	3-16  Fan-shaped rotating rod X1 (2pcs long M8 screws)	4-16  Rotating rod with battery box X1 (double side screw)
5-16  Rotating rod with pad X1	6-16  Ring light X1 Ring light brackets X2 Phone holder X1 Double side screw X1 Paper pops X1	7-16  Plug+adaptor X1	8-16  Bluetooth remote control X2 (Link to mobile phone shooting)

Package Contents


9-16  Remote controller X1	10-16  Spare parts Ring light bracket X1 Short M8 screws X2 Double side screw X1 Footing screws X2	11-16  Screw driver gloves	12-16  GoPro holder X1
13-16  iPad holder X1	14-16  Installation instruction X1	15-16  Flight case wheel X1 (Spare part)	16-16  Red carpet X1

Installation Instructions

1. Links to 2-16 and 3-16



2. Links to 3-16 and 4-16



5. Links to 7-16



3. Links to 4-16 and 5-16



4. Links to 5-16 and 6-16



We have detailed installation and maintenance videos on YouTube(@PhotoBooth-r4u); you can also use them for guidance during setup.

<https://www.youtube.com/@PhotoBooth-r4u/videos>



Scan it

Reminder for Additional Accessories

1. Install batteries in the remote control for use.

Bluetooth and
LED/Motor Remote



Ring Light
5V USB Portable
Charger



Batteries are not included due to being classified as dangerous goods and restricted from transportation, please purchase them yourself.

2. Special camera equipment can use equipment 12-16 or 13-16.



Gopro holder



ipad holder

3. Spare parts is 10-16 which including some free parts.



Attention

1. For transportation safety, the original package excludes a power bank for the ring light due to being classified as dangerous goods. Purchase separately as needed.
2. Carefully inspect all accessories upon receiving the 360 photo booth. Report any missing parts immediately.
3. Do not disassemble the product except for manually specified replaceable components.
4. Before operation, ensure power cords, base LED strip wires, and related items are clear from the rotating platform to prevent cable damage.
5. For safety, avoid jumping vigorously on the stage.
6. Avoid concentrating heavy weight on stage edges; distribute loads evenly across the platform.
7. Never intentionally halt the rotating rod during operation.
8. Children must not use unsupervised; adult supervision is required.
9. Contact us for any issues. We value customer feedback and respond within 24 hours; our team provides dedicated support. Improvement suggestions are welcome for user-centric upgrades.