



Crompton Greaves Consumer Electricals Limited
05GBD, Godrej Business District, Pirojshanagar,
Vikhroli (West), Mumbai, Maharashtra - 400079, India
Customer Care No. : +91 9228880505 | www.crompton.co.in
Email: consumer.support@crompton.co.in



CromLine

Flexibility in Form, Excellence in Illumination



Your workspace communicates your brand through aesthetics and experience

It demands lighting that delivers efficiency and elevates aesthetics through design flexibility.

CromLine


combines thoughtful engineering and intelligent designing, to enable flexible lighting possibilities and efficient performance, while ensuring illumination that is comfortable and consistent.



Workspaces




Retail Stores




Data Centers



Educational Institutes



Commercial Facilities



Hospitality Spaces

Built for excellence



Elevating Workspace Aesthetics

Extruded aluminium housing with refined black and white finish options to enhance the visual language of workspaces

Ensuring Visual Comfort & Efficiency

Standard and prismatic diffuser options to deliver soft ambient illumination or glare-controlled task lighting, ensuring visual comfort while maintaining high lighting efficiency

Enabling Custom Light Layouts

Ready to use formations in multiple lengths supporting standalone or connected installations and suspended mounting


Delivering Tailored Performance

Wide wattage range and multiple CCT choices, delivering consistent illumination for different functional and design needs

Simplifying Installation & Maintenance

A top-accessible driver compartment with ready-to-use loop in / loop out functionality for easy installation and future maintenance


Ready to use formations



Available in lengths



Unique formation possibilities



Technical Specifications

- ⚡ Wattage
10W / 80W
- ⚙ Lengths
2ft / 3ft / 4ft / 6ft / 8ft
- 💡 Diffuser
Standard & Prismatic
Diffuser options
- 🎨 Housing Colour
White & Black
- K CCT
4000K / 5700K / 6500K
- 🔌 Driver in
Top accessible driver
compartment
- 🏠 Housing
Extruded
Aluminium Housing
- 🔄 Loops
Ready to use loop in
loop out facility
- 📏 Mounting System
Suspended
(Suspension kit in the box)
- 🏠 Formations
L, Y, V, +, T
available as
ready options
- ☀ System Efficacy
Standard: 120 Lm/W
Prismatic: 110 Lm/W

CCR-157-20-57-HL2-DP-12-NWH

