

CromFlex

Freedom to shape

LED STRIP, ROPE & FLEX LIGHT RANGE



Crompton Greaves Consumer Electricals Limited
05GBD, Godrej Business District, Pirojshanagar,
Vikhroli (West), Mumbai, Maharashtra - 400079, India
Customer Care No. : +91 9228880505 | www.crompton.co.in
Email: consumer.support@crompton.co.in

CromFlex

Engineered to adapt to your imagination

CromFlex is designed to deliver flexibility and functionality in perfect harmony. Whether it's outlining architectural contours, adding ambient glow to interiors, or enhancing outdoor facades, CromFlex adapts seamlessly to your imaginations.



Creative freedom

Three variants that flex and flow with your design vision



Functional flexibility

Multiple wattage and length options to meet varied lighting requirements




Reliable in any setting

IP20 & IP65 for dependable use in dry or damp spaces



Vibrant choices

Offered in multiple CCTs and dynamic colours



Hospitality Spaces



Retail Stores



Lobbies & Receptions



Recreational Spaces



Art Galleries & Museums



Entertainment Facilities



Strip Light

Technical Specifications

 Housing Flexible PCB / Flexible Double-sided PCB / Silicon Tube	 Length 5 Mtr	 Surge 3kV
 Wattages 5W / 10W / 15W Per Mtr	 Mounting Adhesive Tape	 P.F. > 0.5
 Driver 24 V SMPS - 1A / 2A / 3A	 Efficacy 400 / 800 / 1200 Lm/Mtr	 Protection IP20 / 65
 LEDs 120 / 180 Per Mtr	 CCT 3000K, 4000K, 5700K, 6500K, RGB, Red, Green, Blue, Amber & Aqua	

* Connect with Sales Representative for Codes

Rope Light

Technical Specifications

 Housing Flexible Double-sided PCB	 Length 10m (RGB), 18m (Tiranga), 20m & 50m (Red, Green, Blue, Amber, Aqua)	 Surge 2kV
 Wattages 8W Per Mtr	 Mounting Adhesive Tape	 Fixing Method Clamp
 Driver Integral Rectifier	 LEDs 120 Per Mtr	 Protection IP65
 CCT 3000K, 4000K, 6500K, RGB, Red, Green, Blue, Amber, Aqua & Tiranga		

* Connect with Sales Representative for Codes



Neon Flex Light

Technical Specifications

 Housing Extruded PVC Compound	 Length 5m (Pixel Changing), 10m (RGB , Red, Green, Blue, Amber & Aqua)	 Surge 2kV
 Wattages 8W Per Mtr	 Fixing Method Plastic Clips (Provided)	 P.F. 2kV
 Driver Integral Rectifier	 LEDs 120 Per Mtr	 Protection IP65
 CCT 3000K, 4000K, 6500K, RGB, Red, Green, Blue, Amber, Aqua & Pixel Changing		

* Connect with Sales Representative for Codes

