



#### K 4 Compact

The Kärcher K 4 Compact pressure washer is powerful and durable - it's compact enough to be stored in a shed or car boot, with on-board storage for all the cables, hose and accessories.




1 Telescopic handle

2 Integrated accessory storage on the device

Convenient and space-saving accessory storage.

### **TECHNICAL DATA AND EQUIPMENT.**

#### KARCHER



#### K 4 Compact

		Quick Connect
Technical data		
Order Number		1.637-501.0
EAN code		4054278497198
Pressure	bar / MPa	20-130 / 2-13
Flow rate	l/h	420
Max. water feed temperature	°C	max. 40
Power rating	kW	1,8
Weight without accessories	kg	11
Dimensions (L x W x H)	mm	348 × 308 × 520
Current type	V / Hz	230 / 50
Equipment		
High-pressure gun		G 180 Q
Vario Power spray lance		1
Dirt Blaster spray lance		1
High-pressure hose	m	6
Telescopic handle		1
Water-cooled motor		1
		1
Quick Connect on machine		1
Detergent application via		Suction hose
Integrated water filter		1
Adapter garden hose A3/4"		
Included in delivery.		

K 4 Compact, 1.637-501.0, 2019-01-15

## ACCESSORIES FOR K 4 COMPACT 1.637-501.0

1 2 2 8 9			00 %% %% %% %% % % % % % % % % % % % %	5	•		•
		Order Number			Price	Description	
Spray lances Full Control Vario Power Jet for K4 - K5, VP145	1	2.642-725.0				This spray lance is continuously adjustable from low-pressu- re detergent jet to high-pressure jet, simply by turning the	
Full Control Dirt Blaster for K4 - K5, DB145	2	2.642-728.0				spray lance. Suitable for use with K4 - K5 power washers. The Dirt Blaster for power washers in the K4 - K5 range. This spray lance is suitable for use on particularly stubborn	
Splash guard	3	2.642-706.0				dirt like mossy pavements or house walls. The transparent splash guard for K2 to K7 Kärcher pressure washers protects you and the surrounding area from spray water idea for classing corport ad edges.	
Angled spray lance	4	2.638-817.0				water. Ideal for cleaning corners and edges. Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle under- bodies.	
Single Lance Extension	5	2.643-240.0				Extends spray lance by 0.5 m. For effective cleaning of	1
Mini VP160 Vario Power Jet	6	2.643-254.0				difficult to reach areas. Suitable for all Kärcher accessories. The Kärcher Mini Vario Power Jet comes with infinite pres- sure regulation and an adjustable 360° joint, ideal for cleaning difficult to reach areas. For use with K2 - K7 pres- sure washers.	
Telescopic jet pipe	7	2.642-347.0				The Kärcher Telescopic jet pipe allows for easy cleaning of difficult to reach areas. With a shoulder strap and an ergo- nomically adjustable trigger gun, allwoing you to reach up to 4m.	5
MP 145 Multi Power Jet	8	2.643-239.0				The Kärcher multi-power jet has 5 different types of jets: Cleaning agent jet, High Pressure fan jet, rotary nozzle,	
Miscellaneous						pencil jet and wide reduced-pressure fan jet.	1
G 160 Q	9	2.642-889.0					
Water filter	10	4.730-059.0				Water filter protects pressure washer pumps against dirt particles from dirty water.	
Replacement O-ring set	11	2.640-729.0					
Hard surface cleaners PS 40 Power Scrubber	12	2.643-245.0				The Kårcher PS40 power scrubber comes with three integra- ted high-pressure nozzles giving you a powerful, reliable and time-saving solution for removing stubborn dirt on a variety of surfaces.	-
T450 Patio Cleaner	13	2.643-214.0				The T450 Kärcher patio cleaner is a handy attachment for your Kärcher pressure washer. Twin-jet rotating arms allow you to clean areas like patios and decking faster and with great results.	
T350 Patio Cleaner	14	2.643-252.0				The Kärcher T350 patio cleaner allows you to clean large areas quickly and efficiently, as well as being splash-free. This model includes adjustable cleaning pressure for diffe- rent surfaces.	
Spare nozzles accesories	15	2.643-338.0				High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	
Spare nozzles accesories T 300 / T 350	16	2.643-335.0					
T550 Patio Cleaner	17	2.643-251.0				The Kärcher T550 patio cleaner is our most powerful patio cleaner. Allowing you to clean large surface areas quickly. Included in this model is a detergent application feature.	

■ Included in delivery. □ Available accessories.

#### KARCHER

## ACCESSORIES FOR K 4 COMPACT 1.637-501.0

18         19           19         19           10         19           10         19           10         19           10         19				22	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array} $	P
		Order Number		Price	Description	
Special applications		· · · · · · · · · · · · · · · · · · ·	I			
FJ 6 foam nozzle	18	2.643-147.0			The Kärcher FJ6 foam nozzle is the perfect addition to your Kärcher pressure washer, allowing you to add a layer of foamy detergent with the minimum of effort and fuss.	
Pipe cleaning set, 15 m	19	2.637-767.0			Pipe cleaning set with 15 m hose for clearing blockages in pipes, drains, downpipes and toilets.	
Pipe cleaning set, 7.5 m	20	2.637-729.0			Pipe cleaning set with 7.5 m hose for clearing blockages in pipes, drains, downpipes and toilets.	
Vario joint	21	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas. Connection: For connection between gun and accessory or extension lance and accessory.	
Kärcher organiser	22	2.641-630.0			Karcher organiser, the practical wall-mounted storage sys- tem for Karcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	
Suction hose SH 5	23	2.643-100.0			Eco-friendly 5 metre suction hose for drawing water from alternative sources such as water butts and barrels.	
Foam nozzle Connect 'n' Clean FJ10 C Ultra Foam Cleaner 1L	24	2.643-143.0			The Kärcher Ultra Foam Detergent & FJ10 C Connect ,n' Clean foam nozzle is the most effective way to apply dete- regent. Allowing you to switch between detergents for different tasks.	
FJ 10 C Connect 'n' Clean Foam and Care nozzle with Car Shampoo	25	2.643-144.0			Car Shampoo & FJ 10 C Connect ,n' Clean foam nozzle - The most effective way to apply deteregent. Also allows a simp- le switch between different detergents for different tasks.	
Roof gutter and pipe cleaning set	26	2.642-240.0			The Kärcher roof gutter and pipe cleaning kit is an effective way to clean and remove blockages in pipes, drains, down- pipes and toilets. Compatible with all Kärcher pressure washers.	
Sand/wet blasting set	27	2.638-792.0			Sand and wet blasting set for removing rust, paint and stubborn dirt using Kärcher abrasive.	
FJ 10 C Connect 'n' Clean Foam and Care nozzle with Stone Clea- ner	28	2.643-145.0			3in1 Stone cleaner & FJ 10 C Connect ,n' Clean foam nozzle - The most effective way to apply deteregent. Also allows a simple switch between different detergents for different tasks.	
Brushes						
WB 150 power brush	29	2.643-237.0			The Kärcher WB150 pressure washer brush is the perfect attachment for cleaning delicate surfaces such as car exteri- ors, motorbikes, glass, garage doors and conservatories.	
WB60 Soft Surface Wash Brush	30	2.643-233.0			The Kärcher WB60 soft wash brush is a great addition to your Kärcher pressure washer to help you clean larger surfaces like cars, caravans, boats and conservatories.	
Wheel Washing Brush	31	2.643-234.0			The Kärcher wheel washing brush is perfect for removing dirt and grime that accumulates on your wheel rims. With 360° degree cleaning enabiling you to reach every angle of your wheels.	
WB 120	32	2.644-060.0				
WB 120 Car & Bike	33	2.644-129.0			_	
Adapter for garden hose connec- tion	34	2.640-732.0				

■ Included in delivery. □ Available accessories.

K 4 Compact, 1.637-501.0, 2019-01-15

# ACCESSORIES FOR K 4 COMPACT 1.637-501.0



	Out on Number					During	Description	
	Order NUMber					Price	Description	
ith An	ti-Twist system aı	nd Quick Connect	system					
35	2.643-585.0						The new Kärcher anti-twist high-pressure hose makes wor-	
							· · · ·	
							themselves.	
	1		1			1		
36	2.641-721.0							
							÷	
	- 1002						nect connector, 160 bar, 60°C.	
	1			1		1		
			1	1		1		
38	2.641-710.0						• • • •	
20	2 6 44 700 0							+
39	2.641-709.0						• • • •	
40	2 641-708 0							+
40	2.071 / 00.0							
								1
	35 tem fr 36 t - fror 37 tem fr	Ith Anti-Twist system at 35     Z.643-585.0       tem from 2009     2.641-721.0       36     2.641-721.0       1992     2.643-037.0       tem from 2008     2.641-710.0       38     2.641-710.0       39     2.641-709.0	35     2.643-585.0       tem from 2009       36     2.641-721.0       37     2.643-037.0       tem from 2008       38     2.641-710.0       39     2.641-709.0	ith Anti-Twist system and Quick Connect system       35     2.643-585.0       item from 2009       36     2.641-721.0       37     2.643-037.0       100     1000       38     2.641-710.0       39     2.641-709.0	ith Anti-Twist system and Quick Connect system         35       2.643-585.0         item from 2009         36       2.641-721.0         37       2.643-037.0         item from 2008         38       2.641-710.0         39       2.641-709.0	ith Anti-Twist system and Quick Connect system       35     2.643-585.0       item from 2009       36     2.641-721.0       37     2.643-037.0       17     2.643-037.0       18     2.641-710.0       38     2.641-709.0	Ith Anti-Twist system and Quick Connect system     Ith Anti-Twist system and Quick Connect system       35     2.643-585.0     Ith Anti-Twist system and Quick Connect system       36     2.643-585.0     Ith Anti-Twist system and Quick Connect system       36     2.643-585.0     Ith Anti-Twist system and Quick Connect system       36     2.641-721.0     Ith Anti-Twist system and Quick Connect system       37     2.643-037.0     Ith Anti-Twist system and Quick Connect system       38     2.641-710.0     Ith Anti-Twist system and Quick Connect system       39     2.641-709.0     Ith Anti-Twist system and Quick Connect system	36       2.643-585.0       The new Kärcher anti-twist high-pressure hose makes working with your pressure washer that much easier. Thanks to the anti-twist system knots in the high-pressure hose untie themselves.         36       2.643-585.0       9 m high-pressure replacement hose for K3 - K7 series domestic pressure washers from 2009         36       2.641-721.0       9 m high-pressure replacement hose for K3 - K7 series domestic pressure washers from 2009, where the hose is connected to the gun and pressure washer per Quick Connect connector, 160 bar, 60 °C.         37       2.643-037.0       9         38       2.641-710.0       High-pressure extension hose for greater flexibility. 10 m robust DN 8 quality hose for durability. For K2 - K7 series from 2008 with Quick Connect connector.         39       2.641-709.0       High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K3 - K7 series from 2008 with Quick Connect connector.

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR K 4 COMPACT 1.637-501.0

















		Order Number			Price	Description	
Connectors/Tap adaptors							
Universal hose coupling Plus	1	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal hose coupling Plus with Aqua Stop	2	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal hose coupling with Aqua _Stop	3	2.645-192.0				Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	
Universal hose coupling	4	2.645-191.0				Our universal hose coupling is an essential part of the Kär- cher garden irrigation system, extending the length of your hose to make sure every inch of your garden gets the care it deserves.	
Hoses							
Connection Set for high-pressure cleaners	5	2.645-156.0				Hose set for high pressure cleaning or for watering the garden. With 10 m PrimoFlex®-hose (3/4"), G3/4-tap adap- ter, 1 x Universal hose connector as well as Universal hose connector with Aqua Stop.	
Indoor Hose Connection Set	6	2.645-258.0				This indoor hose connection set provides the perfect soluti- on if you need to connect your power washer to an indoor tap.	
PrimoFlex* Hose: 1/2" - 20m	7	2.645-138.0				This PrimoFlex* hose is durable, with a woven reinforced garden hose with pressure resistant features and operating temperature range from -20 to 65°C, making it ideal for gardening.	
PrimoFlex* hose 3/4" - 25 m	8	2.645-142.0				PrimoFlex <sup>®</sup> quality garden hose (3/4") 25 m. Pressure-resis- tant, reinforced braided. Unharmful to health. Bursting pressure: 24 bar. Wide operating temperature range from -20 to 65 °C.	
Hose Storage and Hose Trolley							
Premium Hose Reel HR 7.315 Kit 5/8"	9	2.645-165.0				Watering Station for the practical and space-saving storage of hoses and garden accessories. With removable drum, storage for nozzles, spray guns, and spray lances and spaci- ous storage box.	
Premium Hose Reel HR 7.315 Kit 1/2"	10	2.645-164.0				Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage for nozzles, spray guns, and spray lances and spaci- ous storage box.	

■ Included in delivery. □ Available accessories.