

Date : March 16, 2021

CERTIFICATE OF ANALYSIS – GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 21B23-FEP07

Customer identification : Clove Bud - Indonesia - 51249-06

Type : Essential oil

Source : *Syzygium aromaticum*

Customer : Fern & Petal

ANALYSIS

Method: PC-MAT-014  - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID (in French); identifications validated by GC-MS.

Analyst : Seydou Ka, M. Sc.

Analysis date : March 16, 2021

Checked and approved by :

Alexis St-Gelais, M. Sc., chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

PHYSICOCHEMICAL DATA

Physical aspect: Light yellow liquid

Refractive index: 1.5362 ± 0.0003 (20 °C; method PC-MAT-016)

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY – CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Furfural	0.01	Furan
Limonene	tr	Monoterpene
Linalool	0.01	Monoterpenic alcohol
Methyl salicylate	0.08	Phenolic ester
Chavicol	0.12	Phenylpropanoid
α -Cubebene	0.02	Sesquiterpene
Eugenol	83.04	Phenylpropanoid
Dihydroeugenol	0.14	Phenylpropanoid
α -Copaene	0.09	Sesquiterpene
β -Bourbonene	0.01	Sesquiterpene
β -Elemene	0.05	Sesquiterpene
Isocaryophyllene	0.02	Sesquiterpene
Methyleugenol	0.04	Phenylpropanoid
β -Caryophyllene	5.60	Sesquiterpene
Caryophylla-4(12),8(13)-diene	0.02	Sesquiterpene
α -Humulene	0.85	Sesquiterpene
allo-Aromadendrene	0.01	Sesquiterpene
<i>trans</i> -Cadina-1(6),4-diene	0.02	Sesquiterpene
γ -Muurolene	0.01	Sesquiterpene
β -Selinene	0.01	Sesquiterpene
α -Selinene	0.02	Sesquiterpene
α -Muurolene	0.02	Sesquiterpene
γ -Cadinene	0.07	Sesquiterpene
<i>trans</i> -Calamenene	0.04	Sesquiterpene
δ -Cadinene	0.08	Sesquiterpene
Eugenyl acetate	7.24	Phenylpropanoid ester
α -Calacorene	0.03	Sesquiterpene
Unknown	0.15	Unknown
Unknown	0.01	Phenylpropanoid
Caryophyllenyl alcohol	0.02	Sesquiterpenic alcohol
(<i>E</i>)-Nerolidol	0.01	Sesquiterpenic alcohol
Caryophyllene oxide	0.56	Sesquiterpenic ether
Humulene epoxide I	0.02	Sesquiterpenic ether
Widdrol	0.03	Sesquiterpenic alcohol
Humulene epoxide II	0.06	Sesquiterpenic ether
(<i>E</i>)-Isoeugenyl acetate	0.03	Phenylpropanoid ester
1- <i>epi</i> -Cubenol	0.05	Sesquiterpenic alcohol
Caryophylladienol I	0.09	Sesquiterpenic alcohol
Caryophylladienol II	0.09	Sesquiterpenic alcohol
τ -Cadinol	0.03	Sesquiterpenic alcohol
α -Muurolol	0.05	Sesquiterpenic alcohol
14-Hydroxy-(<i>Z</i>)-caryophyllene	0.18	Sesquiterpenic alcohol
14-Hydroxy-9- <i>epi</i> -(<i>E</i>)-caryophyllene	0.03	Sesquiterpenic alcohol
(3 <i>Z</i>)-Caryophylla-3,8(13)-dien-5 β -ol	0.10	Sesquiterpenic alcohol
Trimethoxypropylbenzene analog	0.03	Phenylpropanoid

(E)-Coniferyl alcohol	0.06	Phenylpropanoid
Benzyl benzoate	0.01	Phenolic ester
Consolidated total	99.26%	


tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

This page was intentionally left blank. The following pages present the complete data of the analysis.



DB-WAX



FULL ANALYSIS DATA

Identification	Column DB-5			Column DB-WAX		
	R.T	R.I	%	R.T	R.I	%
Furfural	1.69	829	0.01	6.53	1412	0.01
Limonene	4.39	1026	tr			
Linalool	5.56	1101	0.01			
Methyl salicylate	6.91	1188	0.08	10.28*	1705	0.15
Chavicol	7.94	1256	0.12	16.34	2276	0.37
α -Cubebene	9.27	1348	0.02	6.66	1421	0.01
Eugenol	9.53	1366	83.04	14.70*	2108	82.38
Dihydroeugenol	9.57	1369	0.14	14.08	2048	0.49
α -Copaene	9.64	1374	0.09	7.02	1448	0.07
β -Bourbonene	9.68	1376	0.01			
β -Elemene	9.87	1390	0.05	8.30*	1546	5.62
Isocaryophyllene	10.04	1402	0.02	8.04	1526	0.01
Methyleugenol	10.07	1404	0.04	13.17	1962	0.03
β -Caryophyllene	10.22	1415	5.60	8.30*	1546	[5.62]
Caryophylla-4(12),8(13)-diene	10.32	1423	0.02	8.50	1562	0.03
α -Humulene	10.65	1448	0.85	9.14	1612	0.85
allo-Aromadendrene	10.75	1455	0.01	8.86	1590	0.01
<i>trans</i> -Cadina-1(6),4-diene	10.94	1470	0.02	9.11	1610	0.02
γ -Muurolene	10.99	1473	0.01	9.44	1637	0.01
β -Selinene	11.08	1480	0.01	9.79	1665	0.01
α -Selinene	11.21	1489	0.02	9.71	1659	0.01
α -Muurolene	11.29	1495	0.02	9.89	1673	0.01
γ -Cadinene	11.47	1509	0.07	10.28*	1705	[0.15]
<i>trans</i> -Calamenene	11.58	1518	0.04	11.07	1773	0.04
δ -Cadinene	11.61	1520	0.08	10.28*	1705	[0.15]
Eugenyl acetate	11.72	1529	7.24	15.58	2197	7.15
α -Calacorene	11.80	1536	0.03			
Unknown [m/z 164, 135 (98), 93 (86), 107 (83), 79 (69)...]	11.90	1544	0.15	11.84	1840	0.11
Unknown [m/z 180, 93 (70), 55 (62), 77 (55), 164 (55), 103 (50)]	12.00	1551	0.01	20.73	2781	0.03
Caryophyllenyl alcohol	12.16	1564	0.02	13.52	1994	0.01
(<i>E</i>)-Nerolidol	12.20	1566	0.01	13.64	2006	0.01
Caryophyllene oxide	12.29	1574	0.56	12.61	1909	0.37
Humulene epoxide I	12.50	1590	0.02	12.98	1944	0.02
Widdrol	12.54	1594	0.03			
Humulene epoxide II	12.62	1600	0.06	13.21	1965	0.06
(<i>E</i>)-Isoeugenyl acetate	12.72	1607	0.03	17.08	2356	0.04
1-epi-Cubenol	12.89	1622	0.05	13.62	2004	0.04
Caryophylladienol I	12.91	1623	0.09	15.84	2224	0.02
Caryophylladienol II	12.96	1627	0.09	15.90	2230	0.10
τ -Cadinol	13.05	1635	0.03	14.70*	2108	[82.38]
α -Muurolol	13.12	1641	0.05	15.03	2141	0.06
14-Hydroxy-(<i>Z</i>)-caryophyllene	13.23	1650	0.18	16.29*	2271	0.19

14-Hydroxy-9-epi-(<i>E</i>)-caryophyllene	13.30	1656	0.03	16.29*	2271	[0.19]
(3 <i>Z</i>)-Caryophylla-3,8(13)-dien-5β-ol	13.39	1664	0.10	16.66	2310	0.11
Trimethoxypropylbenzene analog	13.59	1680	0.03	17.72	2426	0.02
(<i>E</i>)-Coniferyl alcohol	14.13	1725	0.06			
Benzyl benzoate	14.44	1752	0.01			
Total identified		99.09%			98.39%	
Total reported		99.26%			98.52%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied
R.T.: Retention time (minutes)
R.I.: Retention index