

The Belmont fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.

36"W x 16" H Size: CSA/UL Approved Certification:





	Manual Ignition	Electronic Ignition
BTU/Hr Weight Fuel Options	60,000 120 lbs NG/LP	125,000 120 lbs NG/LP

Optional Accessories:

Glass wind Guard 30"D x 6"H Vinyl Weather Cover

Propane Tank Cover 16"W x 16"D x 21"H Powder Coated Aluminium Table Top 36"D





Colour Options







NATURAL



SANDSTONE

CHARCOAL

ASH

Colour Options









IVORY BEACH **STONE**

SLATE BEACH **STONE**

BLACK LAVA ROCK




PERSPECTIVE VIEW



Clearances

Overhead solid structure: (Floor, overhang, pergola or screen)




Solid structure or combustible on no more than 2 sides.
- 12" minimum clearance for noncombustible materials.

Note:

Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

Burner Assembly

18" Match Lit Burner



Clearances:

Overhead solid structure: (Floor, overhang, pergola or screen)

Residential or Commercial Building on no more than 2 sides.

Note:

Solid structure or combustible on no more than 2 sides.
- 12" minimum clearance for noncombustible materials.

Note: Electronic ignition burners require a fixed piping gas supply. Not for use with portable LP tanks.

Note:

Deck Installation - if installing fire pit on a wood or composite deck, it is required to use the deck insulation kit. Kit includes basalt material and instructions.

Burner Assembly

Electrical:

120V Outdoor receptacle required. Must be installed and grounded in accordance with local codes. 24" Electronic Ignition Burner

