



Fun is Fast. And it always will be.

The Kreissäge is back.

We really like the approach of taking it easy, shifting down a gear, deep breaths, observing and feeling nature around us.

But to be honest when we are on our race bikes we just want that nature thing flying by left and right. Deep breaths should come from our hearts pumping at 190bpm and shifting down a gear should only be in preparation to drop the hammer.

The Kreissäge is an aluminium road bike frame made to go fast, brake late, hit the apex, accelerate out of turns and sprint for whatever you are sprinting for. Agile, direct, responsive, safe. Control is fast.



Disc Frameset



Specs

Included in the frameset:

Frame Standert Kreissäge Disc

Fork Standert tapered full carbon flat

mount

Headset \(\hat{\exists}\) Standert ZS/EC

Bottom Bracket First T47

Seatpost Clamp == 31.8mm

Thru Axles front 12x100, rear 12x142

Additional dimensions:

Seatpost \$\sqrt{27.2mm}\$

Front Derailleur
Clamp Diameter 31.8mm

Colors

Belgian Blue, Paceline Peach, Leadout Lemon


48 Project Compact™, 50 Project

Sizes Compact™, 52 Project Compact™, 54, 56, 58, 60

Weight Frame (size 54) 1435g, Fork 450g



Disc Frameset



12x142 Thru Axle Dropout with integrated flat mount caliper mounts. Thru Axles are included in the frameset. Internal Di2 and external mechanical shift cable routing for best performance and simple maintenance.

First ThreadFit T47 Bottom Bracket

The ThreadFit T47 standard provides the security and reliability of a threaded bottom bracket with the stiffness and power transfer gains of a PressFit 30 bottom bracket shell.

Compatible with Shimano, Sram, Campagnolo and many more.



Rim Frameset



Specs

Included in the frameset:

Frame Standert Kreissäge Rim

Fork Standert tapered full carbon direct

mount

Headset \(\equiv \equiv \) Standert ZS/EC

Bottom Bracket 🖂 First T47

Seatpost Clamp == 31.8mm

Additional dimensions:

Seatpost \$\sqrt{27.2mm}\$

Front Derailleur Clamp Diameter 31.8mm

Clearance

Maximum Tire 700x28c

Colors

Belgian Blue, Paceline Peach,
Leadout Lemon


Sizes

48 Project Compact™, 50 Project
Compact™, 52 Project Compact™,
54, 56, 58, 60

Weight Frame (size 56) 1360g, Fork 350g



Rim Frameset



First ThreadFit T47 Bottom Bracket

The ThreadFit T47 standard provides the security and reliability of a threaded bottom bracket with the stiffness and power transfer gains of a PressFit 30 bottom bracket shell.

Compatible with Shimano, Sram, Campagnolo and many more.



Disc Complete Bike



Specs

Stem

Zipp Service Course Silver / SL Beyond Black / SL Sprint Matte Black

Handlebar



Zipp Service Course 80 Silver / SL70 Beyond Black

Handlebar Tape / Grips



Shift / Brake Levers

Sram Force eTap AXS HRD

Brake Front

Sram Force AXS HRD, Centerline XR 160mm Rotor

Brake Rear

Sram Force AXS HRD Centerline XR 140mm Rotor

Derailleur Front

ß Sram Force eTap AXS

Derailleur Rear

Sram Force eTap AXS

Cassette

Sram Force eTap AXS XG-1270 10-28

Chain

Sram Force eTap AXS

Crankset



Sram Force eTap AXS 4835

Saddle



Fizik Vento Argo

Seatpost



Zipp Service Course Silver / SL Beyond Black / SL Speed carbon Frame



Standert Kreissäge Disc

Fork



Standert full carbon tapered 1 1/8"-1 1/2" flat mount

Colors



Belgian Blue, Paceline Peach, Leadout Lemon

Sizes



48 Project Compact™, 50 Project Compact™, 52 Project Compact™, 54, 56, 58, 60

Weight



Complete (Size 54) 8,2kg

Maximum Tire Clearance



700x30c

Headset



Standert ZS/EC

Bottom Bracket



□□□ First T47

Wheelset



DT Swiss ER 1400 Dicut 21

Tires



Vittoria Corsa

Disc Complete Bike



DT Swiss High-End Aluminium

21 Deep | 24 Wide | 1493 Gramm Top end aluminium wheelset. Wide, asymmetric and lightweight rims make for an outstanding stiffness to weight ratio. With the high-end 240s based hubs this is the perfect fit for every performance road bike.



Carbon for Comfort

The 27.2mm Zipp carbon seatpost brings comfort to the aluminium frame.




SL-70 Ergo Handlebar



Vittoria Corsa 28C

Four compounds in the tread (4C) for increased wear life, lower resistance and improved grip on the sides. Premium cotton casing conforms closer to the road's surface, providing a smoother ride, easier rolling, and better grip.





SRAM Crankset



Removable Cable Stop



Made in Italy Detail



Rim Complete Bike



Specs

Stem

Zipp Service Course Silver / SL Beyond Black / SL Sprint Matte Black

Handlebar

Zipp Service Course 80 Silver / SL70 Beyond Black

Handlebar Tape / Grips

Fizik

Shift / Brake Levers

Sram Force eTap AXS

Brake Front

Sram S-900 Direct Mount

Brake Rear

Sram S-900 Direct Mount

Derailleur Front Derailleur Rear

Sram Force eTap AXS Sram Force eTap AXS

Cassette

Sram Force AXS PG-1270 10-28

Chain

Sram PC-1270 12-Speed

Crankset

Fizik

Sram Force AXS, 4835

Saddle

Seatpost

Zipp Service Course Silver / SL Beyond Black / SL Speed carbon Frame

Standert Kreissäge Rim

Fork

Standert full carbon tapered 1 1/8"-1 1/2" direct mount

Colors

Belgian Blue, Paceline Peach, Leadout Lemon

Sizes

48 Project Compact™, 50 Project Compact™, 52 Project Compact™, 54, 56, 58, 60

Weight

Complete (Size 54) 7,4 kg

Maximum Tire Clearance

700x28c

Headset



Standert ZS/EC

Bottom Bracket

□□□ First T47

Wheelset



DT Swiss PR 1400 Dicut 21

Tires



Vittoria Corsa

10

Rim Complete Bike



Made in Italy Detail















Kreissäge Fact Sheet










Sizing



Body Height (cm)		Inseam (cm)		Frame Size
150	163	76	82	48 PC™
158	170	77	83	50 PC™
166	177	78	84	52 PC™
170	180	80	86	54
175	185	82	88	56
182	192	84	90	58
188	198	85	91	60

regular fit race fit regular fit race fit

Take these numbers as a good reference.

Fit is a very individual thing though. Every body is different and many parameters go into a perfect fit.

If you already have a bike that fits you well, comparing geometries and specs will mostly yield a good result.

We're always happy to help! Especially when you're just starting out and are quite uncertain which way to go. Call us, or go to standert.de/pages/sizing-guide for in depth fit advice.

