

Certificate of Analysis

Compliance Test

Client Information:

CBD Living Water
226 N Maple St
Corona Ca, California 92878
Order # CBD250527-010001
Order Date: 2025-05-27
Sample # AAGT427

Batch # 25132
Batch Date: 2025-05-01
Extracted From: Hemp

Test Reg State: Oregon

Sampling Date: 2025-05-28
Lab Batch Date: 2025-05-28
Completion Date: 2025-06-02

Density: 1.000 g/ml
Volume: 500 ml



Product Image



Potency 11 (LCMS)

Tested

Potency 11 - (LCMS)

Specimen Weight: 1000000.000 mg

Tested

SOP13.030 (LCMS)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBD	8.000	3.37E-7	7.5E-5	20.300	0.00203
CBC	8.000	1.94E-6	7.5E-5	<LOQ	<LOQ
CBDA	8.000	7.78E-8	7.5E-5	<LOQ	<LOQ
CBDV	8.000	9.80E-8	7.5E-5	<LOQ	<LOQ
CBG	8.000	4.00E-7	7.5E-5	<LOQ	<LOQ
CBGA	8.000	4.71E-8	7.5E-5	<LOQ	<LOQ
CBN	8.000	1.25E-6	7.5E-5	<LOQ	<LOQ
Delta-8 THC	8.000	8.36E-7	7.5E-5	<LOQ	<LOQ
Delta-9 THC	8.000	2.98E-5	7.5E-5	<LOQ	<LOQ
THCA-A	8.000	1.51E-7	7.5E-5	<LOQ	<LOQ
THCV	8.000	1.24E-6	7.5E-5	<LOQ	<LOQ
Total Active CBD	8.000			0.020	0.00203
Total Active THC	8.000			<LOQ	<LOQ



Potency Summary

Total Active THC	ND	Total Active CBD	0.00103% 10.150mg
Total CBG	ND	Total CBN	ND
Total Cannabinoids	0.00203% 10.150mg		



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400, Failed - Analyte/microbe is at the level that equal or above the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400 Client supplied the net weight of ml The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.