

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RK0595249

Certificate of Analysis

Aug 08, 2022 | Water For Living LLC

Corona, CA, 92878, US

Hawaiian Punch HHC Vape N/A

Matrix: Derivative

Sample: KN20804001-004 Harvest/Lot ID: 080122

> Batch#: 080122 Seed to Sale# N/A Batch Date: 08/01/22

Sample Size Received: 2 gram

Total Batch Size: N/A

Retail Product Size: 1 gram Ordered: 08/01/22 Sampled: 08/01/22

Completed: 08/08/22 Sampling Method: N/A

PASSED

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals







Residuals Solvents



NOT TESTED



Water Activity

Extracted by: N/A



Moisture



NOT TESTED



Total HHC

PASSED



mg/g LOD 0.01



38.775 387.750 0.01 0.01



TOTAL HHC 51.7225 517,225

Total HHC 51.722%

Analysis Method : SOP.T.30.074, SOP.T.40.074 Analytical Batch : KN002741HHC Instrument Used : HPLC E-SHI-153

Running on: N/A

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Analyzed by:

Reviewed On: 08/08/22 20:32:27 Batch Date: 08/05/22 16:29:12

Analysis Method SOP.T.30.050 Description: Total Hexahydrocannabinol (9S & 9R-HHC) analysis is performed using GC-MS with Liquid Injection (Gas Chromatography - Mass Spectrometer) Analytes ISO Pending

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

State License # n/a ISO Accreditation # 17025:2017



Signature

08/08/22

Signed On