

Certificate of Analysis

Produced: Dec 18, 2025

Sample: CBD 10,000mg Freeze Roll On (Topical) • Client: CBD Living



Matrix: Topical
Sample ID: ICC-251216-02-001
Collected on: Dec 16, 2025
Received on: Dec 16, 2025
Batch Size:
Sample Size:
Package Size: 85.97 g

Tests Taken

Potency

Cannabinoid Overview

Δ ⁹ -THC:	0.000 mg/pkg
CBD:	10900 mg/pkg
Total Cannabinoids:	11200 mg/pkg
Sum of Cannabinoids:	11200 mg/pkg

POT-INST-005: POT-INST-005: Potency • Dec 18, 2025

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC	36.5	0.0424	0.424	0.136/0.409	N/A	CBT	106	0.123	1.23	0.0592/0.207	N/A
CBD	10900	12.7	127	0.0417/0.207	N/A	Δ ⁸ -THC		ND	ND	0.0334/0.207	N/A
CBDA		ND	ND	0.0998/0.299	N/A	Δ ⁹ -THC		ND	ND	0.0552/0.207	N/A
CBDV	54.7	0.0636	0.636	0.0331/0.207	N/A	THCA		ND	ND	0.0759/0.228	N/A
CBG		< 1 mg/g	< 1 mg/g	0.0471/0.207	N/A	THCV		ND	ND	0.0255/0.207	N/A
CBGA		ND	ND	0.0735/0.221	N/A	Total THC**		ND	ND		N/A
CBL		ND	ND	0.0325/0.207	N/A	Total CBD**	10900	12.7	127		N/A
CBN	42.5	0.0494	0.494	0.0471/0.207	N/A	Total Cannabinoids**	11200	13.0	130		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



Certificate of Analysis

Produced: Dec 18, 2025

Sample: CBD 10,000mg Freeze Roll On (Topical) • Client: CBD Living • Batch: Pass



Matrix: Topical
Sample ID: ICC-251216-02-002
Collected on: Dec 16, 2025
Received on: Dec 16, 2025
Batch Size:
Sample Size:

Batch Result: Pass

Metals	Pass
Pesticides	Pass

infiniteCAL

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Dec 16, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Dec 18, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					



DM

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.00937/0.0300	Pass
Acephate	5	ND	0.00629/0.0300	Pass	Imidacloprid	3	ND	0.0231/0.0700	Pass
Acequinocyl	4	ND	0.0280/0.0848	Pass	Kresoxim-methyl	1	ND	0.00982/0.0300	Pass
Acetamiprid	5	ND	0.00718/0.0300	Pass	Malathion	5	ND	0.00673/0.0300	Pass
Aldicarb	Any amt	ND	0.00997/0.0302	Pass	Metaxyl	15	ND	0.00467/0.0300	Pass
Azoxystrobin	40	ND	0.00400/0.0300	Pass	Methiocarb	Any amt	ND	0.00956/0.0300	Pass
Bifenazate	5	ND	0.00787/0.0300	Pass	Methomyl	0.1	ND	0.0105/0.0318	Pass
Bifenthrin	0.5	ND	0.0162/0.0490	Pass	Mevinphos	Any amt	ND	0.0133/0.0404	Pass
Boscalid	10	ND	0.0106/0.0321	Pass	Myclobutanil	9	ND	0.00963/0.0300	Pass
Carbaryl	0.5	ND	0.00614/0.0300	Pass	Naled	0.5	ND	0.0116/0.0350	Pass
Carbofuran	Any amt	ND	0.00384/0.0300	Pass	Oxamyl	0.2	ND	0.0103/0.0311	Pass
Chlorantraniliprole	40	ND	0.00657/0.0300	Pass	Paclobutrazol	Any amt	ND	0.0111/0.0337	Pass
Chlorpyrifos	Any amt	ND	0.0108/0.0327	Pass	Permethrin	20	ND	0.00396/0.0300	Pass
Clofentezine	0.5	ND	0.00595/0.0300	Pass	Phosmet	0.2	ND	0.00807/0.0300	Pass
Coumaphos	Any amt	ND	0.00712/0.0300	Pass	Piperonylbutoxide	8	ND	0.00869/0.0300	Pass
Daminozide	Any amt	ND	0.0190/0.0576	Pass	Prallethrin	0.4	ND	0.0204/0.0618	Pass
Diazinon	0.2	ND	0.0271/0.0821	Pass	Propiconazole	20	ND	0.0210/0.0637	Pass
Dichlorvos	Any amt	ND	0.0168/0.0508	Pass	Propoxur	Any amt	ND	0.00656/0.0300	Pass
Dimethoate	Any amt	ND	0.00906/0.0300	Pass	Pyrethrins	1	ND	0.00357/0.0300	Pass
Dimethomorph	20	ND	0.0102/0.0308	Pass	Pyridaben	3	ND	0.00834/0.0300	Pass
Ethoprophos	Any amt	ND	0.00586/0.0300	Pass	Spinetoram	3	ND	0.00317/0.0300	Pass
Etofenprox	Any amt	ND	0.00642/0.0300	Pass	Spinosad	3	ND	0.00302/0.0300	Pass
Etoxazole	1.5	ND	0.00498/0.0300	Pass	Spiromesifen	12	ND	0.0103/0.0311	Pass
Fenhexamid	10	ND	0.0147/0.0444	Pass	Spirotetramat	13	ND	0.00992/0.0301	Pass
Fenoxycarb	Any amt	ND	0.0111/0.0335	Pass	Spiroxamine	Any amt	ND	0.00395/0.0300	Pass
Fenpyroximate	2	ND	0.00952/0.0300	Pass	Tebuconazole	2	ND	0.0213/0.0645	Pass
Flpronil	Any amt	ND	0.00568/0.0300	Pass	Thiacloprid	Any amt	ND	0.00348/0.0300	Pass
Flonicamid	2	ND	0.0181/0.0548	Pass	Thiamethoxam	4.5	ND	0.00914/0.0300	Pass
Fludioxonil	30	ND	0.0192/0.0583	Pass	Trifloxystrobin	30	ND	0.00378/0.0300	Pass
Hexythiazox	2	ND	0.0217/0.0657	Pass					

