

Certificate of Analysis

Produced: Jun 05, 2025

Sample: Pink lemonade Shot (Edible Liquid) • Client: CBD Living • Batch: Pass



Matrix: Edible Liquid
Density: 1.0607 g/ml
Sample ID: ICC-250530-36-002
Collected on: May 30, 2025
Received on: May 30, 2025
Batch Size:
Sample Size:
Received By: Melissa Jamrus
Package Size: 60 ml

Batch Result: Pass

Potency	Pass	Microbial	Pass
Solvents	Pass	Mycotoxins	Pass
Metals	Pass	Pesticides	Pass

Cannabinoid Overview

Δ ⁹ -THC:	97.4 mg/pkg
CBD:	3.04 mg/pkg
Total Cannabinoids:	103 mg/pkg
Sum of Cannabinoids:	103 mg/pkg

POT-INST-005: POT-INST-005: Potency • Jun 04, 2025

Analyte	Limit	Amt	Amt	LOD/LOQ (mg/ml)	Pass/Fail	Analyte	Limit	Amt	Amt	LOD/LOQ (mg/ml)	Pass/Fail
CBC		ND	ND	0.00117/0.00351	N/A	THCA		ND	ND	0.000651/0.00195	N/A
CBD	0.00477 %		0.051 mg/ml	0.000357/0.00177	N/A	THCV		ND	ND	0.000220/0.00177	N/A
CBDA		ND	ND	0.000856/0.00257	N/A	Total THC**		0.157 %	1.7 mg/ml		N/A
CBDV		ND	ND	0.000284/0.00177	N/A	Total CBD**		0.00477 %	0.051 mg/ml		N/A
CBG		ND	ND	0.000404/0.00177	N/A	CBD/Pkg		3.04 mg			N/A
CBGA		ND	ND	0.000631/0.00190	N/A	Δ ⁹ -THC/Pkg	110 mg	97.4 mg			Pass
CBL		ND	ND	0.000279/0.00177	N/A	Total THC/Pkg**		99.9 mg			N/A
CBN	0.000255 %		0.0027 mg/ml	0.000404/0.00177	N/A	Total CBD/Pkg**		3.04 mg			N/A
CBT		ND	ND	0.000507/0.00177	N/A	Total Cannabinoids**		0.162 %	1.7 mg/ml		N/A
Δ ⁸ -THC	0.00362 %		0.038 mg/ml	0.000287/0.00177	N/A	Total Cannabinoids/Pkg**		103 mg			N/A
Δ ⁹ -THC	0.153 %		1.6 mg/ml	0.000474/0.00177	N/A						

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Jun 03, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.168/0.513	Pass	Hexane	290	ND	0.0665/0.283	Pass
Acetone	5000	< LOQ	17.2/51.6	Pass	Isopropyl alcohol	5000	5.02	1.29/3.87	Pass
Acetonitrile	410	ND	0.121/0.362	Pass	Methanol	3000	< LOQ	2.99/8.99	Pass
Benzene	1	ND	0.0212/0.0644	Pass	Methylene chloride	1	ND	0.128/0.735	Pass
Butane	5000	ND	0.979/4.89	Pass	Pentane	5000	ND	0.969/4.30	Pass
Chloroform	1	ND	0.0363/0.109	Pass	Propane	5000	ND	4.47/13.4	Pass
Ethanol	5000	3340	2.63/7.90	Pass	Toluene	890	ND	0.0887/0.871	Pass
Ethyl acetate	5000	ND	0.315/2.31	Pass	Trichloroethylene	1	ND	0.0181/0.146	Pass
Ethylene oxide	1	ND	0.154/0.583	Pass	o-Xylene		ND	0.101/0.864	N/A
Ethyl ether	5000	ND	1.19/3.58	Pass	p- and m-Xylene		ND	0.116/1.73	N/A
Heptane	5000	ND	0.692/2.88	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jun 02, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jun 04, 2025

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jun 04, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.60/7.88	N/A	Aflatoxin G2		ND	1.89/5.72	N/A
Aflatoxin B2		ND	2.04/6.18	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.97/8.99	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jun 04, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					



Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.0156/0.0474	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Imidacloprid	3	ND	0.0235/0.0711	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass					



Signature