



Photography: B5Images Architectural Photography

EXTENDED FAMILY

PLUS RECESSED_162
PLUS 48V_182
PLUS_218

PLUS MINI 1L



				P	CCT	Beam	I	Flux	LOR
PLUS Mini 1L	A327-00-20-	WT	NT	4,5W	2700K	10°-41°	500mA	480Lm	20-40%
	A327-00-21-	WT	NT	4,5W	3000K	10°-41°	500mA	500Lm	20-40%
	A327-00-22-	WT	NT	4,5W	4000K	10°-41°	500mA	515Lm	20-40%

LED | 220-240 V~ | CE | IP20 | CRI>90 | L80B10 >60.000h



ACCESSORY

PLUS MINI High Chromatic LED**

NOT SOLD SEPARATELY




i » 366



i » 164

PLUS MINI 1L



COLOUR | WT □ RAL 9016 | NT ■ RAL 9005 |

MATERIAL | AL | OPTICAL PMMA |

TRACK 1L i » 208

** ACCESSORY AFFECTS THE LIGHTING PARAMETERS



Photography: Jesús Granada, Fotografía de Arquitectura

EXTENDED FAMILY

PLUS RECESSED_162
PLUS 48V_182
PLUS MINI 1L_206

PLUS



				P	CCT	Beam	I	Flux	LOR
PLUS	A324-00-00-	WT	NT	10,4W	2700K	12°-51°	300mA	1260Lm	26-40%
	A324-00-01-	WT	NT	10,4W	3000K	12°-51°	300mA	1310Lm	26-40%
	A324-00-02-	WT	NT	10,4W	4000K	12°-51°	300mA	1330Lm	26-40%

LED | 220/240 V~ | **CE** | IP20 | CRI>90 | L80B10 >60.000h
 MacAdam Step 2
 INCL
 TRACK 3L
 350°
 180°
 12°-51°



				P	CCT	Beam	I	Flux	LOR
PLUS Mini	A327-00-10-	WT	NT	4,5W	2700K	10°-41°	500mA	480Lm	20-40%
	A327-00-11-	WT	NT	4,5W	3000K	10°-41°	500mA	500Lm	20-40%
	A327-00-12-	WT	NT	4,5W	4000K	10°-41°	500mA	515Lm	20-40%

LED | 220/240 V~ | **CE** | IP20 | CRI>90 | L80B10 >60.000h
 MacAdam Step 2
 INCL
 TRACK 3L
 350°
 180°
 10°-41°

ACCESSORY

PLUS High Chromatic LED*

PLUS MINI High Chromatic LED*

NOT SOLD SEPARATELY

LED » 366



» 164



COLOUR | WT RAL 9016 | NT RAL 9005 | MATERIAL | AL | OPTICAL GLASS | TRACK 3L » 226

* ACCESSORY AFFECTS THE LIGHTING PARAMETERS

» PLEASE CONSULT