



Arkoslight Headquarters, Valencia (Spain) | Design: Francesc Rifé Studio | Architect: Víctor García Martínez Arquitecto | Photography: David Zarzoso · Fotografía de arquitectura


DEEP



			P	CCT	I	Flux	LOR
DEEP Maxi 2	A248-02- ④ -1- WT	IP43	15W	3000K	350mA	2450Lm	85%
	A248-02- ④ -2- WT	IP43	15W	4000K	350mA	2500Lm	85%
DEEP Maxi 3	A248-03- ④ -1- WT	IP43	22W	3000K	500mA	3450Lm	85%
	A248-03- ④ -2- WT	IP43	22W	4000K	500mA	3500Lm	85%
DEEP Maxi 4	A248-04- ④ -1- WT	IP43	31W	3000K	700mA	4700Lm	85%
	A248-04- ④ -2- WT	IP43	31W	4000K	700mA	4775Lm	85%
DEEP Maxi 5	A248-05- ④ -1- WT	IP43	40W	3000K	900mA	5825Lm	85%
	A248-05- ④ -2- WT	IP43	40W	4000K	900mA	5925Lm	85%
DEEP Maxi IP54 2	A248-12- ④ -1- WT	IP54	15W	3000K	350mA	2450Lm	85%
	A248-12- ④ -2- WT	IP54	15W	4000K	350mA	2500Lm	85%
DEEP Maxi IP54 3	A248-13- ④ -1- WT	IP54	22W	3000K	500mA	3450Lm	85%
	A248-13- ④ -2- WT	IP54	22W	4000K	500mA	3500Lm	85%
DEEP Maxi IP54 4	A248-14- ④ -1- WT	IP54	31W	3000K	700mA	4700Lm	85%
	A248-14- ④ -2- WT	IP54	31W	4000K	700mA	4775Lm	85%
DEEP Maxi IP54 5	A248-15- ④ -1- WT	IP54	40W	3000K	900mA	5825Lm	85%
	A248-15- ④ -2- WT	IP54	40W	4000K	900mA	5925Lm	85%



④	*OPTIONS
1	No DIM
2	DIM Push
3	DIM 1-10V
4	DIM DALI



COLOUR | WT □ RAL 9016 | MATERIAL | AL | PMMA |

» 368

» PLEASE CONSULT



					P	CCT	I	Flux	LOR
DEEP 1	A249-01-	Ⓢ -1-	WT	IP43	10,5W	3000K	350mA	1650Lm	85%
	A249-01-	Ⓢ -2-	WT	IP43	10,5W	4000K	350mA	1675Lm	85%
DEEP 2	A249-02-	Ⓢ -1-	WT	IP43	15,5W	3000K	500mA	2275Lm	85%
	A249-02-	Ⓢ -2-	WT	IP43	15,5W	4000K	500mA	2300Lm	85%
DEEP 3	A249-03-	Ⓢ -1-	WT	IP43	22W	3000K	700mA	3025Lm	85%
	A249-03-	Ⓢ -2-	WT	IP43	22W	4000K	700mA	3075Lm	85%
DEEP 4	A249-04-	Ⓢ -1-	WT	IP43	27W	3000K	700mA	4050Lm	87%
	A249-04-	Ⓢ -2-	WT	IP43	27W	4000K	700mA	4100Lm	87%

DEEP IP54 1	A249-11-	Ⓢ -1-	WT	IP54	10,5W	3000K	350mA	1650Lm	85%
	A249-11-	Ⓢ -2-	WT	IP54	10,5W	4000K	350mA	1675Lm	85%
DEEP IP54 2	A249-12-	Ⓢ -1-	WT	IP54	15,5W	3000K	500mA	2275Lm	85%
	A249-12-	Ⓢ -2-	WT	IP54	15,5W	4000K	500mA	2300Lm	85%
DEEP IP54 3	A249-13-	Ⓢ -1-	WT	IP54	22W	3000K	700mA	3025Lm	85%
	A249-13-	Ⓢ -2-	WT	IP54	22W	4000K	700mA	3075Lm	85%
DEEP IP54 4	A249-14-	Ⓢ -1-	WT	IP54	27W	3000K	700mA	4050Lm	87%
	A249-14-	Ⓢ -2-	WT	IP54	27W	4000K	700mA	4100Lm	87%



					P	CCT	I	Flux	LOR
DEEP Mini 2	A250-02-	Ⓢ -1-	WT	IP43	7W	3000K	500mA	1050Lm	76%
	A250-02-	Ⓢ -2-	WT	IP43	7W	4000K	500mA	1075Lm	76%
DEEP Mini 3	A250-03-	Ⓢ -1-	WT	IP43	10W	3000K	700mA	1375Lm	76%
	A250-03-	Ⓢ -2-	WT	IP43	10W	4000K	700mA	1400Lm	76%
DEEP Mini IP54 2	A250-12-	Ⓢ -1-	WT	IP54	7W	3000K	500mA	1050Lm	76%
	A250-12-	Ⓢ -2-	WT	IP54	7W	4000K	500mA	1075Lm	76%
DEEP Mini IP54 3	A250-13-	Ⓢ -1-	WT	IP54	10W	3000K	700mA	1375Lm	76%
	A250-13-	Ⓢ -2-	WT	IP54	10W	4000K	700mA	1400Lm	76%

Ⓢ	*OPTIONS
1	No DIM
2	DIM Push
3	DIM 1-10V
4	DIM DALI

COLOUR | WT ☐ RAL 9016 | MATERIAL | ☐ AL | ☐ PMMA |

» 368

& » PLEASE CONSULT

