

In Common With

Orb 4 Surface Mount
Technical Specifications



Orb 4 Surface Mount



Technical Specifications

Materials	Steel or brass, glass
Product weight	1.25 lbs
Lead time	Painted metal: 3 days Brass: 2 weeks
Bulbs included (1)	G9 / 110 V / 4.5 W / 450 lm 2700 K / dimmable
Dimmer	TRIAC
Max wattage	10 W
Certifications	UL listed, damp-rated




Notes


1. This fixture can be installed on a wall or ceiling.
2. All painted metal finishes have a 3-day lead time. The brass fixtures are hand-finished to order and will ship in 2 weeks.

Updated January 3, 2024


Front View




Side View



Front View: Ceiling Installation



Isometric View





Orb 4 Surface Mount, Plug-in

Technical Specifications

Materials	Steel or brass, glass
Product weight	1.75 lbs
Lead time	2 weeks
Bulbs included (1)	G9 / 110 V / 4.5 W / 450 lm / 2700 K / dimmable
Dimmer	Optional in-line dimmer switch
Cord length	16 feet
Max wattage	10 W
Certifications	UL listed




Notes


1. This fixture can be ordered with an on/off switch or an inline dimmer; see additional details below.
2. Fixtures ordered with painted metal hardware and an on/off switch come with a 16-foot black fabric cord. The on/off switch is located 8 feet from the plug.
3. Fixtures ordered with painted metal hardware and an inline dimmer have a 16-foot black nylon cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
4. Fixtures ordered with brass hardware and an on/off switch come with a 16-foot chocolate brown fabric cord. The on/off switch is located 8 feet from the plug.
5. Fixtures ordered in brass hardware and an inline dimmer have a 16-foot chocolate brown fabric cord. The dimmer switch is our black painted metal finish and is located 8 feet from the plug.
6. Custom cord color can be specified for an additional cost; please inquire.

Updated January 3, 2024


Front View




Side View



On/off Switch Detail



Inline Dimmer Switch Detail



Orb 4 Surface Mount, Outdoor Rated



Technical Specifications

Materials	Steel or brass, glass
Product weight	1.25 lbs
Lead time	2 weeks
Bulbs included (1)	G9 / 110 V / 4.5 W / 450 lm 2700 K / dimmable
Dimmer	TRIAC
Max wattage	10 W
Certifications	UL listed, damp-rated, wet-rated




Notes


1. This fixture can be installed on a wall or ceiling.

Updated January 3, 2024


Front View




Side View



Front View: Ceiling Installation



Isometric View



Finish Options

Brass, glass, and ceramic samples made or finished by hand may exhibit variability. Available for purchase at incommonwith.com/finishes.

Painted Metal



Black



Bone



Oxide Red



Reed Green



Peach

Brass



Brass



Patina Brass



Blackened Brass



Pewter