

643/494/350/328

1.2

5/8

1/4

Project Name:	
Location:	
Engineer:	
Submitted to:	
Submitted by:	
Reference:	

Approval:
Date:
Construction:
Jnit #:
Drawing #:
-

Performance

FTXS24LVJU
RXS24LVJU
21500
16880
21500/7800
1.72
20
25400
25400/7800
2.21
3.37
10.6

Indoor Unit Type:	Wall Mounted
Condensing Unit Type:	High SEER Heat Pump
Rated Cooling Conditions	Indoor: 80 ℉ DB/67 ℉ WB Outdoor: 95 ℉ DB/75 ℉ WB
Rated Heating Conditions	Indoor: 70 ℉ DB/60 ℉ WB Outdoor: 47 ℉ DB/43 ℉ WB
Rated Piping Length(ft)	25
Rated Height Separation(ft)	0

Indoor Unit Details

Power Supply (V/Hz/Ph:)	208-230/60/1ph
Power Supply Connections:	L1, L2, Ground
Min Circuit Amps MCA (A):	N/A
Max Overcurrent Amps MFA (A):	N/A
Dimensions (HxWxD):	13-3/8x41-5/16x9-3/4
Panel (HxWxD):	N/A
Net Weight (lbs):	31
Weight with Panel (lbs):	N/A

Condensing Unit Details

Power Supply (V/Hz/Ph):	208-230/60/1ph
Power Supply Connections:	L1, L2, Ground
Min. Circuit Amps MCA (A):	17.5
Max. Overcurrent Amps MFA (A):	20
Max. Starting Current MSC(A):	
Rated Load Amps RLA (A):	7.1
Dimensions (HxWxD):	30-5/16x35-7/16x12-5/8
Net Weight (lbs):	159

Condensate Connection (inch): 5/8 Sound Pressure Level (dBA): 51 Sound Power Level (dBA): 67 Static Pressure Rated/Max (inWg) 0 / 0/0 Compressor Type: Inverter Capacity Control Range (%): 100

Airflow Rate (CFM wet coil)

Gas Pipe Connection (inch):

Liquid Pipe Connection (inch):

Moisture Removal (pt/h):

Capacity Control Range (%):	
Airflow Rate (CFM):	1924
Gas Pipe Connection (inch):	5/8
Liquid Pipe Connection (inch):	1/4
Sound Pressure Level (dBA):	52
Sound Power Level (dBA):	66

System Details

Refrigerant Type:	R-410A
Holding Refrigerant Charge (lbs):	5.7
Additional Charge (oz/ft):	0.21
Pre-charge Piping (Length ft):	32.8 ft
Max. Pipe Length (Total ft):	98.4 ft

Max. Pipe Length (Vertical ft):	65.6 ft
Cooling Operation Range (°F):	14 - 115
Cooling Range w/Baffle (°F):	0 - 115
Heating Operation Range (%):	5 - 64
Heating Range w/Baffle (°F):	0 - 77




Project Name:	
Location:	Approval:
Engineer:	Date:
Submitted to:	Construction:
Submitted by:	Unit #:
Reference:	Drawing #:

Dimensional Drawing - Indoor Unit

Daikin AC TRL Generated Submittal Data

FTXS24LVJU



Daikin AC (Americas), Inc., 1645 Wallace Drive - Suite 110, Carrollton, TX 75006

FTXS24LVJU

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)




Project Name:	
Location:	Approval:
Engineer:	Date:
Submitted to:	Construction:
Submitted by:	Unit #:
Reference:	Drawing #:

Dimensional Drawing - Condensing Unit

Daikin AC TRL Generated Submittal Data

RXS24LVJU



Daikin AC (Americas), Inc., 1645 Wallace Drive - Suite 110, Carrollton, TX 75006



Project Name:		
Location:	Approval:	
Engineer:	Date:	
Submitted to:	Construction:	
Submitted by:	Unit #:	
Reference:	Drawing #:	



FTXS24LVJU

Daikin AC TRL Generated Submittal Data

Std U.S. Warranty: 7yrs Compressor, 5yrs Parts. Optional accessories like Wind Baffle, Wired Remote Controller, Mounting Bracket can be included at additional charges

Approval:	
Date:	
Construction:	
Unit #:	
Drawing #:	



RXS24LVJU

Std U.S. Warranty: 7yrs Compressor, 5yrs Parts. Optional accessories like Wind Baffle, Wired Remote Controller, Mounting Bracket can be included at additional charges

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)