

## Free Crochet Pattern Lion Brand<sup>®</sup> Microspun Playtime Comfort Child's Top Pattern Number: 60421



Layer on this light-weight top over a shirt and keep off the chills. The easy fastenings make dressing a snap!

# Free Crochet Pattern from Lion Brand Yarn Lion Brand<sup>®</sup> Microspun Playtime Comfort Child's Top

Pattern Number: 60421

SKILL LEVEL: Intermediate

SIZE: 24 months (2 yrs), Child 4, Child 5-6, Child 7-8

Finished Chest 24 (25, 27, 28¾) in. [61 (63.5, 68.5, 73) cm] tied closed **Finished Length** 12½ (14, 14½, 15¾) in. [32 (35.5, 37, 40) cm] including edging

**Note:** Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: (applied Mar 20, 2013)

## LEFT FRONT

## Shape Nectk and Armhole

**Row 2 (Dec Row):** Turn, sl st in first sc and each of next 2 ch, \*ch 3, sc in next ch-3 sp; rep from \* across ending with sc in last ch-3 sp - 8 (9, 10, 11) ch-3 sps. Rep last row 1 (2, 2, 2) more times - 7 (7, 8, 89) ch-3 sps.

\*Microspun (Article #910). 100% Micro-Fiber Acrylic;

package size: 2.50oz/70.00 gr. (168yds/154m) pull

## **MATERIALS**

- 910-134 Lion Brand <u>Microspun Yarn: Leaf</u> 3 (4, 4, 5) Balls
- Lion Brand Crochet Hook -Size K-10.5 (6.5 mm)
- Lion Brand Split Ring <u>Stitch Markers</u>
- <u>Lion Brand Large-Eye</u> Blunt Needles (Set of 6)
- Additional Materials Snap closure



## GAUGE:

5 (sc, ch-3 sp) + 10 rows = 4 in. [10 cm] in Ch-3 Mesh pattern.

skeins

BE SURE TO CHECK YOUR GAUGE. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you fewer stitches and rows to make a 4 in. [10 cm] square, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

## STITCH EXPLANATION:

Picot Ch 3, sl st in last sc worked.

## PATTERN STITCH

## Ch-3 Mesh

**Row 1:** Ch 3 (counts as hdc and ch 1), turn, sc in first ch-3 sp, \*ch 3, sc in next ch-3 sp; rep from \* across ending with sc in last ch-3 sp, ch 1, hdc in last sc. (hdc and ch 1 count as<sup>1</sup>/<sub>2</sub> ch-3 sp at each end of row).

Row 2: Ch 1, turn, sc in hdc, \*ch 3, sc in next ch-3 sp; rep from \* across ending with sc in last ch-3

## васк

## Lower Edge

Ch 47 (50, 53, 56).\

**Row 1 (WS):** Sc in 2nd ch from hook, \*ch 3, sk next 2 ch, sc in next ch; rep from \* to end – 15 (16, 17, 18) ch-3 sps.

Row 2 (RS): Ch 3 (counts as dc), turn, \*2 dc in next ch-3 sp,

ch 1; rep from \* to last ch-3 sp, 2 dc in last ch-3 sp, dc in last sc - 14 (15, 16, 17) ch-1 sps.

**Row 3:** Ch 1, turn, sc in first dc, \*ch 3, sk next 2 dc, sc in next ch-1 sp; rep from \* across ending with sc in last ch-1 sp, ch 3, sk next 2 dc, sc in last dc – 15 (16, 17, 18) ch-3 sps.

Rows 4 and 5: Repeat Rows 2 and 3.

Rows 6-13 (15, 15, 17): Work in Ch-3 Mesh for 8 (10, 10, 12) rows.

Row 14 (16, 16, 18): Repeat Row 2.

## Shape Armholes

**Row 1 (WS):** Turn, sl st across to first ch-1 sp, ch 1, sc in same ch-1 sp, \*ch 3, sc in next ch-1 sp; rep from \* across ending with sc in last ch-1 sp, leave remaining sts unworked – 13 (14, 15, 16) ch-3 sps.

**Rows 2 (Dec Row)-3 (4, 4, 4):** Turn, sl st in first sc and each of next 2 ch, \*ch 3, sc in next ch-3 sp; rep from \* across ending with sc in last ch-3 sp – 11 (11, 12, 13) ch-3 sps.

Work in Ch-3 Mesh until armhole measures 4  $(4\frac{1}{2}, 5, 5\frac{1}{2})$  in. [10 (11.5, 12.5, 14) cm], end with Row 1 of Ch-3 Mesh Pattern.

#### Shape Left Neck


**Row 1 (WS):** Ch 1, turn, sc in hdc, (ch 3, sc in next ch-3 sp) 3 (3, 4, 4) times, leave remaining sts unworked.

**Row 2:** Turn, sl st in first sc and each of next 2 ch, (ch 3, sc in next ch-3 sp) 2 (2, 3, 3) times, ch 1, hdc in last sc. Fasten off.

#### Shape Right Neck

**Row 1:** Sk center 4 (4, 4, 5) ch-3 sps, join yarn with sl st in next ch-3 sp, (ch 3, sc in next ch-3 sp) 2 (2, 3, 3) times, ch 3, sc in 2nd ch of beg ch-3.

**Row 2:** Ch 3, turn, sc in first ch-3 sp, (ch 3, sc in next ch-3 sp) 2 (2, 3, 3) times. Fasten off.



## LEFT FRONT

Ch 35 (38, 41, 44). **Row 1 (WS):**Sc in 2nd ch from hook, \*ch 3, sk next 2 ch, sc in next ch; rep from \* to end – 11 (12, 13, 14) ch-3 sps.

Work as for Back until same length as Back to armhole.

## Shape Neck and Armhole

**Row 1 (WS):** Turn, sl st across to first ch-1 sp, ch 1, sc in same ch-1 sp, \*ch 3, sc in next ch-1 sp; rep from \* across ending with sc in last ch-1 sp, leave remaining sts unworked – 9 (10, 11, 12) ch-3 sps.

**Row 2 (Dec Row):** Turn, sl st in first sc and each of next 2 ch, \*ch 3, sc in next ch-3 sp; rep from \* across ending with sc in last ch-3 sp – 8 (9, 10, 11) ch-3 sps. Rep last row 1 (2, 2, 2) more times – 7 (7, 8, 9) ch-3 sps.

Continue in Ch-3 Mesh and, AT THE SAME TIME, decrease at neck edge only on next 9 (9, 9, 11) rows –  $2\frac{1}{2}$  ( $2\frac{1}{2}$ ,  $3\frac{1}{2}$ ,  $3\frac{1}{2}$ ) ch-3 sps. Work even in Ch-3 Mesh until armhole measures same length as Back. Fasten off.

## **RIGHT FRONT**

Work as for Left Front reversing shaping.

## SLEEVES

Ch 38 (41, 44, 47).

**Row 1 (RS):** Sc in 2nd ch from hook, \*ch 3, sk next 2 ch, sc in next ch; rep from \* to end – 12 (13, 14, 15) ch-3 sps.

**Row 2:** Ch 3 (counts as hdc and ch 1), turn, sc in first ch-3 sp, \*ch 3, sc in next ch-3 sp; rep from \* across ending with sc in last ch-3 sp, ch 1, hdc in last sc.

## Shape Cap

**Row 1:** Turn, sl st across to center of first ch-3 sp, ch 1, sc in same ch-3 sp, \*ch 3, sc in next ch-3 sp; rep from \* across ending with sc in last ch-3 sp, leave remaining sts unworked – 10 (11, 12, 13) ch-3 sps.

**Row 2 (Dec Row):**Turn, sl st in first sc and each of next 2 ch, \*ch 3, sc in next ch-3 sp; rep from \* across ending with sc in last ch-3 sp – 9 (10, 11, 12) ch-3 sps.

Work 2 rows of Ch-3 Mesh.

Rep last 3 rows 0 (0, 1, 1) time more – 9 (10, 10, 11) ch-3 sps.

Rep Row 2 (Dec Row) until 3 (3, 4, 4) ch-3 sps remain. Fasten off.

## **Sleeve Edging**

From RS, join yarn in opposite side of beg ch,

Row 1: Work 36 (39, 42, 45) sc evenly across.

**Row 2 (WS):**Ch 1, turn, sc in first sc, \*picot, sc in each of next 2 sc; rep from \* to last 1 (2, 1, 2) sc, picot, sc in each of last 1 (2, 1, 2) sc – 35 (37, 41, 43) picot. Fasten off.

## FINISHING


Sew shoulder, side and sleeve seams. Sew in sleeves.

## Lower Edging

**Row 1:** From RS, join yarn with sl st in lower corner of Left Front corner, ch 1, sc in same sp, \*ch 3, sc in ch-sp of foundation ch under next sc; rep from \* across lower edge, working sc at each side seam – 37 (40, 43, 46) ch-3 sps.

**Row 2:** Ch 3 (counts as dc), turn, 2 dc in first ch-3 sp, \*sc in next ch-3 sp, ch 3, sc in next ch-3 sp, 5 dc in next ch-3 sp; rep from \* to last 3 ch-3 sps, sc in next ch-3 sp, ch 3, sc in next ch-3 sp, 2 dc in last ch-3 sp, dc in last sc. **Row 3:** Ch 4 (counts as dc and ch 1), turn, sk first dc, dc in next dc, ch 1, dc in next dc, \*sc in next ch-3 sp, (dc in next dc, ch 1) 4 times, dc in next dc; rep from \* across to last ch-3 sp, sc in last ch-3 sp, (dc in next dc, ch 1) twice, dc in last dc,

**Row 4:** Ch 1, turn, sc in first dc, (ch 3, sc in next ch-1 sp) twice, \*ch 3, sc in next sc, (ch 3, sc in next ch-1 sp) 4 times; rep from \* across ending with ch 3, sc in last sc, (ch 3, sc in next ch-1 sp) twice, ch 3, sc in 3rd ch of beg



#### ch-4. Fasten off.

## **Right Front and Neck Edging**

**Row 1:** From RS, join yarn with sl st in corner of Right Front lower edging and work 1 row of sc evenly up front edge, 3 sc in corner, sc evenly up neck edge, across back neck edge and down Left Front neck edge to corner. **Row 2:** Ch 1, turn, sc in each of first 2 sc, \*picot, sc in each of next 2 sc; rep from \* to corner of right front neck edge. Do not fasten off. Work tie by making a chain 9 in. [23 cm] long. Fasten off. From RS, join yarn with sl st on Left Front for other tie. Make a chain 9 in. [23 cm] long. Fasten off. Knot ends of ties. Sew snap in position on WS of Right Front and RS of Left Front where fronts overlap. Weave in ends.

ABBREVIATIONS / REFERENCES Click for explanation and illustration	
<pre>beg = begin(s)(ning)</pre>	ch-space = space previously made
dc = double crochet	<u>hdc = half double crochet</u>
rep = repeat(s)(ing)	<u>RS = right side</u>
$\underline{sk} = \underline{skip}$	$\underline{sl} = \underline{slip}$
sp(s) = space(s)	st(s) = stitch(es)
WS = wrong side	

## Learn to crochet instructions: http://learnToCrochet.LionBrand.com

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click <u>here</u> to explain your problem and someone will help you!

## For thousands of free patterns, visit our website <u>www.LionBrand.com</u> To order visit our website <u>www.lionbrand.com</u> or call: (800) 258-YARN (9276) any time!

## When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly. 34 West 15th Street, NY, NY 10011

Copyright ©1998-2013 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.