



Free Crochet Pattern
Lion Brand® Vanna's Glamour®
Glittery Shrug
Pattern Number: 90555



This mesh stitch shrug is an elegant addition to your wardrobe!

Free Crochet Pattern from Lion Brand Yarn

Lion Brand® Vanna's Glamour®

Glittery Shrug

Pattern Number: 90555

SKILL LEVEL: Intermediate

SIZE: Small, Medium, Large, 1X, 2X

Finished Circumference (front opening) 54 (56, 58, 62, 66) in. (137 (142, 147.5, 157.5, 167.5) cm)

Finished Length 26 (26 1/2, 27, 28, 28 1/2) in. (66 (67.5, 68.5, 71, 72.5) cm) at center back

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: None as of Nov 11, 2011. To check for later updates, click [here](#).

MATERIALS

- 861-170 Lion Brand Vanna's Glamour: Topaz
7 7, 8, 8, 9 Balls
- Lion Brand Crochet Hook - Size E-4 (3.5 mm)
- Lion Brand Crochet Hook - Size G-6 (4.25 mm)
- Lion Brand Split Ring Stitch Markers
- Large-Eye Blunt Needles (Set of 6)
- Additional Materials
One button, 3/4 in. (19 mm) diameter

GAUGE:

21 sts + 26 rows = 4 in. (10 cm) in sc using larger hook;

10 rows = 4 in. (10 cm) over Dc-Mesh pattern using larger hook.

BE SURE TO CHECK YOUR GAUGE. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you fewer stitches and rows to make a 4 in. [10 cm] square, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

STITCH EXPLANATION:

BPDC (back post double crochet) Yo, insert hook from back to front then to back, going around the post of st, draw up a lp, (yo and draw through 2 lps on hook) twice. Skip st in front of the BPDC.

FPDC (front post double crochet) Yo, insert hook from front to back then to front, going around the post of st, draw up a lp, (yo and draw through 2 lps on hook) twice. Sk st behind the FPDC.

sc2tog (sc 2 sts together) Insert hook into st and draw up a lp. Insert hook into next st and draw up a lp. Yo and draw through all 3 lps on hook - 1 st decreased.

NOTES:

CONSTRUCTION NOTES

1. Shrug is made in 2 pieces: an Upper Half and a Lower Half. Each half consists of half of each sleeve and a center section.
2. Center section of Upper Half forms the shoulders and collar. The center section of the Lower Half forms back and sides.
2. The Upper and Lower Halves are seamed along long straight edges. Side and sleeve are seamed, then cuffs are worked. The shorter straight edges of the Upper and Lower Halves form the front opening.



UPPER HALF

Right Sleeve

With larger hook, ch 27 (29, 31, 33, 35).

Row 1 (RS): Sc in 2nd ch from hook and in each ch across - 26 (28, 30, 32, 34) sts at the end of this row.

Rows 2-6: Ch 1, turn, sc in each st across.

Row 7: Ch 6, turn, sc in 2nd ch from hook, sc in next 4 ch, sc in each sc across - 31 (33, 35, 37, 39) sts at the end of this row.

Row 8: Ch 1, turn, sc in each st across.

Rep last 2 rows 3 more times - 46 (48, 50, 52, 54) sts when all reps have been completed.


Next Row: Ch 5, turn, sc in 2nd ch from hook, sc in next 3 ch, sc in each sc across - 50 (52, 54, 56, 58) sts at the end of this row.

Next Row: Ch 1, turn, sc in each sc across.

Rep last 2 rows 8 more times - 82 (84, 86, 88, 90) sts when all reps completed.

Place marker at beg of last RS row.

Begin Dc-Mesh Next Row (RS): Ch 3 (counts as dc here and



throughout), turn, sk first st, dc in next st, *ch 1, sk next st, dc in next st; rep from * across to last 4 sts, ch 1, do not sk next st, dc in next st, ch 1, sk next st, dc in last 2 sts - 40 (41, 42, 43, 44) ch-1 sps, and 43 (44 (45, 46, 47) dc at the end of this row.

Next Row: Ch 3, turn, dc in next dc, *ch 1, sk next ch-1 sp, dc in next dc; rep from * across, dc in top of turning ch.

Rep last row until piece measures 28 (29, 30, 32, 34) in. (71 (73.5, 76, 81.5, 86.5) cm) from marker, end with a RS row.

Left Sleeve

Next Row (WS): Ch 1, turn, sc in first dc, 2 sc in each ch-1 sp across, sc in top of turning ch - 82 (84, 86, 88, 90) sts at the end of this row.

Next Row: Ch 1, turn, sc in each st across.

Next Row: Ch 1, turn, sc in each st across to last 4 sts; leave last 4 sts unworked - 78 (80, 82, 84, 86) sts at the end of this row.

Rep last 2 rows 8 more times - 46 (48, 50, 52, 54) sts when all reps completed.

Next Row: Ch 1, turn, sc in each st across.

Next Row: Ch 1, turn, sc in each st across to last 5 sts; leave last 5 sts unworked - 41 (43, 45, 47, 49) sts at the end of this row.

Rep last 2 rows 3 more times - 26 (28, 30, 32, 34) sts when all reps completed.

Next Row: Ch 1, turn, sc in each st across.

Rep last row 5 more times.

Fasten off.

Border

With RS facing and smaller hook, join yarn with sl st in corner (near marker) of 28 (29, 30, 32, 34) in. (71 (73.5, 76, 81.5, 86.5) cm) straight edge.

Row 1: Ch 1, work 2 sc in the end of each Dc-Mesh row across shorter straight edge, sc in last st.

Row 2: Ch 3, turn, dc in each st across.

Row 3: Ch 3, turn, *BPDC around next st, FPDC around next st; rep from * across. Fasten off.

LOWER HALF

Left Sleeve

With larger hook, ch 27 (29, 31, 33, 35).

Row 1 (RS): Sc in 2nd ch from hook and in each ch across - 26 (28, 30, 32, 34) sc at the end of this row.

Rows 2-6: Ch 1, turn, sc in each st across.

Row 7: Ch 1, turn, sc in first st, 2 sc in next st, sc in each st across - 27 (29, 31, 33, 35) sts at the end of this row.

Row 8: Ch 1, turn, sc in each st across to last 2 sts, 2 sc in next st, sc in last st - 28 (30, 32, 34, 36) sts.

Rep last 2 rows 10 more times - 48 (50, 52, 54, 56) sts when all reps completed.

Next Row (RS): Ch 7, turn, sc in 2nd ch from hook, sc in next 5 ch, sc in each st across - 54 (56, 58, 60, 62) sts at the end of this row.

Next Row: Ch 1, turn, sc in each sc across.

Rep last 2 rows 5 more times - 84 (86, 88, 90, 92) sts when all reps completed.

Place marker at beg of last RS row.

Next Row: Ch 1, turn, sc in each st across.

Rep last row until piece measures 26 (27, 28, 30, 32) in. (66 (68.5, 71, 76, 81.5) cm) from marker, end with a WS row.

Right Sleeve


Next Row (RS): Ch 1, turn, sl st in first 6 sts, ch 1, sc in each sc across - 78 (80, 82, 84, 86) sc at the end of this row.

Next Row: Ch 1, turn, sc in each st across.

Rep last 2 rows 5 more times - 48 (50, 52, 54, 56) sts when all reps have been completed.

Next Row (RS): Ch 1, turn, sc in next st, sc2tog, sc in each st across - 47 (49, 51, 53, 55) sts at the end of this row.

Next Row: Ch 1, turn, sc in each st across to last 3 sts, sc2tog, sc in last



st - 46 (48, 50, 52, 54) sts at the end of this row.
 Rep last 2 rows 10 more times - 26 (28, 30, 32, 34) sts when all reps have been completed.
Next Row: Ch 1, turn, sc in each st across.
 Rep last row 5 more times.
 Fasten off.

Border
 With RS facing and larger hook, join yarn with sl st in corner (near marker) of 26 (27, 28, 30, 32) in. (66 (68.5, 71, 76, 81.5) cm) straight edge.

Row 1: Ch 1, work 116 (120, 124, 128, 132) sc evenly spaced across shorter straight edge.

Row 2: Ch 3, turn, dc in each st across. Fasten off.

FINISHING

Hold Upper and Lower Halves with RS together, seam longer straight edges as follows: With larger hook and working through both thicknesses, join yarn with sl st in one corner, sl st evenly across. Fasten off. Seam sides and sleeves in the same way.


Button Loop
 With smaller hook, join yarn with sl st in right front at seam, ch 7, sl st in next st of right front edge. Fasten off.

Cuff
 With RS facing and smaller hook, join yarn with sl st in lower edge of sleeve.
Rnd 1: Ch 1, work 51 (55, 59, 63, 67) sc evenly space around sleeve edge; join with sl st in first sc.

Rnd 2: Ch 3, dc in each st around; join with sl st in top of beg ch.

Rnd 3: Ch 3, *BPDC around next st, FPDC around next st; rep from * around; join with sl st in top of beg ch.
 Rep Rnd 3 until cuff measures 2 1/2 in. (6.5 cm). Fasten off.

Rep cuff on second sleeve.
 Sew button to left front at side/sleeve seam. Weave in ends.



ABBREVIATIONS / REFERENCES	
Click for explanation and illustration	
beg = begin(s)(ning)	ch(s) = chain(s)
ch-space = space previously made	dc = double crochet
rep = repeat(s)(ing)	rnd(s) = round(s)
RS = right side	sc = single crochet
sk = skip	sl st = slip stitch
sp(s) = space(s)	st(s) = stitch(es)
WS = wrong side	yo = yarn over

Learn to crochet instructions: <http://learnToCrochet.LionBrand.com>

**Vanna's Glamour® (Article #861). 96% Acrylic, 4% Metallic Polyester ; package size: 1.75oz/49.61 gr. (202yds/185m)
pull skeins*



We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

**For thousands of free patterns, visit our website www.LionBrand.com
To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!**

Copyright ©1998-2011 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.