

# Free Crochet Pattern Lion Brand® Wool-Ease® Lush Lace Pullover

Pattern Number: 60210A



# Free Crochet Pattern from Lion Brand Yarn Lion Brand® Wool-Ease® Lush Lace Pullover

Pattern Number: 60210A

SKILL LEVEL: Experienced

SIZE: XS, Small, Medium, Large, 1X, 2X

Finished Bust 35 (38½, 42, 45½, 49, 52½) in. [90 (98, 105.5, 115.5, 124.5, 133.25) cm]

Finished Length 23½ (23½, 24½, 24½, 25½, 25½) in. [59.5 (59.5, 62.25, 62.25, 65.75, 65.75) cm]

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it

applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: (applied Oct 9, 2006)

There are extremely extensive corrections to this pattern. If your copy was obtained prior to the correction date, please <u>download a new free copy</u>

#### **MATERIALS**

- 620-403 <u>Lion Brand Wool-Ease®: Mushroom</u>
   5 (6, 7, 8, 9, 10) Skeins
- Lion Brand Crochet Hook Size J-10
- Lion Brand Stitch Markers
- Large-Eye Blunt Needles (Set of 6)

#### **GAUGE:**

16 sts + 8 rows = 4 in. [10 cm] in pattern stitch. 13 dc + 8 rows = 4 in. [10 cm]. BE SURE TO CHECK YOUR GAUGE.

#### STITCH EXPLANATION:

- BPDC (back post double crochet) Yo, insert hook from back to front then to back, going around the dc post, draw up a loop, (yo and draw through 2 loops on hook) twice. Skip st in front of the BPDC.
- FPDC (front post double crochet) Yo, insert hook from front to back then to front, going around the dc post, draw up a loop, (yo and draw through 2 loops on hook) twice. Skip st behind the FPDC.
- Inc Work 2 sts in same st.
- dc2tog (dc dec)Yo, insert hook into st and draw up a loop, yo and draw through 2 loops. Yo, insert hook into next st and draw up a loop. Yo, draw through 2 loops, yo and draw through all loops on hook.

## **BODY**

Beg at lower edge, ch 140 (154, 168, 182, 196, 210), join with sl st in beg ch to join, taking care not to twist sts. Place marker in beg st to mark start of rnd.

**Rnd 1 (RS):** Ch 2, dc in each <del>de-</del>ch around, join with sl st in top of ch-2 -- 140 (154, 168, 182, 196, 210) dc.


Rnd 2: Ch 2, turn, \*FPDC in next dc, BPDC in next dc, rep from \* around, join with sl st in top of ch-2.

Rnd 3: Ch 2, turn, 2 dc in base of ch, sk 2 sts, sc in next st, ch 3, sk 3 sts \* 3 dc in next st, sk 2 sts, sc in next st, ch 3, sk 3 sts, rep from \* around, join with sl st in top of ch-2 – 20 (22, 24, 26, 28, 30) ch-3 sp.

Rnd 4 (WS): Turn, \*ch 3, 3 dc in next sc, sk 2 dc, sc in next dc, rep from \* around.

Rnd 5 (RS): Ch 2, turn, 2 dc in beg sc, sk 2 dc, sc in next dc, ch 3, \* 3 dc in next sc, sk 2 dc, sc in next dc, ch 3, rep from \*around, join with sl st in top of ch-2.

Rep last 2 rnds for pattern until piece measures 12 (12, 13, 13, 14, 14)



in. [30.5 (30.5, 33, 33, 35.5, 35.5) cm] from beg, end with a WS row.

**Next Rnd:** Ch 2, \* dc in ch-3 sp, dc in each of next 4 sts, 2 dc in ch-3 sp, dc in next 4 sts, rep from \* around, end last rep dc in ch-3 sp, dc in each of next 4 sts 0 (1, 0, 1, 0, 1) times -- 110 (120, 132, 142, 154, 164) dc, join with sl st in top of ch-2 each rnd. Do not turn.

Next Rnd: Ch 2, dc in each dc around, join with sl st in top of ch-2. Do not turn.

Rep last rnd until dc band measures 3½ in. [9 cm].

#### **Divide Front and Back**

**Next Rnd:** Ch 2, dc in 45 (50, 54, 59, 63, 68) sts for back. Fasten off. Sk next 10 (10, 12, 12, 14, 14) sts for underarm. Join yarn in next st, ch 2, dc in 45 (50, 54, 59, 63, 68) sts for front, sk last 10 (10, 12, 12, 14, 14) sts for underarm. Fasten off.

#### SLEEVES (make 2)

Beg at cuff, ch 26 (26, 30, 30, 32, 32), join with sl st in beg se ch taking care not to twist sts. Place marker in beg st to mark start of rnd.

**Rnd 1:** Ch 2, dc in each ch around -- 26 (26, 30, 30, 32, 32) dc.

**Rnd 2:** Ch 2, \* fpdc in next dc, bpdc in next dc, rep from \* around, inc 1 st 1(1, 0, 0, 1, 1) times, join with sl st in top of ch-2 -- 27 (27, 30, 30, 33, 33) sts.

Rnds 3-9: Ch 2, fpdc in each fpdc, bpdc in each bpdc around, join with sl st in top of ch-2.

**Rnd 10:** Ch 2, 2 dc in base of ch, sc in next st, sk 1 st, ch 3, \*3 dc in next st, sc in next st, skip 1 st, ch3, rep from \* around, sl st in top of ch-2 -- 9 (9, 10, 10, 11, 11) ch-3 sp.

Rnd 11 (WS): Turn, \*ch 3, 3 dc in next sc, sk 2 dc, sc in next dc, rep from \* around.

Rnd 12 (RS): Ch 2, turn, 2 dc in beg sc, sk 2 dc, sc in next dc, ch 3, \*3 dc in next sc, sk 2 dc, sc in next dc, ch 3, rep from \* around, join with sl st in top of ch-2.

Rep last 2 rnds until piece measures  $15\frac{1}{2}$  ( $15\frac{1}{2}$ ,  $15\frac{1}{2}$ ,  $16\frac{1}{2}$ ,  $16\frac{1}{2}$ ,  $16\frac{1}{2}$ ) in. [39.25 (39.25, 39.25, 42, 42, 42) cm], end with a WS rnd.

**Next Rnd:** Ch 2, \*2 dc in ch-3 sp, dc in next 4 sts 1 (1, 0, 0, 1, 1) times, \*2 dc in ch-3 sp, dc in next 4 sts, dc in next ch-3 sp, dc in next 4 sts, rep from \* around, join with sl st in top of ch-2 -- 50 (50, 55, 55, 61, 61) dc.

**Next Rnd:** Ch 2, dc in each dc around, join with sl st in top of ch-2. Do not turn. Rep last rnd until dc band measures 2 in. [5 cm].

**Next Rnd:** SI st in 9 (9, 12, 12, 14, 14) dc, ch 2, dc in 31 (31, 31, 33, 33) dc, sk last 10 (10, 12, 12, 14, 14) dc -- 31 (31, 31, 33, 33) dc. Fasten off.

## Join Body and Sleeves

### Yoke

Rnd 1: From RS, join yarn at right front, ch 2, dc in 45 (50, 54, 59, 63, 68) front dc, dc in 31 (31, 31, 31, 33, 33) Sleeve dc, dc in 45 (50, 54, 59, 63, 68) back dc, dc in 31 (31, 31, 31, 33, 33) Sleeve dc, join with sl st in top of ch-2 -- 152 (162, 170, 180, 192, 202) dc.

**Rnd 2:** Ch 2, dc around, working 5 (8, 8, 12, 13, 16) dc2tog evenly spaced apart, join with sl st in top of ch-2 -- 147 (154, 162, 168, 179, 186) dc.

**Rnd 3:** Ch 2, dc around, working 5 (9, 9, 12, 13, 17) dc2tog evenly spaced apart, join with sl st in top of ch-2 -- 142 (145, 153, 156, 166, 169) dc.

**Rnd 4:** Ch 2, dc around, working 6 (9, 9, 12, 14, 17) dc2tog evenly spaced apart, join with sl st in top of ch-2 -- 136 (136, 144, 152, 152) dc.

**Rnd 5:** Ch 1, \*sc in next dc, ch 3, skip 3 dc, tr in next dc, ch 3, sk 3 dc, rep from \* around, end sl st in beg sc – 34 (34, 36, 36, 38, 38) ch-3 sp.

**Rnd 6:** SI st to beg ch-3 sp, ch 2, 3 dc in ch-3 sp, tr in next tr, 4 dc in next ch-3 sp, \* 4 dc in next ch-3 sp, tr in next tr, 4 dc in next ch-3 sp, rep from \* across, end sI st in top of ch-2.

Rnd 7: SI st to beg tr, sc in beg tr, \* ch 6, sc in next tr, rep from \* around, end ch 6, sI st in beg sc -- 17 (17, 18, 18, 19, 19) ch-6 sp.

Rnd 8: Ch 3, holding back last loop of each tr, 2 tr in beg sc, yo and pull through  $\frac{2}{3}$  loops -- beg cluster made, ch 3, sc in ch-6 loop, ch 3, \* holding back last loop of each tr, 3 tr in next sc, yo and pull though  $\frac{2}{3}$  loops -- cluster made, ch 3, sc in next ch-6 sp, ch 3, rep from \* around, end sl st in beg cluster.

**Rnd 9:** Sc in beg cluster, ch 3, tr in next sc, ch 3, \* sc in top of next cluster, ch 3, tr in next sc, ch 3, rep from \* around, end sl st in beg sc.

Rnd 10: Ch 6 (counts as tr, ch 3), sc in beg tr, ch 3, \* tr in next sc, ch 3, sc in next tr, ch 3, rep from \*around, end sl st in 3rd ch of ch-6.

Rnd 11: Ch 3 (counts as tr), [3 dc in next ch-3 sp] twice, \* tr in next tr, [3 dc in next ch-3 sp] twice, rep from \* around, end sl st in top of ch-3.

Rnd 12: Ch 1, sc in sl st, ch 4, \* sc in next tr, ch 4, rep from \* around, end sl st in beg sc -- 17 (17, 18, 18 19, 19) ch-4 sp.

Rnd 13: Ch 1, 5 sc in each ch-4 sp around, join with sl st in beg sc -- 85 (85, 90, 90, 95, 95) sc.

Rnd 14: Ch 2, \* dc in 3 sc, dc2tog, rep from \* around, join with sl st in beg ch-2 -- 68 (68, 72, 72, 76, 76) dc.

#### **Funnel Neck**

**Next Rnd:** Ch 2, dc in each dc around, join with sl st in top of ch-2. Rep last rnd until funnel neck measures 8 in. [20.25 cm]. Fasten off.

#### **FINISHING**

Sew underarm seams. Weave in ends.

ABBREVIATIONS / REFERENCES  Click for explanation and illustration	
<pre>beg = begin(s)(ning)</pre>	ch(s) = chain(s)
<u>dc = double crochet</u>	<pre>dec = decreas(e)(s)(ing)</pre>
<pre>inc = increas(e)(s)(ing)</pre>	rep = repeat(s)(ing)
rnd(s) = round(s)	RS = right side
sc = single crochet	sk = skip
sl st = slip stitch	st(s) = stitch(es)
tr = treble (triple) crochet	WS = wrong side
yo = yarn over	

Learn to crochet instructions: http://learnToCrochet.LionBrand.com

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.



\*Wool-Ease® (Article #620) is a 4-ply worsted-weight yarn. It has the feel, warmth and softness of wool with the easy care of acrylic. • Solid, Heather, Twist: 3 oz/85g (197 yd/180m) balls 80% acrylic, 20% wool • Sprinkles, Wheat, Mushroom, Rainbow Mist: 3 oz/85g (197 yd/180m) balls 86% acrylic, 10% wool, 4% rayon • Glitter/Multi-colors: 2.5 oz./70g (162 yd/146m) balls 78% acrylic, 19% wool, 3% polyester • Frosts: 2.5 oz./70g (162 yd/146m) balls 70% acrylic, 20% wool, 10% polyamide • Prints: 2.5 oz/70g (162 yd/146m) balls 80% acrylic, 20% wool

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click <u>here</u> to explain your problem and someone will help you!

# For hundreds of free patterns, visit our website <a href="www.LionBrand.com">www.LionBrand.com</a> To order visit our website <a href="www.e-yarn.com">www.e-yarn.com</a> or call: (800) 258-YARN (9276) any time!

Copyright © 1998-2005 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company. If you would like to send a copy of this page to someone, click here and we will be happy to do it for you.