



**Free Knitting Pattern**  
**Lion Brand® Wool-Ease®**  
**Downloadable Pattern: Cable Luxe Tunic**  
Pattern Number: 60618AD



This dramatic sweater is a gorgeous addition to any wardrobe.

KNIT

SKILL LEVEL: Experienced

SIZE: Small, Medium, Large, 1X, 2X

Finished Bust 36 (38, 40, 44, 50) in. (91.5 (96.5, 106.5, 117, 127) cm)

Finished Length 24 (25, 25, 26, 26) in. (61 (63.5, 63.5, 66, 66) cm)

**Free Knitting Pattern from Lion Brand Yarn**  
**Lion Brand® Wool-Ease®**  
**Downloadable Pattern: Cable Luxe Tunic**  
Pattern Number: 60618AD

**SKILL LEVEL:** Experienced

**SIZE:** Small, Medium, Large, 1X, 2X

**Finished Bust** 36 (38, 40, 44, 50) in. (91.5 (96.5, 106.5, 117, 127) cm)

**Finished Length** 24 (25, 25, 26, 26) in. (61 (63.5, 63.5, 66, 66) cm)

**Note:** Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

**CORRECTIONS:** (applied Dec 29, 2008)

**3/3 RC (3 over 3 right cross)**

Slip 3 sts to cable needle and hold in back, k3, then k3 from cable needle.

**3/3 RC Cable (worked on 6 sts over 8 rows)**

**Row 1, 5 and 7 (RS):** Knit 6.

**Row 2 and all WS rows:** Purl 6.

**Row 3:** 3/3 RC.

**Row 8:** Purl 6.

Rep Rows 1-8 for 3/3 RC Cable pattern.

**4/4 Center Cable (worked on 12 sts over 12 rows)**

**Row 3:** ~~k4~~, 4/4 LC, k4.

**Row 9:** k4, 4/4 RC, ~~k4~~.

**Yoke**

**Row 11:** P 7, (~~3/3 LC~~) twice, 3/3 LC, 3/3 RC, p7.

**Back**

**Size S only:**

**Row 1 (RS):** Inc 1 st in first st; p1, (work Row 1 of 3/3 RC ~~LC~~ Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 LC Cable) 3 times, p1; inc 1 st in last st - 84 sts.

**Size M only:**

**Row 1 (RS):** Inc 1 st in first st, p1, sl 1; p2, (work Row 1 of 3/3 RC ~~LC~~ Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 LC Cable) 3 times, p2; sl 1, p1, inc 1 st in last st - 90 sts.

**Size L only:**

**Row 1 (RS):** Inc 1 st in first st, k2, p2, sl 1; p2, (work Row 1 of 3/3 RC ~~LC~~ Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p 2, sl 1, p2, work Row 1 of 3/3 LC Cable) 3 times, p2; sl 1, p2, k2, inc 1 st in last st - 96 sts.

**Size 1X only:**

**Row 1 (RS):** Inc 1 st in first st, p1, (work Row 1 of 3/3 RC ~~LC~~ Cable, p2, sl 1, p2) 4 times, work Row 1 of 4/4 Center Cable, (p 2, sl 1, p2, work Row 1 of 3/3 LC Cable) 4 times, p1, inc 1 st in last st - 106 sts.

**Size 2X only:**

**Row 1 (RS):** Inc 1 st in first st, k3, p2, sl 1; p2, (work Row 1 of 3/3 RC ~~LC~~ Cable, p2, sl 1, p2) 4 times, work Row 1 of 4/4 Center Cable, (p 2, sl 1, p2, work Row 1 of 3/3 LC Cable) 4 times, p2; sl 1, p2, k3, inc 1 st in last st - 120 sts.

**Shape Waist**

**Size S only:**

**Inc Row:** K5, p2, sl 1, inc 1 st in next st, p1, (work **next row** Row ~~3~~ of 3/3 RC ~~LC~~ Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc

1 st in next st, p1, sl 1, inc 1 st in next st, p1, work **next row Row 3** of 3/3 LC Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, k5 - 112 sts; 14 sts have been increased in 14 center p2 sections.

**Size M only:**

**Inc Row:** P2, work **next row Row 3** of 3/3 RC L&C Cable, p2, sl 1, inc 1 st in next st, p1, (work **next row Row 3** of 3/3 RC L&C Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work **next row Row 3** of 3/3 LC Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, work **next row Row 3** of 3/3 LC Cable, p2 - 118 sts; 14 sts have been increased in 14 center p2 sections.

**Size L only:**

**Inc Row:** P2, sl 1, p2, work **next row Row 3** of 3/3 RC L&C Cable, p2, sl 1, inc 1 st in next st, p1, (work **next row Row 3** of 3/3 RC L&C Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work **next row Row 3** of 3/3 LC Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, work **next row Row 3** of 3/3 LC Cable, p2, sl 1, p2 - 124 sts; 14 sts have been increased in 14 center p2 sections.

**Size 1X only:**

**Inc Row:** K5, p2, sl 1, inc 1 st in next st, p1, (work **next row Row 3** of 3/3 RC L&C Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 4 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, **next row Row 3** of 3/3 LC Cable) 4 times, p1, inc 1 st in next st, sl 1, p2, k5 - 138 sts; 18 sts have been increased in 18 center p2 sections.

**Size 2X only:**

**Inc Row:** K3, p2, sl 1, p2, work **next row Row 3** of 3/3 RC L&C Cable, p2, sl 1, inc 1 st in next st, p1, (work **next row Row 3** of 3/3 RC L&C Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 4 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work **next row Row 3** of 3/3 LC Cable) 4 times, inc 1 st in next st, p1, sl 1, p2, work **next row Row 3** of 3/3 LC Cable, p2, sl 1, p2, k3 - 156 sts; 18 sts have been increased in 18 center p2 sections.

**Front**

From RS with larger needles, pick up and k 82 (88, 94, 104, 118) sts between Front markers and work same as Back.

**Right Sleeve**

From RS with larger needles, pick up and k 46 (54, 60, 66, 72) sts between Sleeve markers.

**Left Sleeve**

Make as for Right Sleeve, working 3/3 RC Cable in place of 3/3 LC Cable.

**Size S only:**

**Row 1 (RS):** Inc 1 st in first st, p1, work Row 1 of 3/3 LC Cable, p2, sl 1, p2, work Row 1 of 3/3 LC Cable, p2, sl 1, **p2 k2**, sl 1, p2, work Row 1 of 3/3 LC Cable, p2, sl 1, p2, work Row 1 of 3/3 LC Cable, p1, inc 1 st in last st - 48 sts.

**Size M only:**

**Row 1 (RS):** Inc 1 st in first st, p2, sl 1, (p2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, **p2 k2**, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, inc 1 st in last st - 56 sts.

**Size L only:**

**Row 1 (RS):** Inc 1 st in first st, k3, p2, sl 1, (p2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, **p2 k2**, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, k3, inc 1 st in last st - 62 sts.

**Size 1X only:**

**Row 1 (RS):** Inc 1 st in first st, work Row 1 of 3/3 LC Cable, p2, sl 1, (p2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, **p2 k2**, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, work Row 1 of 3/3 LC Cable, inc 1 st in last st - 68 sts.

**Size 2X only: Row 1 (RS):** Inc 1 st in first st, sl 1, (p2, work Row 1 of 3/3 LC Cable, p2, sl 1) 3 times, **p2 k2**, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 3 times, sl 1, inc 1 st in last st - 74 sts.

## MATERIALS

- 620-151 Lion Brand Wool-Ease Yarn: Grey Heather  
7 7, 8, 10, 10 Balls
- Lion Brand Knitting Needles- Size 8 [5 mm]
- Lion Brand Cable Needles (Set of 2)
- Lion Brand Stitch Markers
- Large-Eye Blunt Needles (Set of 6)
- Additional Materials  
Circular knitting needle size 7 (4.5 mm), 24 in. (80 cm)

## GAUGE:

18 sts + 24 rows = 4 in. (10 cm) in St st (k on RS, p on WS) with larger needles.  
22 sts = 4 in. (10 cm) in cable patterns with larger needles. BE SURE TO CHECK YOUR GAUGE. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you less stitches and rows to make a 4 in. [10 cm] square, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

## STITCH EXPLANATION:

**3/3 LC (3 over 3 left cross)** Slip 3 sts to cable needle and hold in front, k3, then k3 from cable needle.

**3/3 RC (3 over 3 right cross)** Slip 3 sts to cable needle and hold in back, k3, then k3 from cable needle.

**3/2 LC (3 over 2 left cross)** Slip 3 sts to cable needle and hold in front, p2, then k3 from cable needle.

**2/3 RC (2 over 3 right cross)** Slip 2 sts to cable needle and hold in back, k3, then p2 from cable needle.

**4/4 LC (4 over 4 left cross)** Slip 4 sts to cable needle and hold in front, k4, then k4 from cable needle.

**4/4 RC (4 over 4 right cross)** Slip 4 sts to cable needle and hold in back, k4, then k4 from cable needle.

### PATTERN STITCHES

#### **3/3 LC Cable (worked on 6 sts over 8 rows)**

**Row 1, 5 and 7 (RS):** Knit 6.

**Row 2 and all WS rows:** Purl 6.

**Row 3:** 3/3 LC.

**Row 8:** Purl 6.

Rep Rows 1-8 for 3/3 LC Cable pattern.

#### **3/3 RC Cable (worked on 6 sts over 8 rows)**

**Row 1, 5 and 7 (RS):** Knit 6.

**Row 2 and all WS rows:** Purl 6.

**Row 3:** 3/3 RC.

**Row 8:** Purl 6.

Rep Rows 1-8 for 3/3 RC Cable pattern.

#### **4/4 Center Cable (worked on 12 sts over 12 rows)**

**Row 1, 5, 7 and 11 (RS):** Knit 12.

**Row 2 and all WS rows:** Purl 12.

**Row 3:** 4/4 LC, k4.

**Row 9:** K4, 4/4 RC.


**Row 12:** Purl 12.

Rep Rows 1-12 for 4/4 Center Cable pattern.

## NOTES:

Pullover is worked in 3 steps.

1. Yoke is knit lengthwise, then seamed at center back.
2. Stitches are picked up along one long edge of Yoke for Front, Back, and Sleeves, and worked downwards from Yoke to lower edge.
3. Stitches are picked up along opposite long edge of Yoke and worked upwards for garter yoke.



## PULLOVER

### Yoke

With larger needles, cast on 26 sts.

**Row 1 (RS):** P 3, k3, p 4, k6, p 4, k3, p3.

**Row 2 and all WS rows:** k1, k the knit sts and p the purl sts to last st, k1.

**Row 3:** P 3, k3, p4, 3/3 LC, p 4, k3, p3.

**Row 5:** Rep Row 1.

**Row 7:** P 3, 3/2 LC, p2, k6, p2, 2/3 RC, p3.

**Row 9:** P 5, 3/2 LC, 3/3 LC, 2/3 RC, p5.

**Row 11:** P 7, 3/3 LC, 3/3 RC, p7.

**Row 13:** P 5, 2/3 RC, 3/3 LC, 3/2 LC, p5.

**Row 15:** P 3, 2/3 RC, p2, k6, p2, 3/2 LC, p3.

**Row 16:** Rep Row 2.

Rep Rows 1-16 until piece measures 44 (47, 52, 58, 66) in. (111.5 (119.5, 132, 147.5, 167.5) cm), end with Row 2. Bind off. Sew short ends together for center back seam.

### Mark for Front, Back and Sleeves

Along one long edge of Yoke, place markers 7 (7 1/2, 8, 9 1/2, 10 3/4) in. (18 (19, 20.5, 24, 27.5) cm) on each side of center back seam for Back. Place markers 8 (8 1/2, 10, 10, 11 1/2) in. (20.5 (21.5, 25.5, 25.5, 29) cm) from each of the first markers for Sleeves. Rem 14 (15, 16, 19, 21 1/2) in. (35.5 (38, 40.5, 48.5, 54.5) cm) is for Front. Place corresponding markers along opposite long edge of Yoke, for Collar.

### Back

From RS with larger needles, pick up and k 82 (88, 94, 104, 118) sts between back markers.

#### Size S only:

**Foundation Row (WS):** (K2, p6, k2, p1) 3 times, k2, p12, (k2, p1, k2, p6) 3 times, k2 - 82 sts.

**Row 1 (RS):** Inc 1 st in first st; p1, (work Row 1 of 3/3 RC Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 LC Cable) 3 times, p1; inc 1 st in last st - 84 sts.

#### Size M only:

**Foundation Row (WS):** P3, (K2, p6, k2, p1) 3 times, k2, p12, (k2, p1, k2, p6) 3 times, k2, p3 - 88 sts.

**Row 1 (RS):** Inc 1 st in first st, p1, sl 1; p2, (work Row 1 of 3/3 RC Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p2, sl 1, p2, work Row 1 of 3/3 LC Cable) 3 times, p2; sl 1, p1, inc 1 st in last st - 90 sts.

#### Size L only:

**Foundation Row (WS):** P6, (K2, p6, k2, p1) 3 times, k2, p12, (k2, p1, k2, p6) 3 times, k2, p6 - 94 sts.

**Row 1 (RS):** Inc 1 st in first st, k2, p2, sl 1; p2, (work Row 1 of 3/3 RC Cable, p2, sl 1, p2) 3 times, work Row 1 of 4/4 Center Cable, (p 2, sl 1, p2, work Row 1 of 3/3 LC Cable) 3 times, p2; sl 1, p2, k2, inc 1 st in last st - 96 sts.

**Size 1X only:**

**Foundation Row (WS):** (K2, p6, k2, p1) 4 times, k2, p12, (k2, p1, k2, p6) 4 times, k2 - 104 sts.

**Row 1 (RS):** Inc 1 st in first st, p1, (work Row 1 of 3/3 RC Cable, p2, sl 1, p2) 4 times, work Row 1 of 4/4 Center Cable, (p 2, sl 1, p2, work Row 1 of 3/3 LC Cable) 4 times, p1, inc 1 st in last st - 106 sts.

**Size 2X only:**

**Foundation Row (WS):** P7, (K2, p6, k2, p1) 4 times, k2, p12, (k2, p1, k2, p6) 4 times, k2, p7 - 118 sts.

**Row 1 (RS):** Inc 1 st in first st, k3, p2, sl 1; p2, (work Row 1 of 3/3 RC Cable, p2, sl 1, p2) 4 times, work Row 1 of 4/4 Center Cable, (p 2, sl 1, p2, work Row 1 of 3/3 LC Cable) 4 times, p2; sl 1, p2, k3, inc 1 st in last st - 120 sts.

**All sizes:**

**Shape Armhole**

**Row 2 and all WS rows:** K the k sts and p the p sts. Continue as established, inc 1 st at beg and end of each RS row, working new sts in pattern until there are 90 (96, 102, 112, 130) sts, end with a WS row.

Cast on 4 sts at beg of next 2 rows - 98 (104, 110, 120, 138) sts. Work even in pattern as established until Row 2 of second rep of Center Cable has been worked.

**Shape Waist**

**Size S only:**

**Inc Row:** K5, p2, sl 1, inc 1 st in next st, p1, (work next row of 3/3 RC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work next row of 3/3 LC Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, k5 - 112 sts; 14 sts have been increased in 14 center p2 sections.

**Size M only:**

**Inc Row:** P2, work next row of 3/3 RC Cable, p2, sl 1, inc 1 st in next st, p1, (work next row of 3/3 RC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work next row of 3/3 LC Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, work next row of 3/3 LC Cable, p2 - 118 sts; 14 sts have been increased in 14 center p2 sections.

**Size L only:**

**Inc Row:** P2, sl 1, p2, work next row of 3/3 RC Cable, p2, sl 1, inc 1 st in next st, p1, (work next row of 3/3 RC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 3 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work next row of 3/3 LC Cable) 3 times, inc 1 st in next st, p1, sl 1, p2, work next row of 3/3 LC Cable, p2, sl 1, p2 - 124 sts; 14 sts have been increased in 14 center p2 sections.

**Size 1X only: Inc Row:** K5, p2, sl 1, inc 1 st in next st, p1, (work next row of 3/3 RC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 4 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work next row of 3/3 LC Cable) 4 times, p1, inc 1 st in next st, sl 1, p2, k5 - 138 sts; 18 sts have been increased in 18 center p2 sections.

**Size 2X only:**

**Inc Row:** K3, p2, sl 1, p2, work next row of 3/3 RC Cable, p2, sl 1, inc 1 st in next st, p1, (work next row of 3/3 RC Cable, inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1) 4 times, work Row 3 of 4/4 Center Cable, (inc 1 st in next st, p1, sl 1, inc 1 st in next st, p1, work next row of 3/3 LC Cable) 4 times, inc 1 st in next st, p1, sl 1, p2, work next row of 3/3 LC Cable, p2, sl 1, p2, k3 - 156 sts; 18 sts have been increased in 18 center p2 sections.

**All sizes:**

Continue in pattern as established, inc 1 st in each of the center 14 (14, 14, 18, 18) purl sections on every Row 3 of Center Cable 2 more times - 140 (146, 152, 174, 192) sts. Continue to work even in pattern as established until piece measures 17 (18, 18, 19, 19) in. (43 (45.5, 45.5, 48.5, 48.5) cm) from pick-up row. Bind off.

**Front**

From RS with larger needles, pick up and k 82 (88, 94, 104, 118) sts between Front markers and work same as Back.

**Right Sleeve**

From RS with larger needles, pick up and k 46 (54, 60, 66, 72) sts between Sleeve markers.

**Size S only: Foundation Row (WS):** (K2, p6, k2, p1) 2 times, k2, (p 1, k2, p6, k2) 2 times - 46 sts.

**Row 1 (RS):** Inc 1 st in first st, p1, work Row 1 of 3/3 LC Cable, p2, sl 1, p2, work Row 1 of 3/3 LC Cable, p2, sl 1, p2, work Row 1 of 3/3 LC Cable, p1, inc 1 st in last st - 48 sts.

**Size M only:**

**Foundation Row (WS):** P1, k2, p1, (K2, p6, k2, p1) 2 times, k2, (p 1, k2, p6, k2) 2 times, p1, k2, p1 - 54 sts.

**Row 1 (RS):** Inc 1 st in first st, p2, sl 1, (p 2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, p2, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, inc 1 st in last st - 56 sts.

**Size L only:**

**Foundation Row (WS):** P4, k2, p1, (K2, p6, k2, p1) 2 times, k2, (p 1, k2, p6, k2) 2 times, p1, k2, p4 - 60 sts.

**Row 1 (RS):** Inc 1 st in first st, k3, p2, sl 1, (p 2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, p2, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, k3, inc 1 st in last st - 62 sts.

**Size 1X only:**

**Foundation Row (WS):** K1, p6, k2, p1, (K2, p6, k2, p1) 2 times, k2, (p 1, k2, p6, k2) 2 times, p1, k2, p6, k1 - 66 sts.

**Row 1 (RS):** Inc 1 st in first st, work Row 1 of 3/3 LC Cable, p2, sl 1, (p 2, work Row 1 of 3/3 LC Cable, p2, sl 1) 2 times, p2, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 2 times, sl 1, p2, work Row 1 of 3/3 LC Cable, inc 1 st in last st - 68 sts.

**Size 2X only:**

**Foundation Row (WS):** K1, p1, (K2, p6, k2, p1) 3 times, k2, (p 1, k2, p6, k2) 3 times, p1, k1 - 72 sts.

**Row 1 (RS):** Inc 1 st in first st, sl 1, (p 2, work Row 1 of 3/3 LC Cable, p2, sl 1) 3 times, p2, (sl 1, p2, work Row 1 of 3/3 LC Cable, p2) 3 times, sl 1, inc 1 st in last st - 74 sts.

**All Sizes:**

Continue to work in pattern as established, inc 1 st each edge every RS row 3 (3, 3, 3, 5) more times - 54 (62, 68, 74, 84) sts. End with a WS row.

Cast on 4 sts at beg of next 2 rows - 62 (70, 76, 82, 92) sts

Work even in pattern as established until sleeve measures 17 (18, 18, 18 1/2, 19) in. (43 (45.5, 45.5, 47, 48.5) cm) from pick-up row. Bind off.

**Left Sleeve**

Make as for Right Sleeve, working 3/3 RC Cable in place of 3/3 LC Cable.

**Garter Stitch Yoke**

From RS with smaller circular needle, beg at center back seam, pick up and k 21 (22, 23, 27, 30) sts along left half of back, 24 (27, 30, 33, 36) sts along left sleeve, 41 (44, 47, 54, 60) sts along front, 24 (27, 30, 33, 36) sts along right sleeve and 20 (22, 24, 27, 30) sts along right half of back - 130 (142, 154, 174, 192) sts.

Working back and forth in Garter st (k every row), dec 13 (14, 15, 17, 19) sts evenly spaced every 6th row 3 times - 91 (100, 109, 123, 135) sts.

**Sizes L, 1X and 2X only:**

Knit 5 rows.

Continue in Garter st, dec 15 (17, 19) sts evenly spaced across row - 94 (106, 116) sts.

**All Sizes:**

Work even until 3 in. (7.5 cm) from pick-up row. Bind off.

**FINISHING**

Sew center back seam of garter stitch yoke. Sew armhole seams. Sew side and sleeve seams. Weave in ends.

ABBREVIATIONS / REFERENCES	
Click for explanation and illustration	
<u>beg = begin(s)(ning)</u>	<u>dec = decreas(e)(s)(ing)</u>
<u>inc = increas(e)(s)(ing)</u>	<u>k = knit</u>
<u>p = purl</u>	<u>rep = repeat(s)(ing)</u>
<u>RS = right side</u>	<u>sl = slip</u>
<u>St st = Stockinette stitch</u>	<u>st(s) = stitch(es)</u>
<u>WS = wrong side</u>	

Learn to knit instructions: <http://learnToKnit.LionBrand.com>

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

**For thousands of free patterns, visit our website [www.LionBrand.com](http://www.LionBrand.com)  
To order visit our website [www.lionbrand.com](http://www.lionbrand.com) or call: (800) 258-YARN (9276) any time!**

Copyright ©1998-2009 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.