

Free Knitting Pattern Lion Brand Lion Cashmere Blend Flattering Sweater Pattern Number: 70068A



Free Knitting Pattern from Lion Brand Yarn Lion Brand Lion Cashmere Blend Flattering Sweater

Pattern Number: 70068A

SKILL LEVEL: Intermediate

SIZE:

S/M (L/1X, 2X/3X)

Finished Bust 43 1/2 (51 1/2, 59 1/2) in. [110.5 (131, 151) cm]

Finished Length 21 (23, 25) in. [53.5 (58.5, 63.5) cm]

CORRECTIONS: None

MATERIALS

 270-145 <u>Lion Brand Lion Cashmere Blend: Plum</u> 13 16, 19 Balls

- Lion Brand Knitting Needles Size 10 [6 mm]
- Lion Brand Stitch Holders
- · Lion Brand Stitch Markers
- Large-Eye Blunt Needles (Set of 6)

GAUGE:

16 sts + 22 rows = 4 in. [10 cm] in St st (k on RS, p on WS). BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATION:

ssk (slip, slip, knit) SI next 2 sts as if to knit, one at a time, to right needle; insert left needle into fronts of these 2 sts and knit them tog.

LEFT FRONT

Cast on 53 (61, 69) sts.

Rows 1 and 3 (WS): SI 1, (k 1, p 1) to end of row.

Row 2 (RS): SI 1, (p 1, k 1) to end of row.

Row 4: SI 1, (p 1, k 1) twice, (p 3, k 5) to last 8 sts, p 3, (k 1, p 1) twice, k 1.

Row 5: SI 1, (k 1, p 1) twice, (k 3, p 5) to last 8 sts, k 3, (p 1, k 1) twice, p 1.

Rep Rows 4-5 until piece measures 5 in. [12.5 cm] from beg, end with a RS row.

Keeping first and last 5 sts in rib as established, work center 43 (51, 59) sts in Rev St st (p on RS, k on WS) for 3 (3 1/2, 4) in. [7.5 (9, 10) cm], end with a RS row.

Side Shaping


Row 1 (WS): SI 1, (k1, p1) twice, purl to end of row.

Row 2 (Dec Row): K 1, ssk, knit to last 5 sts, (k 1, p 1) twice, k 1. Rep Rows 1-2 twice more, end with a RS row. Keeping first 5 sts in rib as established, work until St st section measures 3 (3 1/2, 4) in. [7.5 (9, 10) cm], end with a RS row. **Rev St st Section**

Row 1 (WS): SI 1, (k1, p1) twice, knit to last st, p 1.

Row 2 (Dec Row): K 1, p2tog, purl to last 5 sts, (k 1, p 1) twice, k 1. Rep Rows 1-2 until 39 (46, 53) sts remain. Work until Rev St st section measures 3 (3 1/2, 4) in. [7.5 (9, 10) cm], end with a WS row.

Shape Sleeve Next Row: Cast on 34 sts, purl to last 5 sts of Left Front, (k 1, p 1) twice, k 1 - 73 (80, 87) sts. Work even in Rev St st as established, keeping 5 front edge sts in rib, until sleeve measures 7 (8,



9) in. [18 (20.5, 23) cm], end with a WS row. Place 6 front edge sts on one holder and remaining 67 (74, 81) sts on another holder.

RIGHT FRONT

Work as for Left Front, reversing all shaping. End with a WS row, placing last 6 sts on holder.

BACK

Next Row: Purl remaining 67 (74, 81) sts from Right Front, cast on 21 (23, 25) sts, k 67 (74, 81) sts of Left front from holder - 155 (171, 187) sts. Work even in Rev St st until sleeves measure 14 (16, 18) in. [35.5 (40.5, 45.5) cm] from cast-on edge, end with a RS row. Bind off 34 sts at beg of next 2 rows - 87 (103, 119) sts.

Shape Side

Inc 1 st each side every 6th row 10 (11, 12) times - 107 (125, 143) sts.

AT THE SAME TIME, continue working in Rev St st for 3 (3 1/2, 4) in. [7.5 (9, 10) cm] from sleeve bind-off. Then work in St st for 3 (3 1/2, 4) in. [7.5 (9, 10) cm], end with a RS row.

Back Vent

Continuing to shape sides, work in Rev St st and established rib for vent edging as follows:

Next Row (WS): SI 1, (k 1, p 1) twice, knit to last 5 sts, (p 1, k 1) twice, p 1.

Next Row (RS): SI 1, (p 1, k 1) twice, purl to last 5 sts, (k 1, p 1) twice, k 1.

Keeping first and last 5 sts in rib as established, continue in Rev St st for 6 (6 1/2, 7) in. [15 (16.5, 18) cm], end with a RS row.

Next Row (WS): Sl 1, (k 1, p 1) twice, p 2 (3, 0), [k 5, p 3] to last 12 sts, k 5, p 2 (3, 0), (p1, k1) twice, p1.

Next Row (Inc Row): SI 1, (p 1, k 1) twice, inc 1, work rib as established to last 5 sts, inc 1, (k 1, p 1) twice, k 1. Working rib as established, rep Inc Row every 6th row 3 (2, 2) more times - 115 (131, 149) sts. Work even as established until ribbed section measures 4 1/2 in. [11.5 cm], end with a WS row.

Next Row (RS): SI 1, (k 1, p 1) to end.

Row 2: SI 1, (p 1, k 1) to end.

Row 3: Sl 1, (k1, p1) to end.

Bind off all sts.

FINISHING

Cuffs

Pick up 56 (64, 72) sts evenly spaced along lower edge of sleeve. Work 14 rows in Rev St st, then 30 rows in K3, P5 Rib, and then 3 rows in K1, P1 Rib. Bind off. Sew sleeve seams and side seams above vents. Back vent is longer than Front vent

Neckband

Place 6 sts of Left Front from holder onto needle and work in established rib until piece, when slightly stretched, reaches to center of Back neck. Bind off. Rep for Right Front. Sew Neckband seam, sew Neckband to edge of Back neck. Weave in ends.

| ABBREVIATIONS / REFERENCES Click for explanation and illustration | |
|--|-------------------------------------|
| <pre>beg = begin(s)(ning)</pre> | <pre>dec = decreas(e)(s)(ing)</pre> |
| <pre>inc = increas(e)(s)(ing)</pre> | k = knit |
| k2tog = knit 2 together | p = purl |
| p2tog = purl 2 together | rep = repeat(s)(ing) |
| Rev St st = reverse stockinette stitch | RS = right side |
| sl st = slip stitch | St st = Stockinette stitch |
| st(s) = stitch(es) | tog = together |
| WS = wrong side | |

Learn to knit instructions: http://learnToKnit.LionBrand.com



*Lion Cashmere Blend (Article #270) is a luxurious blend of cashmere and merino wool. It is packaged in 1 1/2 oz [40 g]/77 yd [70 m] balls

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click <u>here</u> to explain your problem and someone will help you!

For hundreds of free patterns, visit our website www.LionBrand.com
To order visit our website www.e-yarn.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2005 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company. If you would like to send a copy of this page to someone, click here and we will be happy to do it for you.