

Free Crochet Pattern Lion Brand[®] Homespun[®] Tweedy Wedges Afghan Pattern Number: 80438AD



Stay warm under this cozy circle afghan.

Free Crochet Pattern from Lion Brand Yarn Lion Brand[®] Homespun[®] Tweedy Wedges Afghan Pattern Number: 80438AD

SKILL LEVEL: Advanced Intermediate

SIZE: One Size About 60 1/2 in. (153.5 cm)

CORRECTIONS: None as of Jun 11, 2009. To check for later updates, click here.

MATERIALS

- 790-396 Lion Brand Homespun® Yarn: Fiesta 2 Balls (A)
- 790-336 Lion Brand Homespun® Yarn: Barrington 2 Balls (B)
- 790-345 Lion Brand Homespun® Yarn: Corinthian 2 Balls (C)
- 790-375 <u>Lion Brand Homespun® Yarn: Candy Apple</u> 2 Balls (D)
- Lion Brand Crochet Hook Size K-10.5
- Large-Eye Blunt Needles (Set of 6)

GAUGE:

Rows $1-7 = 2 \ 1/2 \ x \ 3$ in. (6.5 x 7.5 cm) wide at top of wedge. BE SURE TO CHECK YOUR GAUGE. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you less stitches and rows to make a 4 in. [10 cm] square, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

AFGHAN

WEDGE (make 6 – 2 each with A, B, and C)

Ch 2.

Row 1: Sc in 2nd ch from hook.

Row 2: Ch 1, turn, 2 sc in sc – 2 sc.

Row 3: Ch 1, turn, sc in first sc, ch 1, sc in next sc – 1 ch-1 sp.

Row 4: Ch 1, turn, 2 sc in first sc, ch 1, 2 sc in last sc.

Row 5: Ch 1, turn, sc in first 2 sc, ch 1, sc in last 2 sc.

Row 6: Ch 1, turn, sc in first sc, ch 1, sc in next sc, ch 1, sk next ch-1 sp, sc in next sc, ch 1, sc in next sc – 3 ch-1 sp.

Row 7: Ch 1, turn, sc in first sc, *ch 1, sk next ch-1 sp, sc in next sc; rep from * across.

Row 8: Ch 1, turn, 2 sc in first sc, ch 1, sk next ch-1 sp, *sc in next sc, ch 1, sk next ch-1 sp; rep from * to last sc, 2 sc in last sc.

Row 9: Ch 1, turn, sc in first 2 sc, *ch 1, sk next ch-1 sp, sc in next sc; rep from * to last sc, sc in last sc.

Row 10: Ch 1, turn, sc in first sc, ch 1, sc in next sc, ch 1, *sk next ch-1 sp, sc in next sc, ch 1; rep from * to last sc, sc in last sc – 5 ch-1 sp.

Rows 11–26: Rep Rows 7–10 four times – 13 ch-1 sp.

Row 27: Rep Row 7.

Row 28: Ch 1, turn, 2 sc in first sc, (ch 1, sk next ch-1 sp, sc in next sc) 5 times, (ch 1, sk next ch-1 sp, 2 sc in next sc) twice, (ch 1, sk next ch-1 sp, sc in next sc) 5 times, ch 1, sk next ch-1 sp, 2 sc in last sc.

Row 29: Ch 1, turn, sc in first 2 sc, (ch 1, sk next ch-1 sp, sc in next sc) 6 times, sc in next sc, ch 1, sk next ch-1 sp,

sc in next 2 sc, (ch 1, sk next ch-1 sp, sc in next sc) 6 times, sc in last sc.

Row 30: Ch 1, turn, sc in first sc, ch 1, sc in next sc, (ch 1, sk next ch-1 sp, sc in next sc) 6 times, ch 1, sc in next sc, ch 1, sk next ch-1 sp, sc in next sc, ch 1, sc in next sc, (ch 1, sk next ch-1 sp, sc in next sc) 6 times, ch 1, sc in last sc - 17 ch-1 sp.

Rows 31–50: Rep Rows 7–10 five times – 27 ch-1 sp.

Row 51: Rep Row 7.

Row 52: Ch 1, turn, 2 sc in first sc, (ch 1, sk next ch-1 sp, sc in next sc) 11 times, (ch 1, sk next ch-1 sp, 2 sc in next sc) 4 times, (ch 1, sk next ch-1 sp, sc in next sc) 11 times, ch 1, sk next ch-1 sp, 2 sc in last sc.

Row 53: Ch 1, turn, sc in first 2 sc, (ch 1, sk next ch-1 sp, sc in next sc) 11 times, (ch 1, sk next ch-1 sp, sc in next 2 sc) 4 times, (ch 1, sk next ch-1 sp, sc in next sc) 11 times, ch 1, sk next ch-1 sp, sc in last 2 sc.

Row 54: Ch 1, turn, sc in first sc, ch 1, sc in next sc, (ch 1, sk next ch-1 sp, sc in next sc) 12 times, ch 1, sc in next sc, (ch 1, sk next ch-1 sp, sc in next sc, ch 1, sc in next sc) 3 times, (ch 1, sk next ch-1 sp, sc in next sc) 12 times, ch 1, sc in last sc – 33 ch-1 sp.

Rows 55-62: Rep Rows 7-10 twice - 37 ch-1 sp. Do not fasten off.

Edging

Rnd 1 (RS): Ch 1, turn; working across top of Wedge, (sc, ch 2, sc) in first sc (corner made), (sk next (ch-1 sp, sc, ch-1 sp), 5 dc in next sc (shell made), sk next ch-1 sp, sc in next sc) 4 times, (sk next (ch-1 sp, sc, ch-1 sp), 7 dc in next sc (shell made), sk next ch-1 sp, sc in next sc) 4 times, (sk next (ch-1 sp, sc, ch-1 sp), 5 dc in next sc, sk next ch-1 sp, sc in next sc) 4 times, sk next ch-1 sp, sc in next sc) 4 times, (sk next (ch-1 sp, sc, ch-1 sp), 5 dc in next sc, sk next ch-1 sp, sc in next sc) 4 times, sk next ch-1 sp and sc, (sc, ch 2, sc) in last sc (corner made); working across side of Wedge, (sk next 2 rows, 5 dc in end of next row, sk next 2 rows, sc in end of next row) 6 times, (sk next row, 3 dc in end of next row, sc in end of next row) 5 times, sk next row, 3 sc in end of next row (shell made), sk next row, sc in end of next row, sk next row, 3 sc in end of next row, sk next row, (sc, ch 2, sc) in tip of Wedge; working across opposite side of Wedge, ch 1, sk next row, sc in end of next row, sk next row, 3 sc in end of next row, sk next row, (sc in end of next row, sk next row, 3 dc in end of next row, sk next row, 3 sc in end of next row, sk next row, (sc in end of next row, sk next row, 3 sc in end of next row, sk next row, (sc in end of next row, sk next row, sk next row, 5 times, (sc in end of next row, sk next 2 rows, 5 dc in end of next row, sk next row) 5 times, (sc in end of next row, sk next 2 rows, 5 dc in end of next row, sk next row) 5 times, (sc in end of next row, sk next 2 rows, 5 dc in end of next row, sk next 2 rows) 6 times; join with sl st in first sc. Fasten off.

FINISHING

Edging

Notes:

1. Arrange Wedges into a circle in the following color sequence: A, B, C, A, B, C.

2. Work non-joining edging around first Wedge. Work joining edging around all remaining Wedges.

Non-Joining Edging (for first Wedge)

With RS facing, join D with sl st in top corner ch-2 sp.

Rnd 1: Ch 1, (sc, ch 2, sc) in same sp as join, sc in next sc; working across top of Wedge, (ch 2, sk next 2 dc, (sc, ch 3, sc) in next dc, ch 2, sk next 2 dc, sc in next sc) 4 times, (ch 2, sk next 2 dc, sc in next dc, (sc, ch 3, sc) in next dc, sc in next dc, ch 2, sk next 2 dc, sc in next sc) 4 times, (ch 2, sk next 2 dc, (sc, ch 3, sc) in next dc, ch 2, sk next 2 dc, sc in next sc) 4 times, (ch 2, sk next 2 dc, (sc, ch 3, sc) in next dc, ch 2, sk next 2 dc, sc in next sc) 4 times, (ch 2, sk next 2 dc, (sc, ch 3, sc) in next dc, ch 2, sk next 2 dc, sc in next sc) 4 times, (sc, ch 2, sc) in next ch-2 sp (corner), sc in next sc; working across side of Wedge, (ch 2, sk next 2 dc, (sc, ch 3, sc) in next dc, ch 2, sk next 2 dc, sc in next sc) 6 times, (ch 1, sk next dc, (sc, ch 2, sc) in next sc, ch 1, sk next dc, sc in next sc, sc in next sc, sc in next sc, ch 2, sk next ch-1 sp, sc in next sc, ch 1, sk next sc, (sc, ch 2, sc) in next sc, sc in next sc, (ch 1, sk next ch-1 sp, sc in next sc, ch 1, sk next sc, (sc, ch 2, sc) in next sc, (ch 1, sk next ch, sc) in next dc, ch 1, sk next dc, (sc, ch 2, sc) in next sc, (ch 1, sk next dc, (sc, ch 2, sc) in next dc, (sc, ch 3, sc) in next sc, (ch 1, sk next dc, (sc, ch 2, sc) in next sc, (ch 1, sk next dc, (sc, ch 2, sc) in next sc, (ch 1, sk next dc, (sc, ch 2, sc) in next sc, (ch 1, sk next dc, (sc, ch 2, sc) in next sc, (ch 1, sk next dc, (sc, ch 2, sc) in next sc, (ch 1, sk next dc, (sc, ch 2, sc) in next dc, ch 1, sk next dc, sc in next sc) 5 times, (ch 2, sk next 2 dc, (sc, ch 3, sc) in next dc, ch 2, sk next 2 dc, (sc, ch 3, sc) in next dc, ch 1, sk next sc) 6 times; join with sl st in first sc. Fasten off.

Joining Edging (for all other Wedges)

Work as for non-joining edging, joining neighboring ch-sps along sides and ch-4 sp at tip (only join the ch-sps that are worked in the center st of shells), as follows:

Join neighboring ch-2 sps: Ch 1, drop loop from hook, insert hook from RS to WS in corresponding ch-sp of neighboring Wedge, pick up loop and draw to RS, ch 1.

Join neighboring ch-3 sps: Ch 2, drop loop from hook, insert hook from RS to WS in corresponding ch-sp of neighboring Wedge, pick up loop and draw to RS, ch 1.

Join neighboring ch-4 sps: Ch 2, drop loop from hook, insert hook from RS to WS in corresponding ch-sp of neighboring Wedge, pick up loop and draw to RS, ch 2.

Join neighboring ch-4 sps at tip of last Wedge: Ch 2, drop loop from hook, insert hook from RS to WS in corresponding ch-sp of first neighboring Wedge, pick up loop and draw to RS, ch 1, drop loop from hook, insert hook from RS to WS in corresponding ch-sp of next neighboring Wedge, pick up loop and draw to RS, ch 2.

Border

With RS facing join D with sc in 2nd sc following corner ch-2 sp of any Wedge.

Rnd 1: *(Ch 3, sk next ch-2 sp, (sc, ch 3, sc) in next ch-3 sp, ch 3, sk next ch-2 sp, sc in next sc) 4 times, (ch 3, sk next ch-2 sp, sc in next sc, (sc, ch 3, sc) in next ch-3 sp, sc in next sc, ch 3, sk next ch-2 sp, sc in next sc) 4 times, (ch 3, sk next ch-2 sp, (sc, ch 3, sc) in next ch-3 sp, ch 3, sk next ch-2 sp, sc in next sc) 4 times, (ch 3, sk next ch-2 sp, (sc, ch 3, sc) in next ch-3 sp, ch 3, sk next ch-2 sp, sc in next sc) 4 times, (sc, ch 2, sc) in corner ch-2 sp, ch 2, (sc, ch 2, sc) in corner ch-2 sp of next Wedge, ch 1, sk next sc, **sc in next sc; rep from * around ending last rep at **; join with sl st in first sc. Fasten off. Weave in ends.

ABBREVIATIONS / REFERENCES Click for explanation and illustration	
ch(s) = chain(s)	ch-space = space previously made
dc = double crochet	rep = repeat(s)(ing)
rnd(s) = round(s)	<u>RS = right side</u>
$\underline{sc} = single crochet$	$\underline{sk} = \underline{skip}$
sl st = slip stitch	sp(s) = space(s)
st(s) = stitch(es)	WS = wrong side

Learn to crochet instructions: http://learnToCrochet.LionBrand.com

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

*Homespun (Article #790) is a uniquely-textured bulky weight yarn that works up quickly and easily. 98% acrylic, 2% polyester; packaged in 6 oz/170g (185 yd/167m) pull skeins.



We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click <u>here</u> to explain your problem and someone will help you!

For thousands of free patterns, visit our website <u>www.LionBrand.com</u> To order visit our website <u>www.lionbrand.com</u> or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2009 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.