



Free Knitting Pattern
Lion Brand® LB Collection Silk Mohair
Gossamer Cowl Pullover
Pattern Number: 90100AD



This lightweight sweater features classic cable details and a flattering cowl neck.

Free Knitting Pattern from Lion Brand Yarn

Lion Brand® LB Collection Silk Mohair

Gossamer Cowl Pullover

Pattern Number: 90100AD

SKILL LEVEL: Intermediate

SIZE: Small, Medium, Large, 1X, 2X

Finished Bust 36 (38, 40, 44, 48) in. (91.5 (96.5, 101.5, 112, 122) cm)

Finished Length 23 1/2 (24 1/4, 24 3/4, 25 1/2, 26 1/2) in. (59.5 (61.5, 63, 65, 67.5) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: None as of Aug 24, 2009. To check for later updates, click [here](#).

MATERIALS

- 484-153 Lion Brand LB Collection Silk Mohair: Midnight
11 (12, 12, 14, 16) Balls
- Lion Brand Knitting Needles - Size 7 [4.5 mm]
- Lion Brand Knitting Needles- Size 9 [5.5 mm]
- Lion Brand Cable Needles (Set of 2)
- Lion Brand Stitch Holders
- Lion Brand Stitch Markers
- Large-Eye Blunt Needles (Set of 6)

GAUGE:

22 sts + 28 rows = 4 in. (10 cm) in rev St st (p on RS, k on WS) with smaller needles and 2 strands of yarn held tog. BE SURE TO CHECK YOUR GAUGE. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you less stitches and rows to make a 4 in. [10 cm] square, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

STITCH EXPLANATION:

7/7 LC (7 over 7 left cross) Slip 7 sts to cable needle and hold in front, k7, then k7 from cable needle.

7/7 RC (7 over 7 right cross) Slip 7 sts to cable needle and hold in back, k7, then k7 from cable needle.

skp Slip 1, knit 1, pass slip stitch over knit stitch.

sk2p Slip 1 as if to knit, knit 2 together, pass slipped stitch over—2 sts decreased.

M1 (make 1) An increase worked by lifting horizontal thread lying between needles and placing it onto left needle. Knit this new stitch through the back loop.

M1 as if to purl (make 1 st as if to purl) An increase worked by lifting the horizontal thread lying between the needles and placing it onto the left needle. Purl this new stitch through the back loop.

PATTERN STITCHES

Cable Panel (over 21 sts)

Row 1 (RS): Knit.

Row 2: Purl.

Rows 3-6: Rep Rows 1 and 2.

Row 7: 7/7 LC, k7.

Row 8: Purl.

Row 9: Knit.

Rows 10-17: Rep Rows 8 and 9.

Row 18: Purl.

Row 19: K7, 7/7 RC.

Rows 20-24: Rep Rows 8-12.

Rep Rows 1–24 for Cable Panel.

K1, p2 Rib

Row 1 (RS): *K1, p2; rep from * to end.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K1, p2 Rib.

NOTES:

1. Pullover is worked holding 2 strands of yarn tog throughout.
2. Smaller needles are used for Back, Fronts and Sleeves. Larger needles are used for Ribbing and Collar only.

PULLOVER

BACK

With smaller needles and 2 strands of yarn held tog, cast on 111 (115, 119, 131, 139) sts.

Row 1 (RS): P12 (13, 14, 18, 20) (for rev St st), *work Row 1 of Cable Panel, p12 (13, 14, 16, 18) (for rev St st); rep from * once more; work Row 1 of Cable Panel, p12 (13, 14, 18, 20) (for rev St st).

Row 2: K12 (13, 14, 18, 20), *work Row 2 of Cable Panel, k12 (13, 14, 16, 18); rep from * once more, work Row 2 of Cable Panel, k12 (13, 14, 18, 20).

Row 3: P12 (13, 14, 18, 20), *work next row of Cable Panel, p12 (13, 14, 16, 18); rep from * once more; work next row of Cable Panel, p12 (13, 14, 18, 20).

Row 4: K12 (13, 14, 18, 20), place marker (pm), *work next row of Cable Panel, k12 (13, 14, 16, 18), pm; rep from * once more, work next row of Cable Panel, k12 (13, 14, 18, 20).

Rows 5 and 6: Keeping sts in rev St st and Cable Panel as established, and slipping markers instead of placing markers, rep last 2 rows.

Next (Dec) Row (RS): P to 2 sts before marker, p2tog, *work next row of Cable Panel, p to 2 sts before next marker, p2tog; rep from * once more, work next row of Cable Panel, p2tog, p to end – 107 (111, 115, 127, 135) sts at end of row.

Keeping sts in rev St st and Cable Panel as established, work 7 rows even (without any incs or decs).

Next (Dec) Row: Rep Dec Row – 103 (107, 111, 123, 131) sts at end of row.

Rep last 8 rows 2 more times – 95 (99, 103, 115, 123) sts when all decs completed. Remove markers. Keeping sts in rev St st and Cable Panel as established, work even until piece measures 6 in. (15 cm) from beg, end with a WS row.


Next (Inc) Row (RS): P1, M1 as if to purl, work in pattern as established to last st, M1 as if to purl, p1 – 97 (101, 105, 117, 125) sts at end of row. Keeping sts in rev St st and Cable Panel as established, work 3 rows even.

Next (Inc) Row: Rep Inc Row – 99 (103, 107, 119, 127) sts at end of row.

Rep last 4 rows 6 more times – 111 (115, 119, 131, 139) sts when all incs completed. Keeping sts in rev St st and Cable Panel as established, work even until piece measures 12 in. (30.5 cm) from beg, end with a WS row.

Shape Armholes

Bind off 5 sts at beg of next 2 rows – 101 (105, 109, 121, 129) sts.



Next (Dec) Row: K2, skp, work to last 4 sts, k2tog, k2 – 99 (103, 107, 119, 127) sts at end of row.

Next Row: Work even in pattern as established. Rep last 2 rows 17 (19, 21, 20, 24) more times – 65 (65, 65, 79, 79) sts when all decs completed.

Next (Dec) Row: K2, sk2p, work to last 5 sts, k3tog, k2 – 61 (61, 61, 75, 75) sts at end of row.

Next Row: Work even in pattern as established. Rep last 2 rows 7 (7, 7, 10, 10) more times.

Place rem 33 (33, 33, 35, 35) sts on holder.

FRONT

Work same as Back to armhole shaping.

Shape Armholes

Bind off 5 sts at beg of next 2 rows – 101 (105, 109, 121, 129) sts.


Next (Dec) Row: K2, skp, work to last 4 sts, k2tog, k2 – 99 (103, 107, 119, 127) sts at end of row.

Next Row: Work even in pattern as established. Rep last 2 rows 13 (15, 17, 16, 20) more times – 73 (73, 73, 87, 87) sts when all decs completed.

Next (Dec) Row: K2, sk2p, work to last 5 sts, k3tog, k2 – 69 (69, 69, 83, 83) sts at end of row.

Next Row: Work even in pattern as established. Rep last 2 rows 6 (6, 6, 9, 9) more times.

Place rem 45 (45, 45, 47, 47) sts on holder.



LEFT SLEEVE

With smaller needles and 2 strands of yarn held tog, cast on 57 (59, 61, 65, 69) sts.

Row 1 (RS): K4 (5, 6, 8, 10) (for St st—k on RS, p on WS), p14 (for rev St st), work Row 1 of Cable Panel, p14 (for St st), k4 (5, 6, 8, 10) (for rev St st).

Row 2: P4 (5, 6, 8, 10), k14, work Row 2 of Cable Panel, k14, p4 (5, 6, 8, 10).

Row 3: K4 (5, 6, 8, 10), p14, work Row 3 of Cable Panel, p14, k4 (5, 6, 8, 10).

Next (Inc) Row (WS): P1, M1 as if to purl, work in pattern as established to last st, M1 as if to purl, P1 – 59 (61, 63, 67, 71) sts at end of row.

Keeping sts in St st, rev St st and Cable Panel as established, work 3 rows even.

Next (Inc) Row: Rep Inc Row – 61 (63, 65, 69, 73) sts at end of row.

Rep last 4 rows 6 more times – 73 (75, 77, 81, 85) sts when all incs completed. Keeping sts in St st, rev St st and Cable Panel as established, work 5 rows even.


Next (Inc) Row: Rep Inc Row – 75 (77, 79, 83, 87) sts at end of row.

Rep last 6 rows 6 more times – 87 (89, 91, 95, 99) sts when all incs completed. Keeping sts in St st, rev St st and Cable Panel as established, work even until piece measures 12 in. (30.5 cm) from beg, end with a WS row.

Shape Cap

Bind off 5 sts at beg of next 2 rows – 77 (79, 81, 85, 89) sts.

Next (Dec) Row (RS): K2, skp, work in pattern as established to last 4 sts, k2tog, k2 – 75 (77, 79, 83, 87) sts at end of row.



Next Row: Work even in pattern as established.

Next (Dec) Row: K2, skp, work in pattern as established to last 4 sts, k2tog, k2 – 73 (75, 77, 81, 85) sts at end of row.

Rep last 2 rows 19 (19, 17, 17, 17) more times – 35 (37, 43, 47, 51) sts when all decs completed.

Sizes M (L, 1X, 2X) Only

Keeping sts in St st, rev St st and Cable Panel as established, work 3 rows even.

Next (Dec) Row: Rep Dec Row – 35 (41, 45, 49) sts at end of row.

Sizes L (1X, 2X) Only

Rep last 4 rows 2 (3, 5) more times – 37 (39, 39) sts when all decs completed.

Shape Top of Cap

Sizes S (M) Only

Bind off 7 sts at beg of the next 5 WS rows.

Sizes L (1X, 2X) Only

Bind off 7 sts at beg of next 3 (1, 1) WS rows, then 8 sts at beg of next 2 (4, 4) WS rows.

RIGHT SLEEVE

Work as for Left Sleeve to top of cap shaping.

Next Row (WS): Work even in pattern as established.

Shape Top of Cap

Sizes S (M) Only

Bind off 7 sts at beg of the next 5 RS rows.

Sizes L (1X, 2X) Only

Bind off 7 sts at beg of next 3 (1, 1) RS rows, then 8 sts at beg of next 2 (4, 4) RS rows.

FINISHING

Cuff Ribbing

From WS with larger needles and 2 strands of yarn held tog, pick up and k42 (45, 48, 51, 54) sts along lower edge of Sleeve.

Work in K1, P2 rib until cuff measures 5 in. (12.5 cm). Bind off loosely. Rep for other Sleeve.

Lower Edge Ribbing

From WS with larger needles and 2 strands of yarn held tog, pick up and k93 (96, 99, 111, 120) sts along lower edge of Back. Work in K1, p2 Rib until ribbing measures 4 in. (10 cm). Bind off loosely. Rep for Front. Sew raglan armhole seams, leaving the Back right seam open.

Collar

From RS with smaller needles and 2 strands of yarn held tog, k33 (33, 33, 35, 35) sts from Back neck holder, pick up and k33 (33, 36, 37, 37) sts evenly across top of left Sleeve, k45 (45, 45, 47, 47) sts from Front neck holder, pick up and k33 (33, 36, 37, 37) sts evenly across top of right Sleeve – 144 (144, 150, 156, 156) sts at end of row.

Row 1: *K2, p1; rep from * to end.

Rows 2-5: K the knit sts and p the purl sts.

Change to larger needles.

Rows 6-8: Rep Row 2.

Mark a purl st at the approximate center at top of each sleeve.

Row 9 (Inc): Work in rib as established, working a M1 before first marker and after 2nd marker – 146 (146, 152, 158, 158) sts at end of row.

Row 10: Rep Row 2.

Rows 11 and 12: Rep Rows 9 and 10 – 148 (148, 154, 160, 160) sts at end of row.

Row 13: Rep Row 9 – 150 (150, 156, 162, 162) sts at end of row.

Row 14: *K2, p1; rep from * to end.

Row 15 (Inc): Work in rib as established, working a M1 after first marker and before 2nd marker – 152 (152, 158, 164, 164) sts at end of row.

Row 16: Rep Row 2.

Rows 17 and 18: Rep Rows 15 and 16 – 154 (154, 160, 166, 166) sts when all incs completed.

Row 19: Rep Row 15 – 156 (156, 162, 168, 168) sts at end of row.

Row 20: *K2, p1; rep from * to end.

Rep Rows 9-20 once more – 168 (168, 174, 180, 180) sts when all incs completed.
Rep Row 2 until Collar measures 7 in. (18 cm) from beg. Bind off loosely.
Sew rem raglan seam, then continue to sew Collar seam. Sew side and Sleeve seams. Weave in ends.

ABBREVIATIONS / REFERENCES	
Click for explanation and illustration	
<u>beg = begin(s)(ning)</u>	<u>dec = decreas(e)(s)(ing)</u>
<u>inc = increas(e)(s)(ing)</u>	<u>k = knit</u>
<u>k2tog = knit 2 together</u>	<u>k3tog = knit 3 together</u>
<u>p = purl</u>	<u>p2tog = purl 2 together</u>
<u>Pm = place marker</u>	<u>rem = remain(s)(ing)</u>
<u>rep = repeat(s)(ing)</u>	<u>rev = revers(e)(ing)</u>
<u>RS = right side</u>	<u>St st = Stockinette stitch</u>
<u>st(s) = stitch(es)</u>	<u>tog = together</u>
<u>WS = wrong side</u>	

Learn to knit instructions: <http://learnToKnit.LionBrand.com>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com
To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2009 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.