



Free Knitting Pattern

LION BRAND® SUPERWASH MERINO CASHMERE CABLED AND FRINGED HAT

Pattern Number: L0290AD



SKILL LEVEL – Intermediate (Level 3)

SIZE

9-12 months (2-3 years, 4-5 years)

Finished Circumference 17 (18, 19) in. (43 (45.5, 48.5) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

MATERIALS

- 821-098 Lion Brand Superwash Merino Cashmere Yarn: Ivory 2 2, 3 Balls
- Lion Brand Double- Pointed Needles - Size 8
- Lion Brand Split Ring Stitch Markers
- Lion Brand Cable Needles (Set of 2)
- Lion Brand Large-Eye Blunt Needles (Set of 6)



*Superwash Merino Cashmere (Article #821). 72% Superwash Merino Wool, 15% Nylon, 13% Cashmere ; package size: 1.40oz/40.00 gr. (87yds/80m) pull skeins

ADDITIONAL MATERIALS

Circular knitting needle size 8 (5 mm), 16 in. (40 cm) long

GAUGE

17 sts + 25 rnds = 4 in. (10 cm) in St st worked in rnds (k every rnd).

When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles

Making a Gauge Swatch

STITCH EXPLANATIONS

3/3 LC (3 over 3 left cross) Slip 3 sts to cable needle and hold in front, k3, then k3 from cable needle.

Cable Cast On Make a slip knot on left needle. Knit 1 st through slip knot, but do not drop slip knot from left needle; transfer new st from right needle to left needle - 2 sts on left needle. *Insert right needle between first 2 sts on left needle; wrap yarn and pull through (as if knitting a st); transfer new st to left needle. Repeat from * to cast on desired number of sts.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2023 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

M1 (make 1) An increase worked by lifting horizontal thread lying between needles and placing it onto left needle. Knit this new stitch through the back loop - 1 st increased.

ssk (slip, slip, knit) Slip next 2 sts as if to knit, one at a time, to right needle; insert left needle into fronts of these 2 sts and knit them tog - 1 st decreased.

PATTERN STITCHES

Note: Cable can be worked from instructions below or from Charts.

Cable Pattern for Earflaps

(worked back and forth in rows over 8 sts)

Row 1 (WS): Purl.

Row 2(RS): P1, k6, p1.

Row 3: K1, p6, k1.

Row 4: P1, 3/3 LC, p1.

Row 5: K1, p6, k1.

Rows 6 and 7: Rep Rows 2 and 3.

Rep Rows 2-7 for Cable pattern for Earflaps.

Cable Pattern for Hat

(worked in the rnd over 8 sts)

Rnd 1: Knit.

Rnds 2 and 3: P1, k6, p1.

Rnd 4: P1, 3/3 LC, p1.


Rnds 5-7: Rep Rnd 2.

Rep Rnds 2-7 for Cable pattern for Hat.


NOTES

1. Earflaps are worked first, then sts are cast on between Earflaps for Hat.
2. Earflaps are worked back and forth in rows using 2 double pointed needles.
3. Hat is worked in the round using circular needle.
4. A cable is worked in the center of each Earflap and continued in the Hat.
5. Markers are used to separate the sts used in the Cable pattern.
6. Fringe is added after Hat has been worked.

Cable Pattern worked in Rows



Cable Pattern worked in Rnds




□ k on RS, p on WS

■ p on RS, k on WS

 3/3 LC: Sl 3 sts onto cable needle and hold in front, k3, k3 from cable needle

EARFLAP



□ k on RS, p on WS

■ p on RS, k on WS

 make 1

 3/3 LC: Sl 3 sts onto cable needle and hold in front, k3, k3 from cable needle

Note:

The following corrections have been incorporated into the pattern below. We are highlighting the corrections separately here so that if you have printed out an earlier version of the pattern you'll know what was changed.

CORRECTIONS (applied Mar 7th, 2014)

PATTERN STITCHES

Cable Pattern for Earflaps (worked back and forth in rows over 8 sts)

Row 1 (WS): Purl. Row ~~1~~ 2 (RS): P1, k6, p1.

Row ~~2~~ 3: K1, p6, k1.

Row ~~3~~ 4: P1, 3/3 LC, p1.

Row ~~4~~ 5: K1, p6, k1.

Rows ~~5~~ 6 and ~~6~~ 7: Rep Rows ~~1~~ 2 and ~~2~~ 3.

Rep Rows ~~1-6~~ 2-7 for Cable pattern for Earflaps.

Cable Pattern for Hat (worked in the rnd over 8 sts)

Rnd 1: Knit.

Rnds ~~1~~ 2 and ~~2~~ 3: P1, k6, p1.

Rnd ~~3~~ 4: P1, 3/3 LC, p1.

Rnds ~~4-6~~ 5-7: Rep Rnd 2.

Rep Rnds ~~1-6~~ 2-7 for Cable pattern for Hat.

EARFLAPS (make 2)

Note: Earflaps may be worked by following the written instructions below, or referring to the Earflap Chart.

With 2 double pointed needles, cast on 8 sts.

Row 1 (WS): Purl.

Row 2 (RS): K1, m1, k6, k1 – 10 sts at the end of this row.

Row 3: P1, k1, p6, k1, p1.

Row 4: K1, m1, place marker (pm), work Row ~~1~~ 4 of Cable pattern over next 8 sts, pm, m1, k1 – 12 sts at the end of this row.

Row 5: P2, slip marker (sm), work Row ~~2~~ 5 of Cable pattern over next 8 sts, sm, p2.

Note: Continue to slip markers on each row of Earflap.

Row 6: K1, m1, k1, work Row ~~3~~ 6 of Cable pattern over next 8 sts, k1, m1, k1 – 14 sts at the end of this row.

Row 7: P3, work Row ~~4~~ 7 of Cable pattern over next 8 sts, p3.

Shape Crown

Rnd 3: K1, ssk, k to 3 sts before marker, p1, k2tog, sm, work Cable pattern as established over next 8 sts, sm, ssk, p1, k to 2 sts before marker, k2tog, sm, k1, sm, ssk, k to 3 sts before marker p1, k2tog, sm, work Cable pattern as established over next 8 sts, sm, ssk, p1, ~~k to end of rnd~~ k to last 2 sts, k2tog – 58 (62, 66) sts at the end of this rnd.

Rnd 4: K to 2 sts before marker, p1, k1, sm, work Cable pattern as established over next 8 sts, sm, k1, p1, k to marker, sm, k1, sm, k to 2 sts before marker, p1, k1, sm, work Cable pattern as established over next 8 sts, sm, k1, p1, k to end of rnd.

Rnd 5: K1, ssk, k to 2 sts before marker, k2tog, sm, work Cable pattern as established over next 8 sts, sm, ssk, k to 2 sts before marker, k2tog, sm, k1, sm, ssk, k to 2 sts before marker, k2tog, sm, work Cable pattern as established over next 8 sts, sm, ssk, ~~k to end of rnd~~ k to last 2 sts, k2tog – 50 (54, 58) sts at the end of this rnd.

EARFLAPS (make 2)

Note: Earflaps can be worked from written instructions or from Chart. With 2 double pointed needles, cast on 8 sts.

Row 1 (WS): Purl.

Row 2 (RS): K1, m1, k6, m1, k1 - 10 sts at the end of this row.

Row 3: P1, k1, p6, k1, p1.

Row 4: K1, m1, place marker (pm), work Row 4 of Cable pattern over next 8 sts, pm, m1, k1 - 12 sts at the end of this row.

Row 5: P2, slip marker (sm), work Row 5 of Cable pattern over next 8 sts, sm, p2.

Note: Continue to slip markers on each row of Earflap.

Row 6: K1, m1, k1, work Row 6 of Cable pattern over next 8 sts, k1, m1, k1 - 14 sts at the end of this row.

Row 7: P3, work Row 7 of Cable pattern over next 8 sts, p3.

Row 8: K1, m1, k2, work Cable pattern as established over next 8 sts, k2, m1, k1 - 16 sts at the end of this row.

Row 9: P4, work Cable pattern as established over next 8 sts, p4.

Row 10: K1, m1, k3, work Cable pattern as established over next 8 sts, k3, m1, k1 - 18 sts at the end of this row.

Row 11: P1, k1, p3, work Cable pattern as established over next 8 sts, p3, k1, p1.

Row 12: K1, p1, k3, work Cable pattern as established over next 8 sts, k3, p1, k1.

Rows 13 and 14: Rep Rows 11 and 12.

Row 15: Rep Row 11.

Row 16: K1, p1, k3, work Cable pattern as established over next 8 sts, k3, p1, k1.

Rep Rows 11-16 until Earflap measures about 3 (3 1/4, 3 1/2) in. 7.5 (8.5, 9) cm from beg, end with a WS row.

Note: End with a WS row means that the last row you work should be a WS row, and the next row that you are ready to work will be a RS row.

Cut yarn and leave sts on one double pointed needle. Make a note of last row of Cable pattern for Earflaps that was worked. Work 2nd earflap in same manner and leave sts on a second double pointed needle.

HAT

Note: Each row of Cable pattern for Earflap directly corresponds to the rnd of the Cable pattern for Hat. When working Cable pattern for Hat, begin with the cable rnd that follows the last Cable row you worked on the Earflaps.

Set-Up Rnd (RS): With circular needle, cable cast on 10 (12, 12) sts; working over sts of one Earflap, k1, p1, k3, sm, work Cable pattern as established over next 8 sts, sm, k3, p1, k1; cable cast on 19 (21, 23) sts; working over sts of second Earflap, k1, p1, k3, sm, work Cable pattern as established over next 8 sts, sm, k3, p1, k1; cable cast on 9 (9, 11) sts - 74 (78, 82) sts at the end of this rnd. Place marker for beg of rnd. Join by working the first st on left hand needle with the working yarn from the right hand needle and being careful not to twist sts.

Rnds 1-5 (Ribbing Rnds): (K1, p1) 6 (7, 7) times, k3, sm, work Cable pattern as established over next 8 sts, sm, k3, p1, (k1, p1) 11 (12, 13) times, k3, sm, work Cable pattern as established over next 8 sts, sm, k3, p1, (k1, p1) 5 (5, 6) times.

Rnd 6 (RS): K11 (13, 13), p1, k3, sm, work Cable pattern as established over next 8 sts, sm, k3, p1, k21 (23, 25), p1, k3, sm, work Cable pattern as established over next 8 sts, k3, p1, k10 (10, 12).

Rep last rnd until Hat measures about 4 1/2 (4 3/4, 5 1/4) in. (11.5 (12, 13.5) cm) from Set-Up Rnd.

Do not remove markers.

Shape Crown

Notes:

1. Decreases are worked in each St st section. The Cable pattern markers and 2 additional markers that will be added on Rnd 1 are used to indicate decrease locations.
2. Change to double pointed needles when sts have been sufficiently decreased to fit comfortably onto the circular needle.

Rnd 1: K1, ssk, k8 (10, 10), p1, k1, k2tog, sm, work Cable pattern as established over next 8 sts, sm, ssk, k1, p1, k8 (9, 10), k2tog, pm, k1, pm, ssk, k8 (9, 10), p1, k1, k2tog, sm, work Cable pattern as established over next 8 sts, sm, ssk, k1, p1, k8 (8, 10), k2tog - 66 (70, 74) sts at the end of this rnd.

Rnd 2: K to 3 sts before marker, p1, k2, sm, work Cable pattern as established over next 8 sts, sm, k2, p1, k to marker, sm, k1, sm, k to 3 sts before marker, p1, k2, sm, work Cable pattern as established over next 8 sts, sm, k2, p1, k to end of rnd.

Rnd 3: K1, ssk, k to 3 sts before marker, p1, k2tog, sm, work Cable pattern as established over next 8 sts, sm, ssk, p1, k to 2 sts before marker, k2tog, sm, k1, sm, ssk, k to 3 sts before marker p1, k2tog, sm, work Cable pattern as established over next 8 sts, sm, ssk, p1, k to last 2 sts, k2tog - 58 (62, 66) sts at the end of this rnd.

Rnd 4: K to 2 sts before marker, p1, k1, sm, work Cable pattern as established over next 8 sts, sm, k1, p1, k to marker, sm, k1, sm, k to 2 sts before marker, p1, k1, sm, work Cable pattern as established over next 8 sts, sm, k1, p1, k to end of rnd.

Rnd 5: K1, ssk, k to 2 sts before marker, k2tog, sm, work Cable pattern as established over next 8 sts, sm, ssk, k to 2 sts before marker, k2tog, sm, k1, sm, ssk, k to 2 sts before marker, k2tog, sm, work Cable pattern as established over next 8 sts, sm, ssk, k to last 2 sts, k2tog - 50 (54, 58) sts at the end of this rnd.

Rnd 6: K to marker, sm, work Cable pattern as established over next 8 sts, sm, k to marker, sm, k1, sm, k to marker, sm, work Cable pattern as established over next 8 sts, sm, k to end of rnd.

Rep last 2 rnds until 26 (22, 26) sts rem.

Next Rnd: (K2tog) around - 13 (11, 13) sts at the end of this rnd.

Cut yarn, leaving a long tail. Thread tail through remaining sts and pull to gather. Knot securely.

FINISHING

Fringe

Attach 3 columns of fringe to centerline of Hat, as follows:

1. Beg each column of fringe just above ribbing at center back of Hat and end each column in first rnd of crown shaping at front of Hat.
2. Cut strands of yarn approximately 8 in. (20.5 cm) long. For each fringe, fold a strand in half. Use crochet hook to draw fold through Hat, forming a loop. Pull ends of fringe through this loop. Pull to tighten.

Trim fringe evenly.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2023 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Ties

Cut three 24 in. (61 cm) strands of yarn. With crochet hook, draw strands halfway through center edge of one Earflap. Divide strands into 3 groups of 2 strands each and braid. Knot end of braid. Make a braid on remaining Earflap.

Weave in ends.

ABBREVIATIONS

beg = begin(s)(ning)

k = knit

k2tog = knit 2 together

p = purl

Pm = place marker

rem = remain(s)(ing)

rep = repeat(s)(ing)

RS = right side

sm = slip marker

St st = Stockinette stitch

st(s) = stitch(es)

tog = together

WS = wrong side

Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual knitters or crocheters, human error, or typographical mistakes.

©2023 Lion Brand Yarn Company, all rights reserved.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2023 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.