



Free Crochet Pattern
Lion Brand® Jamie®
Crocheted Christening Gown And Bonnet
Pattern Number: L10357



Free Crochet Pattern from Lion Brand Yarn

Lion Brand® Jamie®

Crocheted Christening Gown And Bonnet

Pattern Number: L10357

SKILL LEVEL: Intermediate

SIZE: One Size

One Size: 3-9 months

Finished Chest 18 in. (45.5 cm)

Finished Length 26 in. (66 cm)

CORRECTIONS: None as of Apr 3, 2013. To check for later updates, click [here](#).

MATERIALS

- 881-100 Lion Brand Jamie

Yarn: Angel White

6 Balls

- Lion Brand Crochet Hook -

Size E-4 (3.5 mm)

- Lion Brand Split Ring Stitch

Markers

- Lion Brand Large-Eye Blunt

Needles (Set of 6)

- Additional Materials

6 buttons, 3/8 in. (10 mm)
diameter

**Jamie® (Article #881). 100% Acrylic; package size:*

Solids: 1.75 oz (50 g), 137 yd (125 m)

Stripes: 1.4 oz (40 g), 109 yd (100 m)



GAUGE:

18 sts + 14 rows = 4 in. (10 cm) in pattern.

BE SURE TO CHECK YOUR GAUGE. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you fewer stitches and rows to make a 4 in. [10 cm] square, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

NOTES:

1. Bodice is worked in one piece from lower edge (waist edge) to armholes, then divided and backs and front are worked separately to shoulders.
2. Sleeves and skirt are worked directly onto bodice.

BODICE


Beg at waist edge, ch 84.

Row 1 (WS): Hdc in 6th ch from hook (beg ch counts as hdc, ch 2), *ch 2, sk next 2 ch, hdc in next ch; rep from * across - 27 ch-sp at the end of this row.

Row 2: Ch 2 (counts as hdc in this row and in all following rows), turn, *2 hdc in next ch-2 sp, hdc in next hdc; rep from * to beg ch-sp, 2 hdc in beg ch-sp, hdc in 3rd ch of beg ch - 82 sts at the end of this row.

Row 3: Ch 2, turn, hdc in next hdc, *ch 1, sk next hdc, hdc in next 2 sts; rep from * to last 2 sts, ch 1, sk next st, hdc in top of beg ch.

Row 4: Ch 2, turn, *hdc in next ch-1 sp, hdc in next 2 sts; rep



from * across.

Row 5: Ch 4 (counts as hdc, ch 2 in this row and in all following rows), turn, sk next 2 sts, *hdc in next st, ch 2, sk next 2 sts; rep from * across, hdc in top of beg ch.

Rows 6-9: Rep Rows 2-5.

Divide For Armholes

Left Back

Row 10 (RS): Ch 2, turn, (2 hdc in next ch-2 sp, hdc in next hdc) 5 times for first half of back; leave rem sts unworked for front and 2nd half of back - 16 sts at the end of this row.

Rows 11-13: Rep Rows 3-5.

Rows 14-21: Rep Rows 2-5 twice.

Shape Neck and Shoulder

Row 22: Turn, sl st across first 9 sts, ch 2, *2 hdc in next ch-2 sp, hdc in next hdc; rep from * across - 7 sts at the end of this row.

Fasten off.

Front

With RS facing, sk next 8 unworked sts of Row 9 following first half of back and join yarn with sl st in next st.

Row 10 (RS): Ch 2, (2 hdc in next ch-2 sp, hdc in next hdc) 11 times; leave rem sts unworked for 2nd half of back - 34 sts at the end of this row.

Rows 11-13: Rep Rows 3-5.

Rows 14 and 15: Rep Rows 2 and 3.

Shape Neck and First Shoulder

Row 16 (RS): Ch 2, turn, (hdc in next ch-1 sp, hdc in next 2 sts) 4 times; leave rem sts unworked for neck and 2nd shoulder - 13 sts at the end of this row.

Row 17: Rep Row 5.

Row 18: Ch 2, (2 hdc in next ch-2 sp, hdc in next hdc) 3 times; leave rem sts unworked - 10 sts at the end of this row.

Row 19: Rep Row 3.

Row 20: Ch 2, turn, (hdc in next ch-1 sp, hdc in next 2 sts) twice; leave rem sts unworked - 7 sts at the end of this row.

Row 21: Rep Row 5.

Row 22: Rep Row 2.

Fasten off.

Shape Neck and Second Shoulder

With RS facing, sk next 8 unworked sts of Row 15 following first shoulder, join yarn with sl st in next st.

Row 16 (RS): Ch 2, *hdc in next ch-1 sp, hdc in next 2 sts; rep from * across - 13 sts at the end of this row.

Row 17: Ch 4, turn, sk next 2 sts, (hdc in next st, ch 2, sk next 2 sts) twice, hdc in next st; leave rem sts unworked - 4 hdc and 3 ch-2 sps at the end of this row.

Row 18: Rep Row 2.

Row 19: Ch 2, turn, hdc in next hdc, ch 1, sk next hdc, hdc in next 2 sts, ch 1, sk next st, hdc in next st.

Rows 20 and 21: Rep Rows 4 and 5.

Row 22: Rep Row 2.

Right Back

With RS facing, sk next 8 unworked sts of Row 9 following front, join yarn with sl st in next st.

Row 10 (RS): Ch 2, *2 hdc in next ch-2 sp, hdc in next hdc; rep from * to beg ch-sp, 2 hdc in beg ch-sp, hdc in 3rd ch of beg ch - 16 sts at the end of this row.

Rows 11-13: Rep Rows 3-5.

Rows 14-21: Rep Rows 2-5 twice.



Shape Neck and Shoulder

Row 22 (RS): Ch 2, turn, (2 hdc in next ch-2 sp, hdc in next hdc) twice; leave rem sts unworked for neck - 7 sts at the end of this row.

Fasten off.

Fold backs over front and sew shoulder seams.

SLEEVE (make 2)

With RS facing, join yarn with sl st in center of underarm.

Rnd 1: Ch 2, work 44 hdc evenly spaced around armhole; join with sl st in top of beg ch - 45 sts at the end of this rnd.

Rnd 1: Ch 4, sk next 2 sts, *hdc in next st, ch 2, sk next 2 sts; rep from * around; join with sl st in 2nd ch of beg ch.

Rnd 2: Ch 2, *2 hdc in next ch-2 sp, hdc in next hdc; rep from * to last ch-2 sp, 2 hdc in last ch-2 sp; join with sl st in top of beg ch.

Rnd 3: Ch 3 (counts as hdc and ch 1), sk first hdc, hdc in next 2 hdc, *ch 1, sk next hdc, hdc in next 2 sts; rep from * to last 2 sts, ch 1, sk next hdc, hdc in next st; join with sl st in 2nd ch of beg ch.

Rnd 4: Ch 2, *hdc in next ch-1 sp, hdc in next 2 sts; rep from * around; join with sl st in top of beg ch.


Rnd 6: Ch 2, hdc in each st around; join with sl st in top of beg ch.

Rnd 7: *Ch 4, sl st in next hdc, ch 4; rep from * around, sl st in 2nd ch of beg ch.

Rnd 8: *Ch 4, sc in next ch-4 sp; rep from * around; join with sl st in first ch of beg ch.

Fasten off.

Rep to work second sleeve in rem armhole.



SKIRT

Note: The skirt is worked back and forth in rows to create a back opening; then joined and worked in the rnd.

With RS facing and working across opposite side of Bodice foundation ch, join yarn with sl st in ch at base of first hdc.

Row 1 (RS): Ch 1, sc in same ch, (ch 4, sk next ch-2 sp, sc in next ch at base of hdc) 2 times, *ch 4, sc in next ch-2 sp, ch 4, sc in next ch; rep from * to last 2 ch-2 sps, (ch 4, sk next ch-2 sp, sc in next ch) 2 times - 50 ch-sps at the end of this row.

Row 2: Ch 1, turn, sc in first sc, *ch 4, sc in next ch-4 sp; rep from * across to last ch-4 sp, ch 4, sk last ch-4 sp, sc in last sc. Rep Row 2 until Skirt measures 4 in. (10 cm), end with a WS row.

Note: End with a WS row means that the last row you work should be a WS row, and the next row that you are ready to work will be a RS row.


Rnd 1 (RS): Ch 1, turn, sc in first sc, *ch 4, sc in next ch-4 sp; rep from * across ch 4; join with sl st in first sc, turn - 51 ch-sps at the end of this rnd.

Rnd 2 (WS): Sl st in first ch-4 sp, ch 1, sc in same ch-4 sp, *ch 4, sc in next ch-4 sp; rep from * around, ch 4; join with sl st in first sc.

Rep Rnd 2, working in continuous rnds until skirt measures 20 in. (51 cm) from beg.

Last Rnd: Ch 1, *4 sc in next ch-4 sp, sl st in next sc; rep from * around.

Fasten off.



FINISHING

Back Opening Edging

Row 1: With RS facing, join yarn with sl st at neck edge of opening on right back. Work sc's evenly spaced along bodice and skirt opening edge, work 1 sc at center of back opening, then sc evenly along left back skirt and bodice opening edges to neck edge.

Mark the position of 6 buttonloops evenly spaced along right back opening edge.

Row 2: Ch 2, turn. Hdc in each sc across working (hdc, ch 3, sl st) in each marked buttonloop st.

Do not fasten off.

Neck Edging

Row 1 (WS): Working across WS, work 58 sc evenly spaced around neck edge.

Row 2: Ch 4, turn, sk next 2 sts, *hdc in next st, ch 2, sk next 2 sts; rep from * to last st, hdc in last st.

Row 3: *Ch 4, sl st in next hdc; rep from * across.

Do not fasten off.

Working down edge of opening on left back, hdc in each st to lower edge of opening to make button placket. Fasten off.

Sew buttons to button placket opposite buttonloops.

Weave in ends.

BONNET

Ch 60.

Row 1 (WS): Hdc in 6th ch from hook (beg ch counts as hdc, ch 2), *ch 2, sk next 2 ch, hdc in next ch; rep from * across - 19 ch-sps at the end of this row.

Row 2: Ch 2 (counts as hdc in this row and in all following rows), turn, *2 hdc in next ch-2 sp, hdc in next hdc; rep from * to beg ch-sp, 2 hdc in beg ch-sp, hdc in 3rd ch of beg ch - 58 sts at the end of this row.

Row 3: Ch 2, turn, hdc in next hdc, *ch 1, sk next hdc, hdc in next 2 sts; rep from * to last 2 sts, ch 1, sk next st, hdc in top of beg ch.

Row 4: Ch 2, turn, *hdc in next ch-1 sp, hdc in next 2 sts; rep from * across.

Row 5: Ch 4 (counts as hdc, ch 2 in this row and in all following rows), turn, sk next 2 sts, *hdc in next st, ch 2, sk next 2 sts; rep from * across, hdc in top of beg ch.

Row 6: Turn, *ch 4, sc in next ch-2 sp; rep from * to beg ch-sp, ch 4, sc in beg ch-sp - 19 ch-sps at the end of this row.

Row 7: Turn, *ch 4, sc in next ch-4 sp; rep from * to beg ch-sp, ch 4, sc in beg ch-sp.

Rep Row 7 until piece measures 4 in. (10 cm) from beg.

Fasten off.

Back Panel

Sk first 6 ch-4 sps, join yarn with sl st in next ch-4 sp.

Row 1: *Ch 4, sc in next ch-4 sp; rep from * 6 more times, leave rem sts unworked - 7 ch-sps at the end of this row.

Rows 2-10: Turn, *ch 4, sc in next ch-4 sp; rep from * across.

Row 11 (Decrease): Turn, *ch 3, sc in next ch-4 sp; rep from * across.

Row 12: Turn, *ch 3, sc in next ch-3 sp; rep from * across.

Row 13 (Decrease): Turn, *ch 2, sc in next ch-3 sp; rep from * across.

Row 14: Turn, *ch 2, sc in next ch-2 sp; rep from * across.

Row 15 (Decrease): Turn, *ch 1, sc in next ch-2 sp; rep from * across.

Row 16: Turn, *ch 1, sc in next ch-1 sp; rep from * across.

Fasten off.

FINISHING

Sew unworked sts (of Row 1) to edges of back panel.

Edging

With RS facing and working across opposite side of foundation ch (along neck edge of Bonnet), join yarn with sl st in first ch of Bonnet.

Row 1: Ch 1, work sc evenly spaced across neck edge of Bonnet; ch 60 for first tie, turn and sl st in each ch back to lower edge of Bonnet, hdc in each st across lower edge of Bonnet, ch 60 for 2nd tie, turn and sl st in each ch back to Bonnet. Fasten off.

Weave in ends.



ABBREVIATIONS / REFERENCES	
Click for explanation and illustration	
<u>beg = begin(s)(ning)</u>	<u>ch(s) = chain(s)</u>
<u>ch-space = space previously made</u>	<u>dc = double crochet</u>
<u>hdc = half double crochet</u>	<u>rem = remain(s)(ing)</u>
<u>rep = repeat(s)(ing)</u>	<u>rnd(s) = round(s)</u>
<u>RS = right side</u>	<u>sc = single crochet</u>
<u>sk = skip</u>	<u>sl = slip</u>
<u>sl st = slip stitch</u>	<u>st(s) = stitch(es)</u>
<u>WS = wrong side</u>	

Learn to crochet instructions: <http://learnToCrochet.LionBrand.com>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly.

34 West 15th Street, NY, NY 10011

Copyright ©1998-2013 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.

