

Free Crochet Pattern Lion Brand® Martha Stewart Crafts™ Alpaca Blend - Martha Stewart Crafts™ Extra Soft Wool Blend - Martha Stewart Crafts™ Glitter Eyelash Martha Stewart Doll with Poncho and Dog

Pattern Number: L10647



Free Crochet Pattern from Lion Brand Yarn Lion Brand® Martha Stewart Crafts™ Alpaca Blend - Martha Stewart Crafts™ Extra Soft Wool Blend - Martha Stewart Crafts™ Glitter Eyelash

Martha Stewart Doll with Poncho and Dog

Pattern Number: L10647

SKILL LEVEL: Easy +

SIZE:

Martha: About 12 1/2 in. (32 cm) tall Dog: About 5 1/2 in. (14 cm) tall

CORRECTIONS: None as of Dec 5, 2011. To check for later updates, click here.

MATERIALS

- 5500-523 Lion Brand Martha Stewart Crafts Alpaca Blend: Sesame
 - 1 Ball (A)
- 5500-507 Lion Brand Martha Stewart Crafts Alpaca Blend: Parakeet
 - 1 Ball (B)
- 5500-524 Lion Brand Martha Stewart Crafts Alpaca Blend: Pussy Willow
 - 1 Ball (C)
- 5500-552 Lion Brand Martha Stewart Crafts Alpaca Blend: Magpie
 - 1 Ball (D)
- 5500-526 Lion Brand Martha Stewart Crafts Alpaca Blend: Darjeeling
 - 1 Ball (E)
- 5400-557 <u>Lion Brand Martha Stewart Crafts Extra Soft Wool Blend: Lemon Chiffon</u>
 - 1 Ball (F)
- 5400-526 Lion Brand Martha Stewart Crafts Extra Soft Wool Blend: Sable
 - 1 Ball (G)
- 5800-526 Lion Brand Martha Stewart Crafts Glitter Eyelash: Brownstone
 - 1 Ball (H)
- Lion Brand Crochet Hook Size F-5 (3.75 mm)
- Lion Brand Crochet Hook Size G-6 (4.25 mm)
- Lion Brand Split Ring Stitch Markers
- Large-Eye Blunt Needles (Set of 6)
- · Additional Materials

Fiberfill stuffing

Four safety eyes, 9 mm

Small piece of white felt (for smile)

10 in. (25.5 cm) length of 16-gauge wire

1/4 in. (6 mm) dowel, 5 in. (12.5 cm) long

Small amount of brown and black embroidery floss (for eyebrows, beauty mark and eyelashes)

Embroidery needle

Sewing needle and brown thread (for sewing snaps onto Poncho)

Small amount of pink yarn (for bottom lip)

Craft glue

Powdered cosmetic blush

Three sew-on snaps, size 3 (for poncho)

GAUGE:

Exact gauge is not essential to this project.

STITCH EXPLANATION:

4-dc CI (4 double crochet cluster) Yarn over, insert hook in next st, yarn over and draw up a loop, yarn over and draw through 2 loops on hook; (yarn over, insert hook in same st, yarn over and draw up a loop, yarn over and draw through 2 loops on hook) 3 times, yarn over and draw through all 5 loops on hook.

sc2tog (sc 2 sts together) Insert hook into st and draw up a loop. Insert hook into next st and draw up a loop. Yarn over, draw through all 3 loops on hook – 1 st decreased.

V-st (V-stitch) (Dc, ch 1, dc) in indicated st or sp.

TECHNIQUE EXPLANATION

This design uses an adjustable ring to create a neat, closed center on the pieces. **Adjustable Ring Method** Wrap yarn around index finger. Insert hook into ring on finger, yarn over

and draw up a loop. Carefully slip ring from finger and work the stitches of Rnd 1 (in pattern, below) into the ring. When Rnd 1 is complete, gently but firmly, pull yarn tail to close up ring.

NOTES:

- 1. Pieces of doll are worked in continuous rnds; do not join and do not turn at beg of rnds. A marker is used to indicate the beg of rnd. Move marker up as each rnd is completed.
- 2. To change color, work last st of old color to last yarn over. Yarn over with new color and draw through all loops on hook to complete st. Fasten off old color.
- 3. Doll and Dog are worked at tight gauges to secure the stuffing.



MARTHA DOLL

HEAD

Beg at top of Head, with smaller hook and A, make an adjustable ring.

Rnd 1 (RS):Ch 1, 6 sc in ring; do not join, work in continuous rnds. Gently, but firmly, pull yarn tail to close up ring. Place

marker in first sc for beg of rnd; move marker up as each rnd is completed.

Rnds 2 and 3:Work 2 sc in each sc around – 24 sc at the end of Rnd 3.

Rnd 4:*2 sc in next sc, sc in next sc; rep from * around – 36 sc.

Rnd 5: *2 sc in next sc, sc in next 8 sc; rep from * around – 40 sc.

Rnds 6 and 7: Sc in each sc around.

Rnd 8: *Sc2tog, sc in next 8 sc; rep from * around – 36 sc.

Rnds 9 and 10: Sc in each sc around.

Rnd 11: *Sc2tog, sc in next 4 sc; rep from * around – 30 sc.

Rnds 12 and 13: Sc in each sc around.

Rnd 14: Sc in next 15 sc, 4-dc Cl in next st (for nose), sc in next 14 sc.

Rnd 15: Sc in each sc around.

Rnd 16: *Sc2tog, sc in next 3 sc; rep from * around – 24 sc.

Rnd 17: (Sc2tog) 3 times, sc in next 12 sc, (sc2tog) 3 times – 18 sc. Following package directions, attach safety eyes above Rnd 12, 8 sts apart. Stuff head firmly.

Rnd 18: (Sc2tog) 3 times, sc in next 6 sc, (sc2tog) 3 times – 12 sc. Finish stuffing Head.

Rnd 19: *Sc2tog; rep from * around. Fasten off.

BODY

Beg at lower edge of blouse, with smaller hook and B, ch 28.

Note: Tails, at waist edge of blouse, are worked back and forth in rows, then joined into a rnd to work remainder of blouse up to neck.

Row 1: Doc in 3rd ch from hook (beg ch does not count as a st), so in next 24 ch, do in last ch - 26 sts.

Row 2: Ch 2, turn, dc in each st across.

Row 3: Ch 2, turn, 2 dc in first dc, sc in next 24 sts, 2 dc in last dc – 28 sts.

Row 4: Ch 1, turn, sc in each st across.

Row 5: Ch 1, turn, 2 sc in first sc, sc in next 26 sc, 2 sc in last sc – 30 sc.

Rnd 6 (RS): Do not turn, sc in first sc of Row 5 to join piece into a rnd, sc in each sc around – 30 sc. Place marker in first sc for beg of rnd; move marker up as each rnd is completed.

Note: For Rows 7-24, work in continuous rnds, do not join.

Rnd 7: *Sc2tog, sc in next 8 sc; rep from * around – 27 sc.

Rnd 8: Working in front loops only, *sc2tog, sc in next 7 sc; rep from * around – 24 sc.

Rnd 9: *Sc2tog, sc in next 6 sc; rep from * around – 21 sc.

Rnds 10 and 11: Sc in each sc around.

Rnds 12–14: 2 sc in next sc, sc in each sc around – 24 sc at the end of Rnd 14.

Rnd 15: 2 hdc in each of next 3 sc, sc in next sc, 2 hdc in next 3 sc, sc in next 17 sc - 30 sts.

Rnd 16: Sc in each st around.

Rnd 17: (Sc2tog) 3 times, sl st in next sc, (sc2tog) 3 times, sc in next 17 sc - 24 sts.

Rnd 18: Sc in next 3 sc, change to A, sc in next sl st, change to B, sc in next 3 sc, sc2tog, sc in next 6 sc, sc2tog, sc in next 5 sc, sc2tog – 21 sc.

Rnd 19: Sc in next 2 sc, change to A, sc in next 3 sc, change to B, sc in next 2 sc, sc2tog, sc in next 10 sc, sc2tog – 19 sc.

Rnd 20: Sc in next sc, change to A, sc in next 5 sc, change to B, sc in next sc, sc2tog, sc in next 8, sc2tog – 17 sc.

Rnd 21: Sc in next sc, change to A, sc in next sc, sc3tog, sc in next sc, change to B, sc in next sc, sc2tog, sc in next 6 sc, sc2tog, change to A-13 sc.

Rnd 22: (Sc2tog, sc in next 2 sc) 2 times, sc in next sc, sc2tog, sc in next 2 sc - 10 sc.

Rnd 23: Sc in next 8 sc, sc2tog – 9 sc.

LOWER BODY

Beg at waist, with smaller hook and C, ch 24. Being careful not to twist ch; join with sl st in first ch to form a ring.

Note: If you find it difficult to join the beg ch into a ring without twisting the ch, Rnd 1 can be worked as a row, then joined into a rnd, as follows: Leaving a long beg yarn tail, ch 25, sc in 2nd ch from hook and in each ch across; join with sl st in first sc—24 sc. Use beg yarn tail to sew gap at base of first row closed. Proceed to Rnd 2.

Rnd 1 (RS): Place marker in first st for beginning of rnd; move marker up as each rnd is completed. Sc in each sc around – 24 sc.

Rnd 2: *2 sc in next sc, sc in next 11 sc; rep from * around – 26 sc.

Rnds 3 and 4: Sc in each sc around.

DIVIDE FOR LEGS

First Leg

Rnd 5: Sc in next 13 sc, sk next 13 sc – 13 sc.

Rnd 6: Sc in first sc of Rnd 5 and each sc around.

Rnd 7: Sc2tog, sc in each sc around – 12 sc.

Rnds 8-12: Sc in each sc around.

Rnds 13-24: Rep Rnds 7-12 twice - 10 sc at the end of Rnd 19.

To finish lower edge, sl st in each st around, change to A.

Rnd 25: Working behind the sI sts into the sts of Rnd 24, sc in each sc around.

Rnd 26: Sc2tog, sc in each sc around – 9 sc.

Rnd 27: Sc in each sc around.

FOOT AND SHOE

Rnd 28: (Hdc, dc, hdc) in next sc, sc in each sc around – 11 sts.

Rnd 29: Sc in next hdc, (hdc, dc, hdc) in next dc, sc in next 2 sts, change to D, sc in next 6 sc, change to A, sc in next sc - 13 sts.

Rnd 30: Sc in next 2 sts, (hdc, 2 dc, hdc) in next dc, sc in next 2 sts, change to D, sc in next 8 sc, change to A - 16 sts.

Rnd 31: Sc in next 3 sts, 2 hdc in each of next 2 sts, sc in next 2 sts, change to D, sc in next 9 sc – 18 sts.

Rnd 32: Sc in next sc, sl st in each st around.

SHOE STRAP

Note: Work now proceeds back and forth in rows to make shoe strap.

Row 33: Sc in next 4 sc; leave rem sts unworked – 4 sc.

Row 34–39: Ch 1, turn, sc in next 2 sc - 2 sc. Fasten off, leaving a long yarn tail. Fold shoe strap over the top of the foot and use yarn tail to sew in place.

SECOND LEG

With smaller hook, join C with sI st in 14th st (the first skipped st following first leg) of Rnd 4. Rep Rnds 5-27 of first leg - 9 sc at the end of Rnd 27.

FOOT AND SHOE

Rnd 28: Sc in next 7 sc, (hdc, dc, hdc) in next sc, sc in next sc, change to D-11 sts.

Rnd 29: Sc in next 6 sts, change to A, sc in next 2 sts, (hdc, dc, hdc) in next dc, sc in next st, change to D, sc in next sc - 13 sts.

Rnd 30: Sc in next 7 sts, change to A, sc in next 2 sts, (hdc, 2 dc, hdc) in next dc, sc in next st, change to D, sc in next 2 sc - 16 sts.

Rnd 31: Sc in next 8 sts, change to A, sc in next 2 sts, 2 hdc in

next 2 sts, sc in next 2 sts, change to D, sc in next 2 sts – 18 sts.

Rnd 32: Sc in next 9 sc, sl st in each st around.

SHOE STRAP

Note: Work now proceeds back and forth in rows to make shoe strap.

Row 33: SI st in next 8 sts, sc in next 2 sts; leave rem sts unworked – 2 sc.

Row 34–39: Ch 1, turn, sc in next 2 sc. Fasten off, leaving a long yarn tail. Fold shoe strap over the top of the foot and use yarn tail to sew in place.

ASSEMBLY

Fold back the tails of blouse (Rows 1–5 of Body). Sew Pants into place in the back loops of Rnd 8 of Body. Stuff Pants and Body firmly while sewing them together. Insert dowel into center of Body, allowing 2 in. (5 cm) of dowel to extend above neck. Position Head onto dowel, then use yarn tail to sew Head to Body, adding more stuffing as needed. Set aside.

SHOE SOLES (make 2)

With smaller hook and D, ch 4.

Row 1: Sc in 2nd ch from hook and next 2 ch - 3 sc.

Rows 2-5: Ch 1, turn, sc in each sc across.

Row 6: Ch 1, turn, sc in first sc, 2 hdc in next sc, sc in last sc – 4 sts. Fasten off, leaving a long yarn tail for sewing. Sew one Shoe Sole to the bottom of each shoe, stuffing firmly before sewing closed.

ARMS (make 2)

Beg at hand, with smaller hook and A, make an adjustable ring. **Rnd 1 (RS):** Ch 1, 4 sc in ring; do not join, work in continuous rnds. Gently, but firmly, pull tail to close up ring. Place marker in first sc for beg of rnd; move marker up as each rnd is completed.

Rnd 2: Work 2 sc in each sc around – 8 sc.

Rnds 3 and 4: Sc in each sc around.

Rnd 5: Sc in next 3 sc, 4-dc CI in next sc (for thumb), sc in next 2 sc, sc2tog - 7 sts.

Rnds 6-9: Sc in each sc around.

SLEEVE

Change to B.

Rnds 10-19: Sc in each sc around.

Rnd 20: Sc2tog, sc in each sc around – 6 sc. Partly stuff Arms. Bend one end of 16-gauge wire and insert it into one stuffed Arm. Thread wire through the Body at the shoulder and out the other side of Body at other shoulder. Finish stuffing arm. Sew stuffed and wired Arm to Body at shoulder. Repeat with second Arm.

SLEEVE CUFFS (make 2)

With smaller hook and B, ch 10.

Row 1: Work 2 sc in 2nd ch from hook, sc in next 7 ch, 2 sc in last ch - 11 sc.

Row 2: Ch 1, turn, sc in each sc across. Fasten off, leaving a long yarn tail for sewing. Sew one long side of Cuff to Arm at Rnd 10 (first rnd of sleeve), starting and ending at the outside of Arm.

COLLAR

Beg at neck edge, with smaller hook and B, ch 23.

Row 1: 2 sc in 2nd ch from hook, sc in next 20 ch, 2 sc in last ch – 24 sc.

Row 2: Ch 2 (does not count as a st), turn, hdc in first sc, sc in next 22 sc, hdc in last sc - 24 sts. Fasten off, leaving a long yarn tail for sewing. Beg and ending at center front, sew neck edge of Collar to Body around neck of blouse.

HAIR

Note: You will begin with a wig base that will fit over Doll's head. **WIG BASE** Beg at top of base, with smaller hook and F, make an

adjustable ring.

Rnds 1–10: Work same as Rnds 1–10 of Head – 36 sts at the end of Rnd 10.

Rnd 11: Sc in each sc around.

Rnd 12: Hdc in next 2 sc, dc in next 8 sc, sc in next 8 sc, hdc in next 2 sc, dc in next 4 sc, hdc in next sc, sc in next 11 sc. Fasten off, leaving a long yarn tail for sewing. Sew wig base to doll's head, positioning the 8 dc in Rnd 12 across the back of the head.

HAIR Cut 36 strands of F, each about 12 in. (30.5 cm) long. Fold a strand in half. Insert hook into a st on Rnd 12 of wig base, and through the fold of one strand of F. Draw fold through the st, forming a loop. Thread ends of strand through loop and pull gently to tighten. Rep with more F strands all the way around Rnd 12 of Wig Base. Working around sides and back of head, attach rem F strands around Rnd 5 and down both sides, leaving a 'side part.' Do not trim strands. Gather strands into 3 evenly divided very loose and low ponytails on sides and back of head. Tie end of each ponytail with a strand of F. Trim ponytails to 1/2 in. (1.5 cm) below tie. Fold ponytails under and use yarn tails from ties to sew ponytails to wig base to create doll's curled under hairstyle.

EARS (make 2) With smaller hook and A, make an adjustable ring.

Rnd 1 (RS): Ch 1, 6 sc in ring; do not join, work in continuous rnds. Gently, but firmly, pull tail to close up ring.

Rnd 2: Sc in next 6 sts. Fasten off, leaving a long yarn tail for sewing. Sew an Ear to each side of Head, beneath hair at the edge of the wig base and aligned with the nose.

FINISHING MARTHA DOLL

Weave in ends.

With brown embroidery floss, embroider straight st eyebrows and a French knot for the beauty mark.

With black embroidery floss, embroider straight st eyelashes. Cut a smile from white felt and glue to Head.

With pink yarn, embroider straight st to outline lower edge of felt smile.

Apply blush to cheeks.

EARRINGS

Thread blunt needle with B, knot end, and pull through the Ear from back to front. Embroider a French knot on front of Ear, sew back through Ear, then knot B at back of ear to secure. Rep on other Ear.

PONCHO

Note: Poncho is removable. With larger hook and E, ch 34.

Row 1: V-st in 5th ch from hook (beg ch counts as first dc), *sk next 2 ch, V-st in next ch; rep from * across to last 2 ch, sk next ch, dc in last ch – 10 V-sts and 1 dc at each end of this row. Place a marker at the end of this row. The marker indicates the (short) edge where half of the snaps will be sewn.

Rows 2–6: Ch 3 (counts as first dc in this row and in all following rows), turn, V-st in each ch-1 sp across, dc in top of turning ch.

Row 7: Ch 3, turn, V-st in each of first 4 ch-1 sps, dc in next dc; leave rem sts unworked – 4 V-sts and 1 dc at each end of this


Rows 8–19: Ch 3, turn, V-st in each ch-1 sp across, dc in top of turning ch. Place a marker at the end of this row. The marker indicates the (long inside) edge where half of the snaps will be sewn.

SHELL EDGING

Row 20: Ch 1, turn, sc in each dc and ch-1 sp to turning ch, 3 sc in turning ch for corner, work 37 sc evenly spaced across long side edge, 3 sc in corner, work 25 sc evenly spaced across lower edge – 81 sc.

Row 21: Ch 1, turn, sc in first sc, (sk next sc, 5 dc in next sc, sk next sc, sc in next sc) 6 times, sk next sc, 7 dc in next sc (center sc of 3-sc corner), sk next sc, sc in next sc, (sk next sc, 5 dc in next sc, sk next sc, sc in next sc) 9 times, sk next sc, 7 dc in next sc, sk next sc, sc in next sc, (sk next sc, 5 dc in next sc, sk next sc, sc in next sc) 3 times – eighteen 5-dc shells and two 7-dc shells (for front and back corners). Fasten off.

FINISHING PONCHO With sewing needle and brown thread, sew snap halves evenly spaced across the marked short edge of the Poncho. Sew the other half of the snaps, spaced same as the first halves, across the marked inside long edge of the Poncho. Wrap Poncho around doll with 7-dc corner points at front and back and snaps at back.



DOG

Note: The Body, Head and Tail are worked with larger hook and H. Sts should be slightly looser to account for the bulk of the yarn. When working in the rnd, the WS (inside) of your work will be much furrier than the RS (outside). Turn each piece inside out as directed so that the furrier side is on the outside.

BODY AND HEAD

Beg at lower edge of body, with larger hook and H, make an adjustable ring.

Rnd 1 (RS): Ch 1, 6 sc in ring; do not join, work in continuous rnds. Gently, but firmly, pull tail to close up ring. Place marker in first sc for beg of rnd; move marker up as each rnd is completed.

Rnds 2 and 3: Work 2 sc in each sc around – 24 sc at the end of Rnd 3.

Rnd 4: *2 sc in next sc, sc in next 3 sc; rep from * around – 30 sc.

Rnds 5-9: Sc in each sc around.

Rnd 10: *Sc2tog, sc in next 3 sc; rep from * around – 24 sc.

Rnds 11-13: Sc in each sc around.

Rnd 14: *Sc2tog, sc in next 2 sc; rep from * around – 18 sc.

Rnds 15–21: Sc in each sc. Turn work inside out so the side with more fur is on the outside. Flatten the Body and Head piece so that your beg of rnd marker is on the far right side. Following package directions, insert safety eyes between Rnds 18 and 19, 3 sts apart. Stuff Body and Head firmly. You will now work through both layers of the piece, seaming it together and making the ears, at the same time. For each st, insert hook in next st and through to the corresponding st behind it on the other layer.

Row 22: Working across the top of the piece through the front and back, (sl st, ch 3, 2 tr) in first (marked) sc (ear made), dc in next sc, sc in next sc, sl st in next 3 sc, sc in next sc, dc in next sc, (2 tr, ch 3, sl st) in last sc (ear made). Fasten off. Weave in ends. Trim fur all over Body and Head so eyes show and the ears are more defined.

You may leave the back fuller and longer, if desired.

MUZZLE

With smaller hook and G, make an adjustable ring.

Rnd 1: Ch 1, 6 sc in ring; do not join, work in continuous rnds. Gently, but firmly, pull tail to close up ring. Place marker in first sc for beg of rnd; move marker up as each rnd is completed.

Rnd 2: Work 2 sc in each sc around - 12 sc.

Rnd 3: 2 sc in next sc, sc in next 4 sc, 2 sc in next sc, sc in next 6 sc - 14 sc.

Rnd 4: Sc2tog, sc in next 4 sc, sc2tog, sc in next 6 sc – 12 sc. Fasten off, leaving a long yarn tail for sewing. With embroidery needle and black yarn, embroider a straight st nose and mouth. Stuff Muzzle lightly and sew to Head.

FRONT LEGS (make 2)

With smaller hook and G, make an adjustable ring.

Rnd 1: Ch 1, 5 sc in ring; do not join, work in continuous rnds. Gently, but firmly, pull tail to close up ring. Place marker in first sc for beg of rnd; move marker up as each rnd is completed.

Rnds 2-7: Sc in each sc around. Fasten off, leaving a long yarn tail for sewing. Sew Front Legs to Body.

BACK LEGS (make 2)

With smaller hook and G, make an adjustable ring.

Rnd 1: Ch 1, 6 sc in ring; do not join, work in continuous rnds. Gently, but firmly, pull tail to close up ring. Place marker in first sc for beg of rnd; move marker up as each rnd is completed.

Rnds 2–5: Sc in each sc around. Fasten off, leaving a long yarn tail for sewing. Sew Back Legs to Body.

TAIL

With larger hook and H, make an adjustable ring.

Rnd 1: Ch 1, 5 sc in ring; do not join, work in continuous rnds. Gently, but firmly, pull tail to close up ring. Place marker in first sc for beg of rnd; move marker up as each rnd is completed.

Rnd 2: Work 2 sc in next sc, sc in next 4 sc - 6 sc.

Rnds 3-6: Sc in each sc around. Fasten off, leaving a long yarn tail for sewing. Turn tail inside out. Stuff tail lightly and sew to Body.

FINISHING DOG

Weave in ends.

ABBREVIATIONS / REFERENCES Click for explanation and illustration	
<pre>beg = begin(s)(ning)</pre>	ch(s) = chain(s)
dc = double crochet	<u>hdc = half double crochet</u>
rem = remain(s)(ing)	<pre>rep = repeat(s)(ing)</pre>
rnd(s) = round(s)	$RS = right \ side$
sc = single crochet	$\underline{sk} = skip$
sl st = slip stitch	<u>tr = treble (triple) crochet</u>
WS = wrong side	

<u>Learn to crochet instructions: http://learnToCrochet.LionBrand.com</u>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.







^{*&}lt;u>Martha Stewart CraftsTM/MC Extra Soft Wool Blend</u> (Article #5400). 65% Acrylic, 35% Wool; package size: 3.50oz/100.00 gr. (165yds/150m) pull skeins



*Martha Stewart CraftsTM/MC Glitter Eyelash (Article #5800). 78% Polyester, 22% Metallic Polyester; package size: 0.88oz/25.00 gr. (39yds/35m) pull skeins

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click here to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.lionBrand.com To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2011 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.