

Free Knitting Pattern LION BRAND® KITCHEN COTTON

CABLE PEPLUM PULLOVER

Pattern Number: L32208 KC



SKILL LEVEL - EXPERIENCED

SIZES

S (M, L, 1X, 2X, 3X)

Finished Bust 36 (38, 42, 44, 47, 50) in. (91.5 (96.5, 106.5, 112, 119.5, 127) cm)

Finished Length 24 1/2 (25, 25 1/2, 26, 26 1/2, 27) in. (62 (63.5, 65, 66, 67.5, 68.5) cm)

Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

MATERIALS

- LION BRAND® KITCHEN COTTON (Art. #831)
 #098 Vanilla 11 (12, 14, 15, 16, 17) balls
 or color of your choice
- LION BRAND® cable needle
- LION BRAND® stitch holders
- LION BRAND® split ring stitch markers
- LION BRAND® large-eyed blunt needle



ADDITIONAL MATERIALS

Circular knitting needle size 6 (4.25 mm), 16 in. (40.5 cm) long Circular knitting needle size 6 (4.25 mm), 36 in. (91.5 cm) long

GAUGE

22 sts + 24 rows = 4 in. (10 cm) in K2, p2 rib.

BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATIONS

1/2/1 Rib LC (4 over 4 left cross) Slip 4 sts to cable needle and hold in front of work, p1, k2, p1, then p1, k2, p1 from cable needle.

1/2/1 Rib RC (4 over 4 right cross) Slip 4 sts to cable needle and hold in back of work, p1, k2, p1, then p1, k2, p1 from cable needle.

4/4 Rib LC (4 over 4 left cross) Slip 4 sts to cable needle and hold in front of work, p2, k2, then p2, k2 from cable needle.

4/4 Rib RC (4 over 4 right cross) Slip 4 sts to cable needle and hold in back of work, k2, p2, then k2, p2 from cable needle.

LION BRAND® KITCHEN COTTON
CABLE PEPLUM PULLOVER
Pattern Number: L32208 KC

4/4 Rib LC Dec (4 over 4 left cross 4 st decrease) Slip 4 sts to cable needle and hold in front of work, (purl tog 1 st from left-hand needle and 1 st from cable needle) twice, (knit tog 1 st from left-hand needle and 1 st from cable needle) twice – 4 sts dec.

4/4 Rib RC Dec (4 over 4 right cross 4 st decrease) Slip 4 sts to cable needle and hold in front of work, (knit tog 1 st from left-hand needle and 1 st from cable needle) twice, (purl tog 1 st from left-hand needle and 1 st from cable needle) twice – 4 sts dec.

kfb (knit in front and back) Knit next st without removing it from left needle, then k through back of same st − 1 st increased.

pfb (purl into front and back) Purl next st without removing it from left needle, then p through back of same st - 1 st increased.

PATTERN STITCHES

K2, p2 Rib worked in rows (over a multiple of 4 sts + 2 extra sts)

Row 1 (WS): K2, *p2, k2; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K2, p2 Rib.

K2, p2 Rib worked in rnds (over a multiple of 4 sts)

Rnd 1: *K2, p2; rep from * to end of rnd.

Rep Rnd 1 for K2, p2 Rib worked in rnds.

NOTES

- 1. Pullover is worked in 4 pieces, Back, Front, and 2 Sleeves.
- 2. The Front and Back are worked by following charts, with additional written instructions for specific rows.
- 3. When working from charts, read RS rows from right to left and WS rows from left to right.
- 4. The longer circular needle is used to accommodate the large number of sts. Work back and forth in rows on circular needle as if working on straight needles.
- 5. The neckband is worked in the round from sts picked up around the neck using the shorter circular needle.
- 6. End with a WS row means that the last row you work should be a WS row, and the next row that you are ready to work will be a RS row.

BACK

With longer circular needle, cast on 170 (178, 186, 194, 202, 210) sts.

Row 1 (WS): Work Row 1 of K2, p2 Rib worked in rows.

Rows 2-7: Work in K2, p2 Rib worked in rows.

Next Row (RS): Reading chart from right to left, work Back Chart Row 8 across.

Continue to follow chart, working incs and decs as indicated until Row 95 of chart has been completed.

Shape Armholes

Rows 96 and 97: Bind off 4 (4, 8, 8, 12, 12) sts, work Back Chart as established to end of row – 90 (74, 74, 106, 106, 114) sts at the end of Row 97.

Rows 98 and 99: Bind off 4 (4, 4, 8, 8, 12) st, continue Back Chart to end of row – 82 (90, 90, 90, 90, 90) sts at the end of Row 99.

Row 100: P2tog, (k2, p2) across to last 4 sts, k2, p2tog – 80 (88, 88, 88, 88, 88) sts.

Rows 101, 105, 107 and 109: Follow Back Chart.

Row 102: Ssk, k1, (p2, k2) across to last 3 sts, k1, k2tog – 78 (86, 86, 86, 86, 86) sts.

Row 104: (K1, ssk, p1) 0 (1, 1, 1, 1, 1) time, (k2, p2) across to last 0 (4, 4, 4, 4, 4) sts, (p1, k2tog, k1) 0 (1, 1, 1, 1, 1) time – 78 (84, 84, 84, 84, 84) sts.

Row 106: (K1, ssk) 0 (1, 1, 1, 1, 1) time, k2, p1, 1/2/1 Rib LC, p1, (k2, p2) across to last 12 (15, 15, 15, 15, 15) sts, p1, 1/2/1 Rib RC, p1, k2, (k2tog, k1) 0 (1, 1, 1, 1, 1) time – 78 (82, 82, 82, 82) sts.

Row 108: (Ssk) 0 (1, 1, 1, 1, 1) time, (k2, p2) across to last 2 (4, 4, 4, 4, 4) sts, k2, (k2tog) 0 (1, 1, 1, 1, 1) time – 78 (80, 80, 80, 80, 80) sts.

Row 110: (K1, ssk, p2) 0 (1, 1, 1, 1, 1) time, (k2, p2) across to last 2 (7, 7, 7, 7, 7) sts, k2, (p2, k2tog, k1) 0 (1, 1, 1, 1, 1) time – 78 sts.

Continue to work Back Chart through Row 131.

Rep Back Chart Rows 120-131 until armholes measure 8 (8 1/2, 9, 9 1/2, 10, 10 1/2) in. (20.5 (21.5, 23, 24, 25.5, 26.5) cm, end with a WS row as the last row you work.

Shape Shoulders

Keeping to chart, bind off 8 sts at beg of next 4 rows, then bind off 7 sts at beg of following 2 rows – 32 sts rem

Slip rem 32 sts to a holder for Back neck.

FRONT

Cast on and work same as for Back, but following the chart for the Front, until Row 95 has been completed.

Shape Armholes

Rows 96 and 97: Bind off 4 (4, 8, 8, 12, 12) sts, continue Front Chart to end of row – 90 (74, 74, 106, 106, 114) sts at the end of Row 97.

Rows 98 and 99: Bind off 4 (4, 4, 8, 8, 12) st, continue Front Chart to end of row – 82 (90, 90, 90, 90, 90) sts at the end of Row 99.

Row 100: P2tog, (k2, p2) across to last 4 sts, k2, p2tog – 80 (88, 88, 88, 88, 88) sts.

Rows 101, 105, 107 and 109: Follow Front Chart.

Row 102: Ssk, k1, (p2, k2) across to last 3 sts, k1, k2tog – 78 (86, 86, 86, 86, 86) sts.

Row 104: (K1, ssk, p1) 0 (1, 1, 1, 1, 1) time, (k2, p2) across to last 0 (4, 4, 4, 4, 4) sts, (p1, k2tog, k1) 0 (1, 1, 1, 1) time – 78 (84, 84, 84, 84, 84) sts.

Row 106: (K1, ssk) 0 (1, 1, 1, 1, 1) time, k2, p1, 1/2/1 Rib LC, p1, (k2, p2) across to last 12 (15, 15, 15, 15, 15) sts, p1, 1/2/1 Rib RC, p1, k2, (k2tog, k1) 0 (1, 1, 1, 1, 1) time – 78 (82, 82, 82, 82, 82) sts.

Row 108: (Ssk) 0 (1, 1, 1, 1, 1) time, (k2, p2) across to last 2 (4, 4, 4, 4, 4) sts, k2, (k2tog) 0 (1, 1, 1, 1, 1) time – 78 (80, 80, 80, 80, 80) sts.

LION BRAND® KITCHEN COTTON
CABLE PEPLUM PULLOVER
Pattern Number: L32208 KC

Row 110: (K1, ssk, p2) 0 (1, 1, 1, 1, 1) time, (k2, p2) across to last 2 (7, 7, 7, 7, 7) sts, k2, (p2, k2tog, k1) 0 (1, 1, 1, 1, 1) time – 78 sts.

Continue to work Front Chart through Row 119.

Rep Front Chart Rows 108-119 until armholes measure 4 (4 1/2, 5, 5 1/2, 6, 6 1/2) in. (10 (11.5 12.5, 14, 15, 16.5) cm, end with a WS row as the last row you work.

Shape Neck

Mark center 8 sts for front neck.

Next Row (RS): Keeping in pattern as established, work across to center marked 8 sts, join a second ball of yarn, p1, k2, p2, k2, p1 and slip 8 sts just worked to a holder for front neck, work to end of row – 35 sts rem on each side.

Working both sides at the same time with separate balls of yarn, and keeping in pattern as established, work 1 row.

Next Row (RS): Work across First Side to last 17 sts, 4/4 LC, (p2, k2) twice, p1; on Second Side, p1, (k2, p2) twice, 4/4 RC, work to end of row.

Work 1 row.

Next Row (RS): Work across First Side to last 13 sts, 4/4 Rib LC Dec, p2, k2, p1; on Second Side, p1, k2, p2, 4/4 Rib RC Dec, work to end of row – 31 sts rem oneach side.

Work 3 rows.

Rep last 6 rows twice more – 23 sts rem on each side at the end of the last row worked.

Work even until piece measures same length as Back to shoulders.

Shape Shoulders

Keeping in pattern, bind off 8 sts at beg of next 4 rows, then bind off rem 7 sts each side at beg of following 2 rows.

SLEEVES (make 2)

Notes:

- 1. The Sleeves are worked entirely in K2, p2 rib.
- 2. As your work the Sleeves, you will be increasing sts. Work these inc sts into the K2, p2 rib.
- 3. On our sample, we increased by working a kfb one st in from each side of the Sleeve but we encourage you to use your favorite increase method!

With longer circular needle, cast on 38 (38, 42, 46, 50, 54) sts.

Work in K2, p2 Rib worked in rows, inc 1 st each side every 6th row 14 (8, 6, 6, 5, 4) times, then every 4th row 0 (9, 12, 14, 16) times, working inc sts into K2, p2 Rib – 66 (72, 78, 82, 88, 94) sts.

Work even in K2, p2 Rib until piece measures 17 in. (43 cm) from beg, end with a WS row as the last row you work.

Shape Sleeve Cap

Continuing in pattern, bind off 4 (4, 6, 6, 6, 8) sts at beg of next 2 rows, then 4 (6, 6, 6, 8, 8) sts at beg of following 2 rows – 50 (52, 54, 58, 60, 62) sts.

Dec 1 st each side every other row 12 (13, 14, 16, 17, 18) times – 26 sts.

Bind off 3 sts at beg of next 4 rows.

Bind off rem 14 sts.

LION BRAND® KITCHEN COTTON
CABLE PEPLUM PULLOVER
Pattern Number: L32208 KC

FINISHING

Sew shoulder seams.

Neckband

With RS facing and shorter circular needle and keeping in K2, p2 Rib, work across 30 sts from Back Neck stitch holder, pick up and k 21 sts along side of Front Neck, work across 8 sts from Front Neck stitch holder, pick up and k 21 sts along other side of Front Neck – 80 sts. Place marker for beg of rnd.

Work in K2, p2 Rib worked in rnds for 1 in. (2.5 cm).

Bind off.

Sew in Sleeves. Sew side and Sleeve seams.

Weave in ends.

ABBREVIATIONS

beg = begin(ning)

dec = decreas(e)(s)(ing)

inc = increas(e)(s)(ing)

k = knit

k2tog = knit 2 stitches together

p = purl

p2tog = purl 2 stitches together

rem = remain(ing)

rep = repeat

rnd(s) = round(s)

RS = right side


st(s) = stitch(es)

WS = wrong side


Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual knitters or crocheters, human error, or typographical mistakes.

©2021 Lion Brand Yarn Company, all rights reserved.


BACK 1X




BACK 2X




BACK 3X




BACK L




BACK M




BACK S




FRONT 1X




FRONT 2X




FRONT 3X




FRONT L



FRONT M



FRONT S



k on RS, p on WS	5
on RS, k on WS	S
✓ k2tog	
ssk	
p2tog	
-l kfb	
-● pfb	
\geq	4/4 Rib LC
>	4/4 Rib RC
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4/4 Rib LC Dec
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4/4 Rib RC Ded
	1/2/1 Rib RC
	1/2/1 Rib LC
bind off	

