



**Free Knitting Pattern  
Lion Brand® Heartland  
Tapestry Panel Coat**  
Pattern Number: L32328



**Free Knitting Pattern from Lion Brand Yarn**  
**Lion Brand® Heartland**  
**Tapestry Panel Coat**  
Pattern Number: L32328

**SKILL LEVEL:** Experienced (Level 5)

**SIZE:** Small, Medium, Large, 1X, 2X

**Finished Bust** 51 (56, 61, 68, 72) in. (129.5 (142, 155, 173, 183) cm)

**Finished Length** 37 (37 1/2, 38, 38 1/2, 39) in. (94 (95, 96.5, 98, 99) cm)

**Note:** Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

**CORRECTIONS:** None as of Jul 22, 2014. To check for later updates, click [here](#).

**MATERIALS**

- 136-103 Lion Brand  
Heartland Yarn: Denali  
1 1, 1, 1, 1 Ball (A)
- 136-105 Lion Brand  
Heartland Yarn: Glacier  
Bay  
2 2, 2, 2, 2 Balls (B)
- 136-109 Lion Brand  
Heartland Yarn: Olympic  
2 2, 2, 3, 3 Balls (C)
- 136-113 Lion Brand  
Heartland Yarn:  
Redwood  
2 2, 2, 2, 2 Balls (D)
- 136-135 Lion Brand  
Heartland Yarn:  
Yosemite  
1 1, 1, 1, 1 Ball (E)
- 136-158 Lion Brand  
Heartland Yarn:  
Yellowstone  
2 2, 2, 2, 2 Balls (F)
- 136-169 Lion Brand  
Heartland Yarn:  
Shenandoah  
2 2, 2, 3, 3 Balls (G)
- 136-173 Lion Brand  
Heartland Yarn:  
Everglades  
2 2, 2, 3, 3 Balls (H)

\*Heartland (Article #136). 100% Acrylic;  
package size: 5.00oz/142.00 gr.  
(251yds/230m) pull skeins



- 136-189 Lion Brand Heartland Yarn: Isle Royale  
2 2, 2, 3, 3 Balls (1)
- Lion Brand Knitting Needles - Size 10 [6 mm]
- Lion Brand Double-Pointed Needles - Size 10
- Lion Brand Stitch Holders
- Lion Brand Large-Eye Blunt Needles (Set of 6)
- Additional Materials  
Sewing needle and thread

#### **GAUGE:**

17 sts + 18 rows = 4 in. (10 cm) in St st (k on RS, p on WS) and colorwork patterns.

When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

#### Making a Gauge Swatch

#### **STITCH EXPLANATION:**

**M1 (make 1)** An increase worked by lifting the horizontal strand lying between needles and placing it onto left needle. Knit this new stitch through the back loop – 1 st increased.

**ssk (slip, slip, knit)** Slip next 2 sts as if to knit, one at a time, to right needle; insert left needle into fronts of these 2 sts and knit them tog – 1 st decreased.

#### **SPECIAL TECHNIQUE**

**Knitted Cord** Working with 2 double pointed needles, cast on 5 sts. Knit the 5 sts. Do not turn work. \*Slide sts to other end of needle and knit them, pulling yarn tightly across the back of the work, (do not turn work); rep from \* until cord measures close to the desired length. Before binding off sts, fit cord in place and work more rows or unravel rows as needed so that cord will fit.

#### **NOTES:**

1. Coat is worked in 7 pieces: Back, 2 Fronts and 2 Right Half Sleeves, 2 Left Half Sleeves, and 3 Facings.
2. Sts for Back and Fronts are divided to work in Panels.

3. Coat was designed with dressmaker details - including sewn hems and separate facings. A good deal of sewing is called for to finish the Coat. The results are worth it! But you should be comfortable with sewing before beginning.
4. Review the schematics before beginning for an overview of the order in which the Panels are worked.
5. Panels are worked in St st (k on RS, p on WS) and stranded colorwork following charts. Carry color not in use across WS of work.
6. When working from charts, read RS rows from right to left and WS rows from left to right and beg and end as indicated for your specific size.
7. Knitted cords are worked separately then sewn over seams between Panels. We used sewing thread to sew the cords in place. If you wish to do this, purchase thread in colors to match the cords or in a neutral tan color.
8. Lower edges of Coat and Sleeves have a sewn hem.
9. Before beg Back, wind a few yards (meters) of A and E into separate balls. You will need these small balls to work the back neck.



## BACK

### Hem

With D, cast on 108 (120, 132, 144, 156) sts.

Work in St st (k on RS, p on WS) for 4 in. (10 cm), end with a WS row as the last row you work.

### Begin Charts

**Note:** On Charts 1-3 beg and end where indicated for your specific size.

**Row 1 (RS):** With H and I, working in St st, and beg and end where indicated, work Row 1 of Chart 1 across.

Continue in St st following Chart 1 until Row 24 of Chart has been completed.

Change to F and D and work Rows 1-12 of Chart 2.

Change to G and C and work Rows 1-22 of Chart 3.

### First Panel

**Note:** Sts for Back are now divided and worked in separate panels, one at a time, then sewn together when piece is finished.

**Next Row (RS):** Working Row 23 of Chart 3, work 18 (24, 30, 36, 42) sts, slip rem sts to st holders.

Continuing to follow Chart 3 as established, work on 18 (24, 30, 36, 42) sts only until piece measures 30 in. (76 cm) from beg, end with a WS row as the last row you work.

### Shape Right Armhole

**Next Row (RS):** Bind off 5 (5, 7, 7, 9) sts, work to end of row – 13 (19, 23, 29, 33) sts rem.

Continuing in pattern, work 1 row.

**Next Row (RS):** Bind off 0 (5, 7, 7, 8) sts, work to end of row – 13 (14, 16, 22, 25) sts rem.

Continuing in pattern, work 1 row.

**Next Row (RS):** K1, k2tog, work to end of row – 12 (13, 15, 21, 24) sts rem.

Rep last 2 rows 3 (3, 4, 9, 11) more times – 9 (10, 11, 12, 13) sts rem when all decreases have been completed.

Continuing to follow Chart 3, work until armhole measures 9 (9 1/2, 10, 10 1/2, 11) in. (23 (24, 25.5, 26.5, 28) cm), end with a WS row as the last row you work.

### Shape Shoulder

**Next Row (RS):** Bind off 4 (5, 5, 6, 7) sts, work to end of row – 5 (5, 6, 6, 6) sts rem.


Continuing in pattern, work 1 row.

Bind off.

### Second Panel

**Next Row (RS):** From RS with F and B, beg with Row 1, work Chart 4 across next 72 sts from holder. Leave rem 18 (24, 30, 36, 42) sts on holders.

Working on 72 sts only, work Rows 1-20 of Chart 4.



### **Third Panel**

**Next Row (RS):** Working Row 21 of Chart 4, work 18 sts, slip rem 54 sts to st holders.

Continuing to follow Chart 4 as established, work on 18 sts only until piece measures same length First Panel to last shoulder bind-off, end with a WS row as the last row you work.

**Next Bind Off Row (RS):** Bind off 6 sts, work to end of row.

Continuing in pattern, work 1 row.

Rep last 2 rows once more.

Bind off.

### **Fourth Panel**

**Next Row (RS):** From RS with A and E, beg with Row 1, work Chart 5 across next 36 sts from holder.

Continuing to follow Chart 5, work until piece measures 39 (39 1/2, 40, 40 1/2, 41) in. (99 (100, 101.5, 103, 104) cm) from beg, end with a WS row as the last row you work.

### **Shape Neck**

Mark center 22 sts for neck.

**Next Row (RS):** Work in pattern to center marked 22 sts, join 2nd balls of A and E and bind off 22 neck sts, work in pattern to end of row.

Working both sides at the same time with separate balls of yarn, dec 1 st at each neck edge every other row 3 times – 4 sts each side.

Work until piece measures same length as Third Panel.

Bind off.

### **Fifth Panel**

**Next Row (RS):** From RS with F and B and beg with Row 21, work Chart 4 as established across next 18 sts from holder.

Continuing to follow Chart 4 as established, work on 18 sts only until piece measures same length as First Panel to last shoulder bind-off, end with a RS row as the last row you work.

**Next Bind Off Row (WS):** Bind off 6 sts, work to end of row.

Continuing in pattern, work 1 row.

Rep last 2 rows once more.

Bind off.

### **Sixth Panel**

**Next Row (RS):** From RS with G and C, beg with Row 23, work Chart 3 across rem 18 (24, 30, 36, 42) sts from holder.

Continuing to follow Chart 3 as established, work on 18 (24, 30, 36, 42) sts only until piece measures 30 in. (76 cm) from beg, end with a RS row as the last row you work.

### **Shape Left Armhole**

**Next Row (WS):** Bind off 5 (5, 7, 7, 9) sts, work to end of row – 13 (19, 23, 29, 33) sts rem.

Continuing in pattern, work 1 row.

**Next Row (WS):** Bind off 0 (5, 7, 7, 8) sts, work to end of row – 13 (14, 16, 22, 25) sts rem.

**Next Row (RS):** Work to last 3 sts, ssk, k1 – 12 (13, 15, 21, 24) sts rem.

Continuing in pattern, work 1 row.

Rep last 2 rows 3 (3, 4, 9, 11) more times – 9 (10, 11, 12, 13) sts rem on last row worked.

Work until armhole measures 9 (9 1/2, 10, 10 1/2, 11) in. (23 (24, 25.5, 26.5, 28) cm), end with a RS row as the last row you work.

### Shape Shoulder

**Next Row (WS):** Bind off 4 (5, 5, 6, 7) sts, work to end of row – 5 (5, 6, 6, 6) sts rem.

Continuing in pattern, work 1 row.

Bind off.

## LEFT FRONT

### Hem

With D, cast on 54 (60, 66, 72, 78) sts.

Work in St st for 4 in. (10 cm), end with a WS row as the last row you work.

### Begin Charts

**Row 1 (RS):** With H and I, working in St st, and beg and end where indicated, work Row 1 of Chart 1 across.

Continue to follow Chart 1 until Row 24 has been completed.

Change to F and D and work Rows 1-12 of Chart 2.

Change to G and C and work Rows 1-22 of Chart 3.

### First Panel

**Note:** Sts for Left Front are now divided and piece is worked in separate panels, one at a time, then sewn together when piece is finished.

**Next Row (RS):** Working Row 23 of Chart 3, work 18 (24, 30, 36, 42) sts, slip rem 36 sts to holder.

Continuing to follow Chart 3 as established, work on 18 (24, 30, 36, 42) sts only until piece measures 30 in. (76 cm) from beg, end with a WS row as the last row you work.

### Shape Left Armhole


**Next Row (RS):** Bind off 5 (5, 7, 7, 9) sts, work to end of row – 13 (19, 23, 29, 33) sts rem.

Continuing in pattern, work 1 row.

**Next Row (RS):** Bind off 0 (5, 7, 7, 8) sts, work to end of row – 13 (14, 16, 22, 25) sts rem.

Continuing in pattern, work 1 row.

**Next Row (RS):** K1, k2tog, work to end of row – 12 (13, 15, 21, 24) sts rem.



Rep last 2 rows 3 (3, 4, 9, 11) more times – 9 (10, 11, 12, 13) sts rem when all decreases have been completed.

Continuing to follow Chart 3, work until armhole measures 9 (9 1/2, 10, 10 1/2, 11) in. (23 (24, 25.5, 26.5, 28) cm), end with a WS row as the last row you work.

### **Shape Shoulder**

**Next Row (RS):** Bind off 4 (5, 5, 6, 7) sts, work to end of row – 5 (5, 6, 6, 6) sts rem.

Continuing in pattern, work 1 row.

Bind off.

### **Second Panel**

**Next Row (RS):** From RS with F and B, beg with Row 1, work Chart 4 across rem 36 sts from holders.

Working on 36 sts, work until Rows 1-20 of Chart 4 have been completed.

### **Third Panel**

**Next Row (RS):** Continuing to follow Chart 4, work across first 18 sts, slip rem sts to st holder.

Continuing to follow Chart 4 as established, work on 18 sts only until piece measures same length as First Panel to last shoulder bind-off, end with a WS row as the last row you work.

**Next Bind Off Row (RS):** Bind off 6 sts, work to end of row.

Continuing in pattern, work 1 row.

Rep last 2 rows once more.

Bind off.

### **Fourth Panel**

**Next Row (RS):** From RS with A and E, beg with Row 1, work first 18 sts of Chart 5 across rem 18 sts from holder.

Continuing to follow Chart 5, work until piece measures 35 (35 1/2, 36, 36 1/2, 37) in. (89 (90, 91.5, 93, 94) cm) from beg of Left Front, end with a RS row as the last row you work.

### **Shape Neck**

**Next Row (WS):** Bind off 4 sts, work in pattern to end of row – 14 sts rem.

Dec 1 st at neck edge every row 3 times, then every other row 7 times – 4 sts rem when all decreases have been completed.

Work until piece measures same as Third Panel to last bind-off.

Bind off.

## **RIGHT FRONT**

### **Hem**

With D, cast on 54 (60, 66, 72, 78) sts.

Work in St st for 4 in. (10 cm), end with a WS row as the last row you work.

**Begin Charts Row 1 (RS):** With H and I, working in St st and beg and end where indicated, work Row 1 of Chart 1 across.

Continue to follow Chart 1 until Row 24 has been completed.

Change to F and D and work Rows 1-12 of Chart 2.

Change to G and C and work Rows 1-22 of Chart 3.

### **First Panel**

**Note:** Sts for Right Front are now divided and piece is worked in separate panels, one at a time, then sewn together when piece is finished.

**Next Row (RS):** From RS with F and B, beg with Row 1, work Chart 4 across first 36 sts, sl rem 18 (24, 30, 36, 42) sts to st holder.

Working on 36 sts only, work until Rows 1-20 of Chart 4 have been completed.

### **Second Panel**

**Next Row (RS):** From RS with A and E, beg with Row 1, work last 18 sts of Chart 5 across first 18 sts.

Slip rem sts to holder.

Continuing to follow Chart 5, work until piece measures 35 (35 1/2, 36, 36 1/2, 37) in. (89 (90, 91.5, 93, 94) cm) from beg of Right Front, end with a WS as the last row you work.

### **Shape Neck**

**Next Row (RS):** Bind off 4 sts, work in pattern to end of row – 14 sts rem.

Dec 1 st at neck edge every row 3 times, then every other row 7 times – 4 sts.

Work until piece measures same length as Back to shoulders.

Bind off.

### **Third Panel**

**Next Row (RS):** From RS with F and B, beg with Row 21, work Chart 4 across next 18 sts on holder.

Continuing to follow Chart 4 as established, work on 18 sts only until piece measures same length as Fifth Panel of Back to beg of shoulder shaping, end with a RS row as the last row you work.

**Next Bind Off Row (WS):** Bind off 6 sts, work to end of row.

Continuing in pattern, work 1 row.

Rep last 2 rows once more.

Bind off.

### **Fourth Panel**

**Next Row (RS):** From RS with G and C, beg with Row 23, work Chart 3 across rem 18 (24, 30, 36, 42) sts from holder.

Continuing to follow Chart 3 as established, work on 18 (24, 30, 36, 42) sts only until piece measures 30 in. (76 cm) from beg, end with a RS row as last row you work.

### Shape Right Armhole

**Next Row (WS):** Bind off 5 (5, 7, 7, 9) sts, work to end of row – 13 (19, 23, 29, 33) sts rem.

Continuing in pattern, work 1 row.

**Next Row (WS):** Bind off 0 (5, 7, 7, 8) sts, work to end of row – 13 (14, 16, 22, 25) sts rem.

**Next Row (RS):** Work to last 3 sts, ssk, k1 – 12 (13, 15, 21, 24) sts rem.

Continuing in pattern, work 1 row.

Rep last 2 rows 3 (3, 4, 9, 11) more times – 9 (10, 11, 12, 13) sts rem when all decreases have been completed.

Continuing to follow Chart 3 as established, until armhole measures 9 (9 1/2, 10, 10 1/2, 11) in. (23 (24, 25.5, 26.5, 28) cm), end with a RS row as the last row you work.

### Shape Shoulder

**Next Row (WS):** Bind off 4 (5, 5, 6, 7) sts, work to end of row – 5 (5, 6, 6, 6) sts rem.

Continuing in pattern, work 1 row.

Bind off.

## SLEEVES

**Note:** Each sleeve is worked in two halves which are sewn together when pieces are finished. Halves are worked in alternate Chart patterns so when sewn together, the two halves facing front are the same and the two halves facing back are the same.

### FIRST SLEEVE

#### LEFT HALF

##### Hem

With D, cast on 30 sts.

Work in St st for 4 in. (10 cm), end with a WS row as the last row you work.

**Note:** On Chart 1, beg and end where indicated for Left Sleeve.


##### Begin Chart 1

**Row 1 (RS):** With H and I, working in St st, and beg and end where indicated, work Row 1 of Chart 1 across.

Continuing to follow chart, inc 1 st at end of every RS row 0 (0, 0, 2, 11) times, every 4th row 3 (8, 15, 16, 11) times, then every 6th row 9 (6, 1, 0, 0) time(s), working new sts in chart patterns – 42 (44, 46, 48, 52) sts when all increases have been completed.

Continue to follow chart as established until piece measures 20 in. (51 cm) from beg, end with a RS row as the last row you work.

##### Shape Cap



**Next Row (WS):** Bind off 5 (5, 7, 7, 9) sts, work to end of row – 37 (39, 39, 41, 43) sts rem.

Continuing in pattern, work 1 row.

**Next Row (WS):** Bind off 0 (5, 7, 7, 8) sts, work to end of row – 37 (34, 32, 34, 35) sts rem.

**Dec Row 1 (RS):** Work to last 3 sts, ssk, k1 – 36 (33, 31, 33, 34) sts rem.

**Dec Row 2:** P1, p2tog tbl, work to end of row – 35 (32, 31, 32, 33) sts rem.

Rep last 2 rows 9 (8, 6, 6, 6) times – 17 (16, 18, 20, 21) sts rem when all decreases have been completed.

Rep Dec Row 1 every other row 1 (0, 2, 4, 5) more time(s) – 16 sts rem when all decreases have been completed.

Bind off.

## RIGHT HALF

### Hem

With D, cast on 30 sts.

Work in St st for 4 in. (10 cm), end with a WS row as last row worked.

### Begin Chart 3

**Row 1 (RS):** With G and C, working in St st, and beg and end where indicated, work Row 1 of Chart 3 across.

Continuing to follow chart, inc 1 st at beg of every RS row 0 (0, 0, 2, 11) times, every 4th row 3 (8, 15, 16, 11) times, then every 6th row 9 (6, 1, 0, 0) time(s), working new sts in Chart patterns – 42 (44, 46, 48, 52) sts when all increases have been completed.

Continue to follow chart as established, until piece measures 20 in. (51 cm) from beg, end with a WS row as last row worked.

### Shape Cap

**Next Row (RS):** Bind off 5 (5, 7, 7, 9) sts, work to end of row – 37 (39, 39, 41, 43) sts rem.

Keeping in pattern, work 1 row.

**Next Row (RS):** Bind off 0 (5, 7, 7, 8) sts, work to end of row – 37 (34, 32, 34, 35) sts rem.

**Dec Row 1 (RS):** K1, k2tog, work to end of row – 36 (33, 31, 33, 34) sts rem.

**Dec Row 2:** Work to last 3 sts, p2tog, p1 – 35 (32, 31, 32, 33) sts rem.

Rep last 2 rows 9 (8, 6, 6, 6) times – 17 (16, 18, 20, 21) sts rem on last row worked.

Rep Dec Row 1 every other row 1 (0, 2, 4, 5) more time(s) – 16 sts rem on last row worked.

Bind off.

## SECOND SLEEVE

### LEFT HALF

Cast on and work shaping same as for Left Half of First Sleeve, but follow Chart 3 with G and C instead of Chart 1.

## **RIGHT HALF**

Cast on and work shaping same as for Right Half of First Sleeve, but follow Chart 1 with H and I, instead of Chart 3.

## **LEFT FRONT FACING**

With D, cast on 16 sts.

Work in St st until piece measures 27 (27 1/2, 28, 28 1/2, 29) in. (68.5 (70, 71, 72.5, 73.5) cm), from beg, end with a WS row as the last row you work.

**Shape Neck Row 1 (RS):** Bind off 4 sts, knit to last st, M1, k1 – 13 sts rem.

**Row 2:** P1, M1, purl to last 2 sts, p2tog, p1 – 13 sts rem.

**Row 3:** K1, k2tog, knit to last st, M1, k1 – 13 sts rem.

Purl 1 row.

Rep last 2 rows 7 times – 13 sts.

Work until neck measures same length as Left Front neck to shoulders.

Bind off.

## **RIGHT FRONT FACING**

With D, cast on 16 sts.

Work in St st until piece measures 27 (27 1/2, 28, 28 1/2, 29) in. (68.5 (70, 71, 72.5, 73.5) cm), from beg, end with a RS row.

**Shape Neck**

**Row 1 (WS):** Bind off 4 sts, purl to last st, M1, p1 – 13 sts rem.

**Row 2:** K1, M1, knit to last 2 sts, k2tog, k1 – 13 sts rem.

**Row 3:** P1, p2tog, purl to last st, M1, p1 – 13 sts rem.

Knit 1 row.

Rep last 2 rows 7 times – 13 sts.

Work until neck measures same length as Right Front neck to shoulders.

Bind off.

## **BACK FACING**

With D, cast on 13 sts.

Work in St st until piece measures 11 in. (28 cm), from beg, end with a WS row.

Bind off.

## **FINISHING**

Sew panels together on Back and both Fronts. Sew Left and Right Half Sleeves together along center straight edge.

Sew shoulder seams. Sew in Sleeves. Sew side and Sleeve seams. Fold hem to WS along lower edge of Coat and sew in place. Rep for hem on each Sleeve.

Sew Front Facings to WS of Fronts, sewing the longer side of Facing to Front edge above hem and matching the shaped neck edges, ending at shoulder. Sew inner edge of Facing to WS of Coat.

Sew Back facing along back neck, beg and end at shoulders.

## **Knitted Cords**

### **First Cord**

With C, make a knitted cord that measures the same length as circumference of Coat where the top of Chart 1 meets Chart 2.

With sewing needle and thread, sew cord along this line.

### Second Cord

With B, make a knitted cord to measure same length as circumference of Coat where top of Chart 2 meets Chart 3. Sew cord to Coat along this line.

### Third Cord

With I, make a knitted cord the length of the line between Chart 3 and Chart 4, beginning at Right Front center front edge, continuing up Right Front to shoulder, then over shoulder, and around Chart 4 panel on Back, over left shoulder, and down edge of Chart 4 panel on Left Front to center front edge. Sew cord to Coat along this line.

### Fourth Cord

With D, work same as Third Cord to fit along edge between Chart 4 and Chart 5. Sew cord to Coat along this line.

### Sleeve Cords (Make 2)

With D, make a knitted cord that measures the same length as center seam of Sleeve. Sew cord over seam. Weave in ends.




Chart 2

	End	24-St Repeat	Beg
	Back	Back	
	M & 1X;	M & 1X;	
	Left Front	Left Front	
	S, 1X & 2X;	M & 1X;	
	Right Front	Right Front	
	M, 1X	S, 1X & 2X	
	Back	Back	
	S, L & 2X;	S, L & 2X;	
	Right Front	Left Front	
	S, L & 2X	S, L & 2X	
Left Front	M, L		Right Front
			M, L

Chart 3






Chart 4



12-St Repeat

Chart 5



36 Stitches

Stitch Key

- = A
- = B
- = C
- = D
- = E
- = F
- = G
- = H
- = I

## ABBREVIATIONS / REFERENCES

Click for explanation and illustration

<u>beg</u> = begin(s)(ning)	<u>dec</u> = decreas(e)(s)(ing)
<u>inc</u> = increas(e)(s)(ing)	<u>k</u> = knit
<u>k2tog</u> = knit 2 together	<u>p</u> = purl
<u>p2tog</u> = purl 2 together	<u>rem</u> = remain(s)(ing)
<u>rep</u> = repeat(s)(ing)	<u>RS</u> = right side
<u>St st</u> = Stockinette stitch	<u>st(s)</u> = stitch(es)
<u>tbl</u> = through the back loop	<u>tog</u> = together
<u>WS</u> = wrong side	

Learn to knit instructions: <http://learnToKnit.LionBrand.com>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

For thousands of free patterns, visit our website [www.LionBrand.com](http://www.LionBrand.com)

To order visit our website [www.lionbrand.com](http://www.lionbrand.com) or call: (800) 258-YARN (9276) any time!

**When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly.**

**34 West 15th Street, NY, NY 10011**

Copyright ©1998-2014 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.