



Free Knitting Pattern
Lion Brand® Wool-Ease® Thick & Quick®
Galway Elongated Cardigan
Pattern Number: L40176



Designed by Mari Lynn Patrick.

Free Knitting Pattern from Lion Brand Yarn

Lion Brand® Wool-Ease® Thick & Quick® Galway Elongated Cardigan

Pattern Number: L40176

SKILL LEVEL: Experienced (Level 5)

SIZE: Small, Medium, Large, 1X, 2X

Finished Bust 40 (44, 47, 52, 55) in. (101.5 (112, 119.5, 132, 140) cm)

Finished Length 33 1/2 (34, 34 1/2, 35, 36) in. (85 (86.5, 87.5, 89, 91.5) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: None as of Jul 8, 2014. To check for later updates, click [here](#).

MATERIALS

- 640-123 [Lion Brand Wool-Ease Thick & Quick Yarn: Oatmeal](#)

9 10, 11, 12, 13 Balls

- [Lion Brand Knitting Needles- Size 13 \[9 mm\]](#)

- [Lion Brand Knitting Needles Size 15 \[10 mm\]](#)

- [Lion Brand Crochet Hook - Size N-13 \(9 mm\)](#)

- [Lion Brand Cable Needles \(Set of 2\)](#)

- [Lion Brand Stitch Holders](#)

- [Lion Brand Split Ring Stitch Markers](#)

- [Lion Brand Large-Eye Blunt Needles \(Set of 6\)](#)

- Additional Materials
Circular knitting needle size 13 (9 mm), 24 in. (60 cm) long
One toggle button
One button, 1 in. (25 mm) diameter
Sewing needle and thread

**Wool-Ease Thick & Quick (Article #640).*

Solids, Heathers, Twists: 80% Acrylic, 20% Wool

Wheat & Wood: 86% Acrylic; 10% Wool; 4% Rayon

Oatmeal & Barley & Grey Marble: 82% Acrylic; 10% Wool; 8% Rayon

Metallics: 79% Acrylic, 20% Wool, 1% Metallic Poly; package size: Solids, Heathers, Twists,

Tweeds: 6 oz./170g (106 yd/97 m)

Prints, Stripes: 5 oz./140g (87 yd/80 m)

Metallics: 5 oz./140g (92 yd/84 m)



GAUGE:

10 sts + 14 rows = 4 in. (10 cm) in St st (K on RS, p on WS) with larger needles.

12 sts + 14 rows = 4 in. (10 cm) in Twist Cable and rev St st (P on RS, k on WS) patterns with larger needles.

When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

Making a Gauge Swatch

STITCH EXPLANATION:

2/2 RC (2 over 2 right cross) Slip 2 sts to cable needle and hold in back, k2, then k2 from cable needle.

4/4 LC (4 over 4 left cross) Slip 4 sts to cable needle and hold in front, k4, then k4 from cable needle.

4/4 RC (4 over 4 right cross) Slip 4 sts to cable needle and hold in back, k4, then k4 from cable needle.

kfb (knit in front and back) Knit next st without removing it from left needle, then k through back of same st – 1 st increased.

LT (Left Twist) Knit 2nd st on left needle through the back loop and leave on left needle, knit first skipped st and slip both sts from needle.

RPT (Right Purl Twist) Purl 2nd st on left needle and leave on left needle, purl first skipped st and slip both sts from needle.

skp Slip 1 as if to knit, knit 1, pass slip stitch over knit stitch – 1 st decreased.

PATTERN STITCHES

K1, p1 Rib (worked over an odd number of sts)

Row 1 (WS): K1, *p1, k1; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K1, p1 Rib.

Twist Cable (worked over 2 sts)

Row 1 (RS): LT.

Row 2: RPT.

Rep Rows 1-2 for Twist Cable.

Figure 8 Cable (worked over 2 sts, inc'd to 4 sts, then dec'd back to 2 sts)

Row 1 (RS): (Kfb) twice – 4 sts.

Row 2 and All WS Rows: Purl.

Row 3: 2/2 RC.

Row 5: Knit.

Row 7: 2/2 RC.

Row 9: Knit.

Row 11: 2/2 RC.

Row 12: (P2tog) twice – 2 sts rem.

Rep Rows 1-12 for Figure 8 Cable.

Left Cable (worked over 14 sts)

Rows 1, 5 and 7 (RS): P3, k8, p3.

Row 2 and All WS Rows: K3, p8, k3.

Row 3: P3, 4/4 LC, p3.

Row 8: K3, p8, k3.

Rep Rows 1-8 for Left Cable.

Right Cable (worked over 14 sts)

Rows 1, 5 and 7 (RS): P3, k8, p3.

Row 2 and All WS Rows: K3, p8, k3.

Row 3: P3, 4/4 RC, p3.

Row 8: K3, p8, k3.
Rep Rows 1-8 for Right Cable.

SPECIAL TECHNIQUES

Grafting

Holding the 2 needles parallel with WS of fabric together, thread a large-eyed blunt needle with one of the yarn ends and work as follows:


1. Insert needle as if to purl into first st on front piece. Insert needle as if to knit into first st on back piece. Pull yarn through, leaving sts on needles.
2. Insert needle as if to knit through first st on front needle and let the st drop from needle.
3. Insert needle into 2nd st on front needle as if to purl and pull the yarn through, leaving st on the needle.
4. Insert needle into first st on back needle as if to purl and let it drop from the needle.
5. Insert needle as if to knit through 2nd st on back needle and pull the yarn through, leaving st on needle. Rep steps 2-5 until all sts are gone. When finished, adjust tension as necessary. Weave in ends.

w&t (wrap and turn)

W&t is a technique used to ensure that a small hole doesn't form at the end of a short row. How you work a w&t depends on whether you are doing a KNIT stitch or a PURL st. Follow the specific instructions below to work a w&tK (a wrap and turn for a KNIT st) or a w&tP (wrap and turn for a PURL st).

NOTES:

1. Cardigan is worked in 5 pieces, Back, 2 Fronts, and 2 Sleeves.
2. Collar is shaped by working an Inner and an Outer Collar.
3. Left, Right and Figure 8 Cables can be worked from written instructions or from charts. When working from charts, read RS rows from right to left and WS rows from left to right.
4. Note that the Figure 8 cable is created from 2 sts of Twist Cable, increasing the number of sts from 2 sts to 4 sts and then back to 2 sts when 12 rows of Figure 8 Cable have been worked. The Twist Cable continues on the rem 2 sts.
5. When you see '- 12 sts' in the instructions, this lets you know how many sts you will have at the end of that specific row.



BACK

With larger needles, cast on 71 (76, 83, 88, 95) sts.

Knit 1 row, purl 1 row.

Begin Twist Cable

Row 1 (RS): P3, beg with Row 1, (work 2 sts in Twist Cable, p4) 4 (4, 5, 5, 6) times, (work 2 sts in Twist Cable, p3) 3 (4, 3, 4, 3) times, (work 2 sts in Twist Cable, p4) 4 (4, 5, 5, 6) times, work 2 sts in Twist Cable, p3.

Row 2: Work Twist Cables as established and rem sts in rev St st (P on RS, k on WS).

Begin Figure 8 Cable 1

Row 3 (RS): Work in patterns as established for 21 sts, beg with Row 1, work Figure 8 Cable across next 2 sts, work in patterns as established to last 23 sts, work Figure 8 Cable across next 2 sts, work in pattern to end of row.

Work in patterns as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 1 (RS): P3, (work 2 sts in Twist Cable, p1, p2tog, p1) twice, (work 2 sts in Twist Cable, p4) 2 (2, 3, 3, 4) times, (work 2 sts in Twist Cable, p3) 3 (4, 3, 4, 3) times, (work 2 sts in Twist Cable, p4) 2 (2, 3, 3, 4) times, (work 2 sts in Twist Cable, p1, p2tog, p1) twice, work 2 sts in Twist Cable, p3 – 67 (72, 79, 84, 91) sts rem.

Working Twist Cables as established and rem sts in rev St st, work until piece measures 8 in. (20.5 cm) from beg, end with a WS row as the last row you work.

Dec Row 2 (RS): P3, (work 2 sts in Twist Cable, p3) twice, (work 2 sts in Twist Cable, p1, p2tog, p1) 2 (2, 3, 3, 4) times, (work 2 sts in Twist Cable, p3) 3 (4, 3, 4, 3) times, (work 2 sts in Twist Cable, p1, p2tog, p1) 2 (2, 3, 3, 4) times, (work 2 sts in Twist Cable, p3) twice, work 2 sts in Twist Cable, p3 – 63 (68, 73, 78, 83) sts rem.

Working Twist Cables as established and rem sts in Rev St st, work 1 row.

Begin Figure 8 Cable 2

Next Row (RS): Work in patterns as established for 28 (28, 33, 33, 38) sts, (work Row 1 of Figure 8 Cable across next 2 sts, p3) 2 (3, 2, 3, 2) times, work in patterns as established to end of row.

Work in patterns as established until 12 rows of Figure 8 Cable have been completed.

Next Row (RS): P3, (work 2 sts in Twist Cable, p3) 12 (13, 14, 15, 16) times.


Working Twist Cables as established and rem sts in Rev St st, work until piece measures 12 in. (30.5 cm) from beg, end with a WS row as the last row you work.

Dec Row 3 (RS): P3, (work 2 sts in Twist Cable, p2tog, p1) twice, (work 2 sts in Twist Cable, p3) 2 (2, 3, 3, 4) times, (work 2 sts in Twist Cable, p3) 3 (4, 3, 4, 3) times, (work 2 sts in Twist Cable, p3) 2 (2, 3, 3, 4) times, (work 2 sts in Twist Cable, p2tog, p1) twice, work 2 sts in Twist Cable, p3 – 59 (64, 69, 74, 79) sts rem.

Working Twist Cables as established and rem sts in Rev St st, work 1 row.

Begin Figure 8 Cable 3

Next Row (RS): Work in patterns as established across 7



sts, beg with Row 1, work Figure 8 Cable across next 2 sts, work as established to last 9 sts, work Figure 8 Cable across next 2 sts, work to end of row.

Work in patterns as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 4 (RS): P3, (work 2 sts in Twist Cable, p2) twice, (work 2 sts in Twist Cable, p2tog, p1) 2 (2, 3, 3, 4) times, (work 2 sts in Twist Cable, p3) 3 (4, 3, 4, 3) times, (work 2 sts in Twist Cable, p2tog, p1) 2 (2, 3, 3, 4) times, (work 2 sts in Twist Cable, p2) twice, work 2 sts in Twist Cable, p3 – 55 (60, 63, 68, 71) sts rem.

Working Twist Cables as established and rem sts in Rev St st, work 1 row.

Begin Figure 8 Cable 4

Next Row (RS): Work in patterns as established for 19 sts, beg with Row 1, work Figure 8 Cable across next 2 sts, work to last 21 sts, work Figure 8 Cable across next 2 sts, work to end of row.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 5 (RS): P1, p2tog, (work 2 sts in Twist Cable, p2tog) 4 (4, 5, 5, 6) times, (work 2 sts in Twist Cable, p1, p2tog) 3 (4, 3, 4, 3) times, (work 2 sts in Twist Cable, p2tog) 4 (4, 5, 5, 6) times, work 2 sts in Twist Cable, p2tog, p1 – 42 (46, 48, 52, 54) sts rem.

Working Twist Cables as established and rem sts in Rev St st, work 1 row.

Shape Bodice

Change to smaller needles and purl 1 row, knit 1 row.

Inc Row (RS): Change to larger needles and knit across, inc 7 sts evenly spaced – 49 (53, 55, 59, 61) sts.

Set-up Row (WS) P8 (10, 11, 13, 14), k3, p8, k3, p5, k3, p8, k3, p8 (10, 11, 13, 14).

Next Row: K8 (10, 11, 13, 14), beg with Row 1, work Right Cable across 14 sts, k5, work Left Cable across 14 sts, k8 (10, 11, 13, 14).

Keeping Cable patterns as established and rem sts in St st (K on RS, p on WS), work until Bodice measures 5 in. (12.5 cm), end with a WS row as the last row you work.

Shape Raglan

Bind off 2 (3, 3, 4, 4) sts at beg of next 2 rows – 45 (47, 49, 51, 53) sts rem.

Dec Row (RS): P2tog, work to last 2 sts, p2tog – 43 (45, 47, 49, 51) sts rem.

Keeping in patterns as established, work 1 row.

Rep last 2 rows 13 (14, 15, 16, 17) times more – 17 sts rem on last row worked.

Slip 17 sts to a holder for back neck.

LEFT FRONT

With larger needles, cast on 40 (42, 46, 51, 54) sts.

Note: Slip first st of every WS row to create a smooth front edge.

Begin with a RS row, work 2 rows in St st (k on RS, p on WS).

Begin Twist Cable

Row 1 (RS): P3, beg with Row 1, (work 2 sts in Twist Cable, p4) 4 (4, 5, 5, 6) times, (work 2 sts in Twist Cable, p3) 1 (1, 1, 2, 1) time(s), work 2 sts in Twist Cable, p2 (4, 2, 2, 4), k4 for St st.

Continue to sl first st of every WS row, and working Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Begin Figure 8 Cable 1

Row 3 (RS): Work in patterns as established for 21 sts, work Row 1 of Figure 8 Cable across next 2 sts, work in patterns as established to end of row.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 1 (RS): P3, (work 2 sts in Twist Cable, p1, p2tog, p1) twice, (work 2 sts in Twist Cable, p4) 2 (2, 3, 3, 4) times, work in patterns as established to end of row – 38 (40, 44, 49, 52) sts rem.

Working Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Begin Figure 8 Cable 2

Next Row (RS): P3, beg with Row 1, work Figure 8 Cable across next 2 sts, work in patterns as established to end of row.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 2 (RS): P3, (work 2 sts in Twist Cable, p3) twice, (work 2 sts in Twist Cable, p1, p2tog, p1) 2 (2, 3, 3, 4) times, work in patterns as established to end of row – 36 (38, 41, 46, 48) sts rem.

Working Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Begin Figure 8 Cable 3

Next Row (RS): Work in patterns as established for 28 (28, 33, 33, 38) sts, beg with Row 1, work Figure 8 Cable across next 2 sts, work in patterns as established to end of row.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 3 (RS): P3, (work 2 sts in Twist Cable, p2tog, p1) twice, (work 2 sts in Twist Cable, p3) 3 (3, 4, 5, 5) times, (work 2 sts in Twist Cable, p2 (4, 2, 2, 4), work in patterns as established to end of row – 34 (36, 39, 44, 46) sts.


Working Twist Cables as established and rem sts in rev St st and St st, work 1 row.

Begin Figure 8 Cable 4

Next Row (RS): Work in patterns as established for 7 sts, work Row 1 of Figure 8 Cable across next 2 sts, work in patterns as established to end of row.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 4 (RS): P3, (work 2 sts in Twist Cable, p2) twice,



(work 2 sts in Twist Cable, p2tog, p1) 2 (2, 3, 3, 4) times, work in patterns as established to end of row – 32 (34, 36, 41, 42) sts.

Working Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Begin Figure 8 Cable 5

Next Row (RS): Work in patterns as established for 19 sts, beg with Row 1, work Figure 8 Cable across next 2 sts, work in patterns as established to end of row.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 5 (RS): P1, p2tog, (work 2 sts in Twist Cable, p2tog) 4 (4, 5, 5, 6) times, (work 2 sts in Twist Cable, p1, p2tog) 1 (1, 1, 2, 1) time(s), work 2 sts in Twist Cable, p2tog, p0 (2, 0, 0, 2), k4 for St st – 25 (27, 28, 32, 33) sts. Working Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Shape Bodice

Change to smaller needles, purl 1 row.

Next Row (WS): Change larger needles, bind off 3 sts, knit across, inc 6 (6, 6, 7, 8) sts evenly spaced – 28 (30, 31, 36, 38) sts.

Note: Stop slipping the first st of every WS row.

Set-up Row (WS) P6, k3, p8, k3, p8 (10, 11, 16, 18).

Next Row: K8 (10, 11, 16, 18), beg with Row 1, work Right Cable across 14 sts, k6.

Keeping Cable pattern as established and rem sts in St st, work until Bodice measures 5 in. (12.5 cm), end with WS as last row worked.

Shape Raglan

Next Row (RS): Bind off 2 (3, 3, 4, 4) sts, work in patterns as established to end of row – 26 (27, 28, 32, 34) sts.

Working as established, work 1 row.

Dec Row (RS): P2tog, work in patterns to end of row – 25 (26, 27, 31, 33) sts.

Rep last 2 rows twice – 23 (24, 25, 29, 31) sts rem on last row worked.

Shape Neck

Neck Dec Row (WS): P6, skp, work to end of row – 22 (23, 24, 28, 30) sts.

Dec Row: P2tog, work to end of row – 21 (22, 23, 27, 29) sts.

Continuing in patterns as established, work 1 row.

Dec Row: P2tog, work to end of row – 20 (21, 22, 26, 28) sts.

Neck Dec Row (WS): P6, skp, work to end of row – 19 (20, 21, 25, 27) sts.

Dec Row: P2tog, work to end of row – 18 (19, 20, 24, 26) sts.

Continuing in patterns as established, work 1 row.

Dec Row: P1, k2tog, work to last 3 sts, skp, p1 – 17 (18, 19, 23, 25) sts.

Neck Dec Row (WS): P6, skp, work to end of row – 16 (17, 18, 22, 24) sts.

For Sizes 1X and 2X Only

Rep last 4 rows (3, 4) times more – (12, 11) sts.

For All Sizes

Dec Row: P2tog, work to end of row – 15 (16, 17, 11, 10) sts.

Continuing in patterns as established, work 1 row.

Rep last 2 rows 6 (7, 8, 3, 2) time(s) more – 9 sts rem on last row worked.

Slip 9 sts to a holder for left front collar.

RIGHT FRONT

With larger needles, cast on 40 (42, 46, 51, 54) sts.

Note: Slip first st of every RS row to create a smooth front edge.

Beg with a RS row, work in St st for 2 rows.

Begin Twist Cable

Row 1 (RS): Sl first st, k3 for St st, p2 (4, 2, 2, 4), beg with Row 1, (work 2 sts in Twist Cable, p3) 1 (1, 1, 2, 1) time(s), (work 2 sts in Twist Cable, p4) 4 (4, 5, 5, 6) times, work 2 sts in Twist Cable, p3.

Continuing to slip first st every RS row, work Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Begin Figure 8 Cable 1

Row 3 (RS): Work in patterns as established for 17 (19, 23, 28, 31) sts, beg with Row 1, work Figure 8 Cable across next 2 sts, work to end of row.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 1 (RS): Sl first st, k3 for St st, p2 (4, 2, 2, 4), (work 2 sts in Twist Cable, p3) 1 (1, 1, 2, 1) time(s), (work 2 sts in Twist Cable, p4) 2 (2, 3, 3, 4) times, (work 2 sts in Twisted Cable, p1, p2tog, p1) twice, work 2 sts in Twist Cable, p3 – 38 (40, 44, 49, 52) sts.

Working Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Begin Figure 8 Cable 2

Next Row (RS): Work in patterns as established to last 5 sts, beg with Row 1, work Figure 8 Cable across next 2 sts, p3.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 2 (RS): Work in patterns as established for 11 (13, 11, 16, 13) sts, (work 2 sts in Twist Cable, p1, p2tog, p1) 2 (2, 3, 3, 4) times, (work 2 sts in Twist Cable, p3) 3 times – 36 (38, 41, 46, 48) sts.

Working Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Begin Figure 8 Cable 3

Next Row (RS): Work in patterns as established for 6 (8, 6, 6, 8) sts, beg with Row 1, work Figure 8 Cable across next 2 sts, work to end of row.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 3 (RS): Sl first st, work to last 15 sts, (work 2 sts in Twist Cable, p1, p2tog, p1) twice, work 2 sts in Twist Cable, p3 – 34 (36, 39, 44, 46) sts.

Working Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Begin Figure 8 Cable 4

Next Row (RS): Work in patterns as established to last 9 sts, beg with Row 1, work Figure 8 Cable across next 2 sts, work in patterns as established to end of row.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 4 (RS): Work in patterns as established for 11 (13, 11, 16, 13) sts, (work 2 sts in Twist Cable, p2tog, p1) 2 (2, 3, 3, 4) times, (work 2 sts in Twist Cable, p2) twice, work 2 sts in Twist Cable, p3 – 32 (34, 36, 41, 42) sts. Working Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Begin Figure 8 Cable 5

Next Row (RS): Work in patterns as established for 11 (13, 11, 11, 13) sts, beg with Row 1, work Figure 8 Cable across next 2 sts, work in patterns as established to end of row.

Work as established until 12 rows of Figure 8 Cable have been completed.

Dec Row 5 (RS): Sl first st, k3, p0 (2, 0, 0, 2), p2tog, work 2 sts in Twist Cable, (p1, p2tog, work 2 sts in Twist Cable) 1 (1, 1, 2, 1) time(s), (p2tog, work 2 sts in Twist Cable) 4 (4, 5, 5, 6) times, p2tog, p1 – 25 (27, 28, 32, 33) sts.

Working Twist Cables as established and rem sts in Rev St st and St st, work 1 row.

Shape Bodice

Change to smaller needles, purl 1 row, knit 1 row.

Next Row (WS): Change larger needles, bind off 3 sts, inc 6 (6, 6, 7, 8) sts evenly spaced – 28 (30, 31, 36, 38) sts.

Note: Stop slipping first st of every RS row.

Set-up Row (WS) P8 (10, 11, 16, 18), k3, p8, k3, p6.

Next Row: K6, work Left Cable across 14 sts, k8 (10, 11, 16, 18).

Continuing to work Cable patterns as established and rem sts in St st, work until Bodice measures 5 in. (12.5 cm), end with RS as last row worked.

Shape Raglan

Bind off 2 (3, 3, 4, 4) sts at beg of next WS row – 26 (27, 28, 32, 34) sts.

Dec Row (RS): Work in patterns to last 2 sts, p2tog – 25 (26, 27, 31, 33) sts.

Keeping in patterns, work 1 row.

Rep last 2 rows once, then Dec Row once more – 23 (24, 25, 29, 31) sts rem on last row worked.

Shape Neck

Neck Dec Row (WS): Work to last 8 sts, skp, p6 – 22 (23, 24, 28, 30) sts.

Dec Row: Work in patterns to last 2 sts, p2tog – 21 (22, 23, 27, 29) sts.

Keeping in patterns, work 1 row.

Dec Row: Work in patterns to last 2 sts, p2tog – 20 (21, 22, 26, 28) sts.

Neck Dec Row (WS): Work to last 8 sts, skp, p6 – 19 (20, 21, 25, 27) sts.

Dec Row: Work in patterns to last 2 sts, p2tog – 18 (19, 20, 24, 26) sts.

Keeping in patterns, work 1 row.

Dec Row: Work in patterns to last 2 sts, p2tog – 17 (18,

19, 23, 25) sts.

Neck Dec Row (WS): Work to last 8 sts, skp, p6 – 16 (17, 18, 22, 24) sts.

For Sizes 1X and 2X Only

Rep last 4 rows (3, 4) times more – (12, 11) sts.

For All Sizes

Dec Row: Work in patterns to last 2 sts, p2tog – 15 (16, 17, 11, 10) sts.

Keeping in patterns, work 1 row.

Rep last 2 rows 6 (7, 8, 3, 2) times more – 9 sts rem on last row worked.

Slip 9 sts to a holder for right front collar.

RIGHT SLEEVE

With smaller needles, cast on 27 (27, 31, 33, 35) sts.

Work in K1, p1 rib for 6 in. (15 cm), inc 1 st in the last WS row, the last row you work – 28 (28, 32, 34, 36) sts.

Begin Cable Patterns

Row 1 (RS): Change to larger needles, k7 (7, 9, 10, 11), beg with Row 1, work Left Cable over next 14 sts, k7 (7, 9, 10, 11).

Note: In the following section, we suggest that you use whatever inc method you prefer. Our sample used a kfb worked one st in from each edge of the Sleeve.

Continuing in patterns as established, inc 1 st each side every 4th row 0 (2, 0, 0, 0) times, then every 8th row 4 (3, 4, 5, 5) times, working new sts in St st – 36 (38, 40, 44, 46) sts on last row worked.

Work even (without increasing or decreasing) in patterns until piece measures 18 in. (46 cm) from beg, end with WS as last row worked.

Shape Raglan

Bind off 2 (3, 3, 4, 4) sts at beg of next 2 rows – 32 (32, 34, 36, 38) sts.

Dec Row (RS): P2tog, work to last 2 sts, p2tog – 30 (30, 32, 34, 36) sts rem.

Keeping in patterns, work 1 row.

Rep last 2 rows 13 (14, 15, 16, 17) times more – 4 (2, 4, 2, 2) sts rem on last row worked.

Size S only: Rep Dec Row.

Slip 2 (2, 2, 2, 2) sts to a holder for neck.


LEFT SLEEVE

With smaller needles, cast on 27 (27, 31, 33, 35) sts.

Work in K1, p1 rib for 6 in. (15 cm), inc 1 st in the last WS row, the last row you work – 28 (28, 32, 34, 36) sts.

Row 1 (RS): Change to larger needles, k7 (7, 9, 10, 11), beg with Row 1, work Right Cable over next 14 sts, k7 (7, 9, 10, 11).

Continuing in patterns as established, complete left sleeve same as Right Sleeve.



FINISHING

Sew Sleeve raglans to raglans of Front and Back.

Sew side and sleeve seams.

Right Inner Collar

Note: Front Collar sts will be worked together with Inner Collar sts, meeting at center of Back Neck.

From RS, sl sts of one Sleeve holder onto smaller circular needle, slip 17 sts from Back holder and sts from opposite Sleeve holder – 21 (21, 21, 21) sts.

From RS, sl 9 sts from Right Front holder to smaller straight needles.

Row 1 (RS): K6, p2, then purl last st of Right Front tog with first 2 Inner Collar sts on circular needle, leave rem sts on circular needle unworked.

Row 2: K3, p6.

Row 3: K6, p2, then purl last st of Right Front tog with first st on circular needle, leave rem sts on circular needle unworked.

Rep last 2 rows until 10 sts from back neck have been worked and Right Inner Collar ends at center st of Back neck. Sl front sts to holder.

Left Inner Collar

From RS, sl 9 sts from Left Front stitch holder to smaller straight needles.

Row 1 ((RS): P3, k6.

Row 2: P6, k2, then k last st of Left Front tog with first 2 sts on circular needle, leave rem sts on circular needle unworked.

Row 3: P3, k6.

Row 4: P6, k2, then k last st of Left Front tog with first st on circular needle, leave rem sts on circular needle unworked.

Rep last 2 rows until 11 sts from back neck have been worked and Left Inner Collar is at center of Back neck.

Graft sts from Left and Right Inner Collars together.

Outer Rib

From RS with smaller circular needle, join yarn at edge of Right Front, beg at bound-off edge of Bodice, pick up and knit 107 (113, 119, 125, 133) sts evenly spaced up Right Front edge, along edge of Inner Collar, and down Left Front edge, end at opposite bound-off edge – 107 (113, 119, 125, 133) sts.

Begin Short Rows

Short Row 1 (WS): Work in K1, p1 rib to last 6 sts, w&t, work in K1, p1 rib to last 6 sts, w&t.

Short Row 2: Work in K1, p1 rib to last 12 sts, w&t, work in K1, p1 rib to last 12 sts, w&t.

Next Row (WS): Work in K1, p1 rib across all sts.

Rep last row 3 more times.

Bind off in rib.

Sew edges of Outer Rib to bound-off edges.

Buttonloops

With crochet hook, join yarn at Right Front edge with a sl st, chain 8 for buttonloop, sl st to same space as joining. Fasten off. Rep on Left Front edge.

With sewing needle and thread, sew toggle button on Left Front about 5 (5, 5, 6, 6) in. (12.5 (12.5, 12.5, 15, 15) cm) from edge. Sew round button on inside of Right Front about 5 (5, 5, 6, 6) in. (12.5 (12.5, 12.5, 15, 15) cm) from edge.

Weave in ends.

ABBREVIATIONS / REFERENCES

Click for explanation and illustration

beg = begin(s)(ning)	dec = decreas(e)(s)(ing)
inc = increas(e)(s)(ing)	k = knit
k2tog = knit 2 together	p = purl
p2tog = purl 2 together	rem = remain(s)(ing)
rep = repeat(s)(ing)	RS = right side
sl = slip	sl st = slip stitch
St st = Stockinette stitch	st(s) = stitch(es)
tog = together	WS = wrong side

Learn to knit instructions: <http://learnToKnit.LionBrand.com>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly.

34 West 15th Street, NY, NY 10011

Copyright ©1998-2013 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.