

Free Knitting Pattern Lion Brand® Wool-Ease® Thick & Quick® Raglan Cabled Pullover Pattern Number: L40174

Designed by Mari Lynn Patrick



©2018 Lion Brand Yarn Company, all rights reserved.

SKILL LEVEL – Experienced

<u>SIZE</u>

Child (Multiple Sizes), Small, Medium, Large, 1X, 2X Finished Chest 42 (44, 48, 52, 56) in. (106.5 (112, 122, 132, 142) cm) Finished Length 28 (29 1/2, 30, 32, 33 1/2) in. (71 (75, 76, 81.5, 85) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

MATERIALS

- Lion Brand® Wool-Ease® Thick & Quick® (Art. #640)
 - 124 Barley 8 10, 10, 12, 13 balls
- Lion Brand® knitting needles size 13 (9 mm)
- Lion Brand® knitting needles size 15 (10 mm)
- Lion Brand® circular knitting needles 16" size 13
- Lion Brand® cable needles (set of 2)
- Lion Brand® stitch holders
- Lion Brand® stitch markers
- Lion Brand® large-eyed blunt needle



<u>GAUGE</u>

12 sts + 14 rows = 4 in. (10 cm) over Ladder st using larger needles.

When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

Making a Gauge Swatch

STITCH EXPLANATION

2/2 LC (2 over 2 left cross) Slip 2 sts to cable needle and hold in front, k2, then k2 from cable needle.

2/2 RC (2 over 2 right cross) Slip 2 sts to cable needle and hold in back, k2, then k2 from cable needle.

2/1/2 LPC Slip 3 sts to cable needle and hold in front, k2, slip purl stitch from cable needle back to left-hand needle and p, k2 from cable needle.

2/1/2 RPC Slip 3 sts to cable needle and hold in back, k2, slip purl stitch from cable needle back to left-hand needle and p, k2 from cable needle.

3/3 LC (3 over 3 left cross) Slip 3 sts to cable needle and hold in front, k3, then k3 from cable needle.

3/3 RC (3 over 3 right cross) Slip 3 sts to cable needle and hold in back, k3, then k3 from cable needle.

kfb (knit in front and back) Knit next st without removing it from left needle, then k through back of same st - 1 st increased.

pfb (purl in front and back) Purl next st without removing it from left needle, then p through back of same st – 1 st increased.

PATTERN STITCHES

K1, p1 Rib (worked over an odd number of sts) Row 1 (RS): K1, *p1, k1; rep from * to end of row. Row 2: K the knit sts and p the purl sts. Rep Row 2 for K1, p1 Rib.

Braided Cable (worked over 16 sts)

Row 1 (RS): P1, (k2, p1) 5 times. Rows 2, 4 and 6: K1, (p2, k1) 5 times. Row 3: P1, k2, p1, (2/1/2 LPC, p1) twice. Row 5: P1, (k2, p1) 5 times. Row 7: P1, (2/1/2 RPC, p1) twice, k2, p1. Row 8: K1, (p2, k1) 5 times. Rep Rows 1-8 for Braided Cable.

Left Cable (worked over 8 sts)

Row 1 (RS): P1, k6, p1. Rows 2, 4 and 6: K1, p6, k1. Row 3: P1, 3/3 LC, p1. Rows 5 and 7: P1, k6, p1. Row 8: K1, p6, k1. Rep Rows 1-8 for Left Cable.

Right Cable (worked over 8 sts)

Row 1 (RS): P1, k6, p1. Rows 2, 4 and 6: K1, p6, k1. Row 3: P1, 3/3 RC, p1. Rows 5 and 7: P1, k6, p1. Row 8: K1, p6, k1. Rep Rows 1-8 for Right Cable.

Ladder Stitch (worked over a multiple of 4 sts) Row 1 (RS): *P1, k2, p1; rep from *. Row 2: *K1, p2, k1; rep from *. Row 3: Purl.

Row 4: Knit. Rep Rows 1-4 for Ladder st.

Sleeve Cable (worked over 15 sts) Row 1 (RS): K1 tbl, p1, k4, p1, k1 tbl, p1, k4, p1, k1 tbl.

Rows 2 and 4: P1, k1, p4, k1, p1, k1, p4, k1, p1. **Row 3:** K1 tbl, p1, 2/2 RC, p1, k1 tbl, p1, 2/2 LC, p1, k1 tbl. **Rows 5:** K1 tbl, p1, k4, p1, k1 tbl, p1, k4, p1, k1 tbl. **Row 6:** P1, k1, p4, k1, p1, k1, p4, k1, p1. Rep Rows 1-6 for Sleeve Cable.

Twisted Stitch (worked over 1 st)

K1 tbl (through back loop) on RS rows, p on WS rows.

NOTES:

- 1. Pullover is worked in 4 pieces, Back, Front, and 2 Sleeves.
- 2. Pieces are worked in cable patterns and with raglan shaping.
- 3. Stitches are picked up around neck to work the neckband.
- 4. When you see '- 12 sts' in the instructions, this lets you know how many sts you will have at the end of that specific row.

Note: The following corrections have been incorporated into the pattern below. We are highlighting the corrections separately here so that if you have printed out an earlier version of the pattern you'll know what was changed.

CORRECTIONS (applied Feb. 10th, 2018)

BACK

....

Shape Raglans

Bind off 3 (4, 5, 6, 7) sts at beg of next 2 rows, then 2 (2, 3, 3, 4) sts at beg of next 2 rows – you will have 54 (56, 58, 60, 62) sts after last bind-off.

Dec Row (RS): P1, k1tbl, p2tog, work in patterns as established to last 4 sts, p2tog tbl, k1 tbl, p1 – 52 (54, 56, 58, $\frac{62}{60}$) sts rem.

Next Row: K1, p1, k1, work to last 3 sts, k1, p1, k1. Rep last 2 rows 15 (16, 17, 18, 19) times more. Slip rem 22 sts to a holder for neck.

FRONT

...

Shape Neck

Mark center 14 10 sts for front neck.

Next Row (RS): P1, k1tbl, p2tog for left shoulder, work to center 14 10 sts, join 2nd ball of yarn and work center 14 10 sts and slip these sts to a stitch holder, bind off next <u>2</u> sts, work to last **4** 2 sts, p2tog tbl, k1tbl, p1 for right shoulder – 10 left shoulder sts; 8 10 right shoulder sts. **12 sts each shoulder**.

Next Row: Right shoulder: work & 12 sts; left shoulder: bind off 2 sts, work to end – 12 right shoulder sts; & 10 sts rem on each left shoulder sts.

Next Row: Left shoulder: work 10 sts; right shoulder: bind off 2 sts, work to end – 10 sts each shoulder.

Next Row: Work across both sides.

Next Row: Left shoulder: p1, k1tbl, p2tog, work to last 2 sts, p2tog; right shoulder: p2tog, work to last 4 sts, p2tog tbl, k1tbl, p1 – 68 sts each shoulder. **Next Row:** Work across both sides.

Rep last 2 rows once twice – 4 sts each shoulder.

Next Row: (P2tog) twice each side – 2 sts each shoulder.

Last Row: On both sides, k2tog.

Fasten off.

BACK

With smaller needles, cast on 57 (61, 67, 71, 77) sts. Beg with Row 1, work in K1, p1 rib for 3 in. (7.5 cm), end with a WS row as the last row you work and inc 1 st in center of last row – 58 (62, 68, 72, 78) sts.

Begin Patterns

Row 1 (RS): Change to larger needles, p1 (3, 1, 3, 1), beg with Row 1, (k1 tbl for Twisted st, work Ladder st across 4 sts) 2 (2, 3, 3, 4) times, k1 tbl for Twisted st, work Left Cable across next 8 sts, k1 tbl for Twisted st, work Braided Cable across next 16 sts, k1 tbl for Twisted st, work Right Cable across next 8 sts, (k1 tbl for Twisted st, work Ladder st across 4 sts) 2 (2, 3, 3, 4) times, k1 tbl for Twisted st, tbl for Twisted st, work Right Cable across next 8 sts, (k1 tbl for Twisted st, work Ladder st across 4 sts) 2 (2, 3, 3, 4) times, k1 tbl for Twisted st, p1 (3, 1, 3, 1).

Row 2: K1 (3, 1, 3, 1), working Row 2, (p1, work Ladder st across 4 sts) 2 (2, 3, 3, 4) times, p1, work Right Cable across next 8 sts, p1, work Braided Cable across next 16 sts, p1, work Left Cable across next 8 sts, (p1, work Ladder st across 4 sts) 2 (2, 3, 3, 4) times, p1, k1 (3, 1, 3, 1). Work in patterns as established until piece measures 7 in. (18 cm) from beg, end with a WS row as the last row you work.

Inc Row 1 (RS): Working in patterns as established, work 21 (23, 26, 28, 31) sts, pfb, work 14 sts, pfb, work to end – 60 (64, 70, 74, 80) sts.

Work in patterns, working new sts in Rev St st (p on RS, k on WS) until piece measures 9 in. (23 cm) from beg, end with a WS row as the last row you work.

Inc Row 2 (RS): Working in patterns as established, work 20 (22, 25, 27, 30) sts, pfb, work 20 sts, pfb, work to end – 62 (66, 72, 76, 82) sts.

Work in patterns, working new sts in Rev St st until piece measures 12 in. (30.5 cm) from beg, end with a WS as the last row you work.

Inc Row 3 (RS): Working in patterns as established, work 13 (15, 18, 20, 23) sts, pfb, work 34 sts, pfb, work to end – 64 (68, 74, 78, 84) sts.

Work in patterns, working new sts in Rev St st until piece measures 17 (18, 18, 19, 20) in. (43 (45.5, 45.5, 48, 51) cm) from beg, end with a WS row as the last row you work.

Shape Raglans Bind off 3 (4, 5, 6, 7) sts at beg of next 2 rows, then 2 (2, 3, 3, 4) sts at beg of next 2 rows – you will have 54 (56, 58, 60, 62) sts after last bind-off. **Dec Row (RS):** P1, k1tbl, p2tog, work in patterns as established to last 4 sts, p2tog tbl, k1 tbl, p1 – 52 (54, 56, 58, 60) sts rem.

Next Row: K1, p1, k1, work to last 3 sts, k1, p1, k1. Rep last 2 rows 15 (16, 17, 18, 19) times more. Slip rem 22 sts to a holder for neck.

FRONT

Work as for Back until Dec Row has been worked 10 (11, 12, 13, 14) times – 34 sts rem on last row worked, end with a WS row as the last row you work.

Shape Neck

Mark center 10 sts for front neck.

Next Row (RS): P1, k1tbl, for left shoulder, work to center 10 sts, join 2nd ball of yarn and work center 10 sts and slip these sts to a stitch holder, work to last 2 sts, k1tbl, p1 for right shoulder – 12 sts each shoulder.

Next Row: Right shoulder: work 12 sts; left shoulder: bind off 2 sts, work to end – 12 right shoulder sts; 10 left shoulder sts.

Next Row: Left shoulder: work 10 sts; right shoulder: bind off 2 sts, work to end – 10 sts each shoulder.

Next Row: Work across both sides.

Next Row: Left shoulder: p1, k1tbl, p2tog, work to last 2

sts, p2tog; right shoulder: p2tog, work to last 4 sts, p2tog tbl, k1tbl, p1 – 8 sts each shoulder.

Next Row: Work across both sides.

Rep last 2 rows twice – 4 sts each shoulder.

Next Row: (P2tog) twice each side – 2 sts each shoulder.

Last Row: On both sides, k2tog.

Fasten off.

SLEEVES (Make 2)

With smaller needles, cast on 27 (27, 29, 29, 31) sts.

Beg with Row 1, work in K1, p1 rib for 3 in. (7.5 cm), inc 2 sts on last WS row worked -29 (29, 31, 31, 33) sts.

Begin Patterns

Row 1 (RS): Change to larger needles, k1 (1, 2, 2, 3), p1, beg with Row 1, k1 tbl for Twisted st, work Ladder st across 4 sts, work Sleeve Cable across next 15 sts, work Ladder st across 4 sts, k1 tbl for Twisted st, p1, k1 (1, 2, 2, 3).

Row 2: P1 (1, 2, 2, 3), k1, working Row 2, work Ladder st across 4 sts, work Sleeve Cable across next 15 sts, work Ladder st across 4 sts, p1, k1, p1 (1, 2, 2, 3). Continue in patterns as established, inc 1 st each side every 4th row 0 (5, 5, 12, 12) times, then every 6th row 8 (5, 5, 0, 0) times, working new sts in Ladder st with one Twisted st between each 4-st rep of Ladder st – 45 (49, 51, 55, 57) sts on last increase row.

Work even until piece measures 20 in. (51 cm) from beg, end with a WS row as the last row you work.

photocopying - without written permission of Lion Brand Yarn Company.

Shape Raglans

Bind off 3 (4, 5, 6, 7) sts at beg of next 2 rows, then 2 (2, 3, 3, 4) sts at beg of next 2 rows – 35 (37, 35, 37, 35) sts rem.

SIZE 2X ONLY: Work 2 rows even (without increasing or decreasing) in patterns. ALL SIZES

Dec Row (RS): P1, k1tbl, p2tog, work in patterns as established to last 4 sts, p2tog tbl, k1 tbl, p1 - 33 (35, 33, 35, 33) sts rem.

Next Row: K1, p1, k1, work to last 3 sts, k1, p1, k1. Rep Dec Row every other row 3 (4, 1, 2, 0) times, then every 4th row 6 (6, 8, 8, 9) times – 15 sts rem on last row worked.

Slip rem 15 sts to a holder for neck.

FINISHING

Sew raglan seams. Sew side and Sleeve seams.

Neckband

From RS with circular needle, beginning at left back shoulder seam, pick up and k70 sts evenly spaced around neck, inlcuding sts from holders. Place marker for beg of rnd.

Join to work in rnds.

Rnd 1 (RS): *K1, p1; rep from * around. Rep Rnd 1 until neckband measures about 2 in. (5 cm). Bind off in rib. Weave in ends.

ABBREVIATIONS

beg = begin(s)(ning) dec = decreas(e)(s)(ing) inc = increas(e)(s)(ing) k = knit k2tog = knit 2 together p = purl p2tog = purl 2 together rem = remain(s)(ing) rep = repeat(s)(ing) rnd(s) = round(s) RS = right side st(s) = stitch(es) tbl = through the back loop tog = together WS = wrong side

Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual crafters, human error, or typographical mistakes.



