

Item #1320



LION BRAND® KOOL WOOL CABLED TWIN SET



LION BRAND® KOOL WOOL CABLED TWIN SET

INTERMEDIATE+

SIZE

S (M, L, 1X).

Finished Chest: **Shell** 33 (36, 39, 42)"
Cardigan 37 (40, 43, 46)".

Finished Length: **Shell** 18½ (19, 19½, 20)"
Cardigan 22½ (23, 23½, 24)"

MATERIALS

- LION BRAND Kool Wool
 - Shell** 5 (5, 6, 6) balls #114 Denim
 - Cardigan** 12 (13, 14, 16) balls #114 Denim or color of your choice
- Size 11 (8 mm) knitting needles OR SIZE TO OBTAIN GAUGE
- Size 11 (8 mm) – 16" circular needles (Shell)
- Size 11 (8 mm) – 29" circular needles (Cardigan)
- Two cable needles (cn) and stitch markers

GAUGE

11 sts + 14 rows = 4" (10 cm) in St st (k on RS, p on WS) on larger needles.

9-st Cable Pattern = 2¼" (5.75 cm).

BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATIONS

C4B Place k st and 2 p sts onto cn and hold in back, k next st, place the 2 p sts back onto left needle, make sure cn with the k st is in front of and to the left of the 2 p sts before you p the 2 p sts, k st off cn.

C4F Place k st onto cn and hold in front, place next 2 p sts onto another cn and hold in back, k next k st, p the 2 p sts off back cn, k st off front cn.

C3B Place k st and p st onto cn and hold in back, k next st, place the p st back onto left needle, make sure cn with the k st is in front of and to the left of the p st before you p the p st, k st off cn.

ssk (slip, slip, knit) Slip the next 2 sts as if to knit, one at a time, to the right needle; insert the left needle into the fronts of these 2 sts and k them tog.

CABLE PATTERN (worked over 9 sts)

Row 1 (RS) K 1, p 2, k 1, p 1, k 1, p 2, k 1. **Row 2 and all WS rows** P1, k 2, p 1, k 1, p 1, k 2, p 1. **Row 3** C4B, p 1, C4F.

Row 5 Rep Row 1. **Row 7** K 1, p 2, C3B, p 2, k 1. Rep Rows 1-8 for pattern.

SHELL

BACK

Cast on 41 (45, 49, 53) sts. **Begin Rib as follows (RS)** K 1 (3, 1, 3), * p 2, k 2; rep from * until 15 (17, 19, 21) sts have been worked, k 1, place marker (pm), work Cable Pattern over next 9 sts, pm, k 1, rep from *, end k 1 (3, 1, 3).

On subsequent rows Knit the k sts and purl the p sts of 2 x 2 rib keeping Cable Pattern over center marked 9 sts. Work until Rib measures 3", end ready to work a WS row.

Next Row (WS) Work St st to marker, cont Cable Pattern over center marked 9 sts, work St st to end. Continue in this manner and **inc on each end on next RS row** [after first 2

and before last 2 sts], then every 8th row 3 more times. Work even on 49 (53, 57, 61) sts until piece measures 12" total, end ready to work a RS row.


Shape Armholes Keeping to pattern, bind off 4 sts beg next 2 rows – 41 (45, 49, 53) sts. **On next RS row** Dec 1 st from each end fully fashioned as follows: k 2, k2tog, work to within last 4 sts, ssk, k last 2 sts. Rep dec row on next 2 (3, 4, 5) RS rows. Work even on 35 (37, 39, 41) sts, slipping the first st of every row to form smooth chain-edge, until armholes measure 5½ (6, 6½, 7)", end ready to work a WS row.

Shape Neck Cont to slip first sts at armhole edges only and p across first 8 (8, 9, 9) sts, bind off center 19 (21, 21, 23) sts, p remaining sts. Attach another ball of yarn to other side and working both shoulders separately at same time, **dec at neck edge fully fashioned on next RS row as follows** Work to within last 4 sts at end of first shoulder, k2tog, k last 2 sts; at beg of next shoulder, k 2, ssk, k to end. Work even on 7 (7, 8, 8) sts each shoulder until armholes measure 6½ (7, 7½, 8)", bind off.

FRONT

Work same as for Back until armholes measure 4¼ (4¾, 5¼, 5¾)", end ready to work a WS row.

Shape Neck Purl across first 9 (10, 11, 12) sts, bind off center 17 sts, purl remaining sts. Attach another ball of yarn to other side and working both shoulders separately at same time, bind off 0 (2, 2, 3) sts at each neck edge over next 0 (2, 2, 2) rows. **On next RS row** Dec at neck edge fully fashioned as follows: work to within last 4 sts at end of first



shoulder, k2tog, k last 2 sts; at beg of next shoulder, k 2, ssk, k to end. Rep dec row on next 1 (0, 0, 0) RS row. Work even on 7 (7, 8, 8) sts each shoulder until armholes measure 6½ (7, 7½, 8)", bind off.

FINISHING

Block pieces. Sew shoulder seams. Sew side seams.

Mock Turtleneck With RS facing and smaller circular needles, beg at right shoulder seam. Pick up and k 7 (8, 8, 9) sts to Cable Pattern, 9 sts of Cable Pattern, 7 (8, 8, 9) sts to other shoulder seam for 23 (25, 25, 27) sts evenly across Back neck, pick up and k 13 (14, 14, 15) sts to Cable Pattern, 9

"FAMOUS FOR QUALITY SINCE 1878"

LION BRAND® YARNS

34 W. 15th St., NY, NY 10011 1-212-243-8995 www.lionbrand.com

CABLED TWIN SET/continued

sts of Cable Pattern, 13 (14, 14, 15) sts to beg for 35 (37, 37, 39) sts evenly across Front neck – 58 (62, 62, 66) sts total. Mark beg/end of rounds with stitch marker.

Working in the round with RS always facing, p2-k2-p2-k1 (k2-p2-k2-p2, k2-p2-k2-p2, k2-p2-k2-p2-k1) to Cable Pattern, continue Cable Pattern, * k 1 (0, 0, 1), [p 2, k 2] to Cable Pattern ending with k1 (p2, p2, k1), continue Cable Pattern; rep from * to end. Continue in 2 x 2 rib with Cable Patterns and work until piece measures 3", bind off loosely.

CARDIGAN**BACK**

Cast on 58 (62, 66, 70) sts. **Begin Rib as follows (RS)** K 1 (1, 3, 1), * p 2, k 2; rep from * until 7 (7, 9, 11) sts have been worked, k 1, place marker (pm), work Cable Pattern over next 9 sts, pm, k 1, rep from * until 41 (45, 47, 49) sts total have been worked, k 1, pm, work Cable Pattern over next 9 sts, pm, k 1, rep from *, end k 1 (1, 3, 1). **On subsequent rows** K the k sts and p the p sts of 2 x 2 rib while working Cable Pattern over marked sts. Work until Rib measures 3". * Work St st to marker, cont Cable Pattern over next marked 9 sts; rep from * once, work St st to end. Continue in this way until piece measures 13½" total, end ready to work a RS row.

Shape Armholes Bind off 2 (2, 4, 4) sts beg next 2 rows – 54 (58, 58, 62) sts. **On next RS row** Dec 1 st from each end as follows: k 2, k2tog, k to within last 4 sts, ssk, k last 2 sts – 52 (56, 56, 60) sts. Rep dec row on next 1 (2, 2, 3) RS rows. Work even on 50 (52, 52, 54) sts until armholes measure 8 (8½, 9, 9½)", end ready to work a WS row.

Shape Back Neck P across first 17 sts, bind off center 16 (18, 18, 20) sts, p remaining sts. Attach another ball of yarn to other side and working both shoulders separately at same time, dec 1 st at each neck edge on next 2 RS rows.

Shape Shoulders AT SAME TIME, beg next RS row after binding off center sts, bind off 5 sts from each shoulder edge or at beg next 4 rows, bind off rem 5 sts.

LEFT FRONT

Cast on 19 (20, 22, 23) sts. **Begin Rib as follows (RS)** K 1 (1, 3, 1), * p 2, k 2; rep from * until 7 (7, 9, 11) sts have been worked, k 1, pm, work Cable Pattern over next 9 sts, pm, end k 2 (3, 3, 2). **On subsequent rows** K the k sts and p the p sts of 2 x 2 rib while working Cable Pattern over center marked 9 sts. Work until Rib measures 3". * Work St st to marker, cont Cable Pattern over marked 9 sts, work St st to end. Continue in this way until piece measures 13½" total, end ready to work a RS row.

Shape Armholes Bind off 2 (2, 4, 4) sts beg next row – 17 (18, 18, 19) sts. **On next RS row** Dec 1 st from armhole edge fully fashioned as before – 16 (17, 17, 18) sts. Rep dec row on next 1 (2, 2, 3) RS rows. Work even on 15 sts until armholes measure 8 (8½, 9, 9½)", end ready for a RS row.

Shape Shoulder Bind off 5 sts at beg RS rows twice, bind off rem 15 sts.

RIGHT FRONT

Work as for Left Front, reversing shaping as follows: end ready for a WS row before shaping Armholes, beg Armhole bind off at beg of WS row, end ready to work a WS row before shaping shoulder, beg shoulder shaping on WS rows.

SLEEVES

Cast on 27 (29, 31, 33) sts. **Begin Rib as follows (RS)** K 1 (2, 3, 1), * p 2, k 2; rep from * until 7 (8, 9, 11) sts have been worked, k 2 (2, 2, 1), pm, work Cable Pattern over next 9 sts, pm, k 2 (2, 2, 1), rep from *, end k 1 (2, 3, 1).


On subsequent rows Knit the k sts and purl the p sts of 2 x 2 rib while keeping Cable Pattern over center marked 9 sts. Work until Rib measures 2", end ready to work a WS row. **Next Row (WS)** Work St st to marker, cont Cable Pattern over center marked 9 sts, work St st to end. Continue in this manner and inc on each end on next RS row fully-fashioned [after first 2 and before last 2 sts], then every 4th row 5 (6, 7, 8) more times, then every 6th row 5 (4, 3, 2) times. Work even on 49 (51, 53, 55) sts until piece measures 19 (18½, 18, 17½)" total, end ready to work a RS row.

Shape Cap Bind off 2 (2, 4, 4) sts beg next 2 rows – 45 (47, 45, 47) sts. **On next RS row** Dec 1 st from each end as follows: k2, k2tog, k to within last 4 sts, ssk, k last 2 sts – 43 (45, 43, 45) sts. Rep dec row on next 1 (2, 2, 3) RS rows. Work WS row on 41 (41, 39, 39) sts, bind off on next row.

FINISHING

Block pieces. Sew shoulder seams. Set in sleeves. Sew side and sleeve seams.

Front Trim With RS facing and longer circular needles, beg at bottom center edge of Right Front. Pick up and k 65 (66, 68, 69) sts evenly spaced to top of Shoulder, 20 (22, 22, 24) sts evenly across Back Neck, and k 65 (66, 68, 69) sts evenly spaced from top of Shoulder to bottom center edge of Left Front – 150 (154, 158, 162) sts. Turn, do not join work in circle but work back and forth on circular needle. [Use circular needle to accommodate a large number of sts.] **Next Row (WS)** Slip first st as if to p, p 1, [k 2, p 2] to end. **Next Row (RS)** Slip first st as if to k, k 1, [p 2, k 2] to end. Rep last 2 rows for 2", bind off.

**ABBREVIATIONS**

beg = begin(ning)
cont = continu(e)(ing)
dec = decreas(e)(s)(ing)
inc = increas(e)(s)(ing)
k = knit
p = purl

rem = remain(s)(ing)
rep = repeat(s)(ing)
RS = right side
st(s) = stitch(es)
St st = stockinette stitch
tog = together
WS = wrong side

Kool Wool (Article #380) comes in 1¼ oz/60 yd balls

Every effort has been made to have instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.



"FAMOUS FOR QUALITY SINCE 1878"

LION BRAND® YARNS

34 W. 15th St., NY, NY 10011 1-212-243-8995 www.lionbrand.com