



Free Knitting Pattern
Lion Brand® Wool-Ease® Thick & Quick®
Family of Cabled Sweaters
Pattern Number: 50328



Free Knitting Pattern from Lion Brand Yarn

Lion Brand® Wool-Ease® Thick & Quick® Family of Cabled Sweaters

Pattern Number: 50328

SKILL LEVEL: Beginner + (Level 2)

SIZE: Child 4, Child 7-8, Child 13-14, XS, Small, Medium, Large, 1X, 2X

Finished Chest

22½ (27½, 33, 37½, 43, 46, 49½, 53, 56½)" [57 (70, 84, 95.5, 109, 117, 125.5, 134.5, 143.5) cm]

Length

14 (15¼, 21½, 24¾, 25½, 27¾, 28¾, 29¾, 30¼)" [35.5 (38.5, 54.5, 63, 65, 70.5, 73, 75.5, 77) cm]

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: None as of Jul 14, 2014. To check for later updates, click [here](#).

MATERIALS

- 640-133 [Lion Brand Wool-Ease Thick & Quick Yarn: Pumpkin](#)
3 (3, 4, 6, 8, 10, 10, 12, 14) Balls
- [Lion Brand Knitting Needles- Size 13 \[9 mm\]](#)
- [Lion Brand Knitting Needles Size 11 \[8 mm\]](#)
- [Lion Brand Size 13 \[9 mm\] 29-inch \[75 cm\] Circular Knitting Needles](#)
- [Lion Brand Size 11 \[8 mm\] 29-inch \[75 cm\] Circular Knitting Needles](#)
- [Lion Brand Cable Needles \(Set of 2\)](#)
- [Lion Brand Split Ring Stitch Markers](#)
- [Lion Brand Large-Eye Blunt Needles \(Set of 6\)](#)

**Wool-Ease Thick & Quick (Article #640).
Solids, Heathers, Twists: 80% Acrylic, 20% Wool
Wheat & Wood: 86% Acrylic; 10% Wool; 4% Rayon
Oatmeal & Barley & Grey Marble: 82% Acrylic; 10% Wool; 8% Rayon
Metallics: 79% Acrylic, 20% Wool, 1% Metallic Poly; package size: Solids, Heathers, Twists, Tweeds: 6 oz./170g (106 yd/97 m)
Prints, Stripes: 5 oz./140g (87 yd/80 m)
Metallics: 5 oz./140g (92 yd/84 m)*



GAUGE:

- 9 sts + 12 rows = 4 inches [10 cm] in St st (k on RS, p on WS) on larger needles.
- 6 sts = 2½" [6.5 cm] over Chart A or Chart C on larger needles.
- 9 sts = 2¾" [7 cm] over Chart B on larger needles.

When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for

in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

Making a Gauge Swatch

STITCH EXPLANATION:

Chart A (multiple of 6 sts)

Row 1 (RS) RC, p3.

Rows 2-4 K 3, p3.

Repeat Rows 1-4 for Chart A.

Chart B (multiple of 9 sts)

Row 1 (RS) 3/3LC, k3.

Rows 2, 4, and 6 Purl.

Rows 3 and 7 Knit.

Row 5 K 3, 3/3RC.

Row 8 Purl.

Repeat Rows 1-8 for Chart B.

Chart C (multiple of 6 sts)

Row 1 (RS) P3, LC.

Rows 2-4 P3, k3.

Repeat Rows 1-4 for Chart C.

SPECIAL TERMS:

RC (1 over 2 right cross) Slip 2 sts to cable needle and hold in back, k 1, k 2 from cable needle.

LC (1 over 2 left cross) Slip 1 st to cable needle and hold in front, k 2, k 1 from cable needle.

3/3RC (3 over 3 right cross) Slip 3 sts to cable needle and hold in back, k 3, k 3 from cable needle.

3/3LC (3 over 3 left cross) Slip 3 sts to cable needle and hold in front, k 3, k 3 from cable needle.


NOTES:


Work all increases and decreases 1 st in from edge, unless otherwise noted.


CHART LEGEND


□ K on RS, P on WS

■ P on RS, K on WS


 **1/2RC (1 over 2 right cross)** Slip 2 sts to cable needle and hold in back, k1, k2 from cable needle.

 **1/2LC (1 over 2 left cross)** Slip 1 st to cable needle and hold in front, k 2, k 1 from cable needle.


 **3/3RC (3 over 3 right cross)** Slip 3 sts to cable needle and hold in back, k 3, k 3 from cable needle.

 **3/3LC (3 over 3 left cross)** Slip 3 sts to cable needle and hold in front, k 3, k 3 from cable needle.


CABLE A



CABLE B



CABLE C



SWEATER BACK


With smaller needles, cast on 27 (33, 39, 45, 51, 57, 57, 63, 69) sts. Work in K3, P3 Rib for 3 (3, 5, 7, 7, 7, 9, 9, 11) rows, ending with a WS row, and inc 2 (2, 2, 2, 2, 0, 4, 2, 0) sts on last row – 29 (35, 41, 47, 53, 57, 61, 65, 69) sts. Change to larger needles.

Set-Up Body Patterns (RS)

Beg with Row 1 of charts, work 4 (7, 10, 7, 10, 6, 8, 10, 12) sts in Reverse St st (p on RS, k on WS), pm; 6 sts of Chart A 1 (1, 1, 2, 2, 3, 3, 3, 3) times, pm; 9 sts of Chart B, pm; 6 sts of Chart C 1 (1, 1, 2, 2, 3, 3, 3, 3) times, pm; remaining 4 (7, 10, 7, 10, 6, 8, 10, 12) sts in Reverse St st.

Continue in pattern as established until piece measures 8 (8½, 12, 14, 14¾, 15¾, 16¾, 17, 17½)" [20.5 (21.5, 30.5, 35.5, 37.5, 40, 42.5, 43, 44.5) cm] from beg, ending with a WS row.

Shape Raglan Armholes



Bind off 2 (2, 2, 3, 3, 3, 4, 4, 5) sts at beg of next 2 rows – 25 (31, 37, 41, 47, 51, 53, 57, 59) sts.

Dec Row (RS)

K 2, ssk, work in pattern to last 4 sts, k2tog, k 2.

(Work all WS rows as k 1, p 2, work in pattern to last 3 sts, p 2, k 1.)

Work Dec Row every other row a total of 6 (9, 9, 11, 13, 15, 15, 16, 18) times, then every 4th row 1 (0, 2, 2, 1, 1, 1, 1, 0) times – 11 (13, 15, 15, 19, 19, 21, 23, 23) sts remain. Work even until armhole measures 6 (6¾, 9½, 10¾, 10¾, 12, 12, 12¾, 12¾)" [15 (17, 24, 27.5, 27.5, 30.5, 30.5, 32.5, 32.5) cm]. Bind off all sts.

FRONT

Work as for Back until armhole measures 1½ (1½, 1½, 2½, 2½, 2½, 2½, 2½, 2½)" [4 (4, 4, 6.5, 6.5, 6.5, 6.5, 6.5, 6.5) cm] less than Back armhole, ending with a WS row. Mark center 5 (5, 7, 7, 11, 11, 11, 13, 13) sts for front neck. Continue to shape armhole as for Back and, AT SAME TIME, work in pattern to center marked sts, join 2nd ball of yarn, bind off center 5 (5, 7, 7, 11, 11, 11, 13, 13) sts for front neck, work in pattern to end.

Shape Front Neck

Working both sides at same time, bind off 2 sts at each neck edge once, then 1 (2, 2, 2, 2, 2, 3, 3, 3) sts at each neck edge once. Continue to shape armhole until no sts remain.

SLEEVES

With smaller needles, cast on 15 (17, 19, 21, 23, 23, 27, 27, 27) sts.

Set-Up Ribbing

P 0 (1, 2, 0, 1, 1, 0, 0, 0); work in K3, P3 Rib across row, ending p 0 (1, 2, 0, 1, 1, 0, 0, 0). Work in rib as established for 3 (5, 5, 7, 7, 9, 9, 9, 11) rows, ending with a WS row. Change to larger needles, and inc 0 (0, 0, 0, 0, 0, 0, 0, 1) st at each end – 15 (17, 19, 21, 23, 23, 27, 27, 29) sts.


Set-Up Body Patterns (RS)

Beg with Row 1 of chart, work 3 (4, 5, 6, 7, 7, 9, 9, 10) sts in Reverse St st, pm; 9 sts of Chart B, pm; remaining 3 (4, 5, 6, 7, 7, 9, 9, 10) sts in Reverse St st. Continue in pattern as established, inc 1 st at each end every other row 4 (5, 3, 0, 0, 1, 0, 1, 2) times, then every 4th row 0 (0, 4, 11, 9, 12, 12, 12, 12) times, then every 6th row 0 (0, 0, 0, 2, 0, 0, 0, 0) working all new sts in Reverse St st – 23 (27, 33, 43, 45, 49, 51, 53, 57) sts. Work even in pattern until piece measures 10½ (11½, 14½, 17½, 18½, 19½, 20, 20, 21½)" [26.5 (29, 37, 44.5, 47, 49.5, 51, 51, 54.5) cm] from beg, ending with a WS row.

Shape Raglan Armhole

Bind off 2 (2, 2, 3, 3, 3, 4, 4, 5) sts at beg of next 2 rows – 19 (23, 29, 37, 39, 43, 43, 45, 47) sts.

Dec Row (RS) K 2, ssk, work in pattern to last 4 sts, k2tog, k 2.



(Work all WS rows as k 1, p 2, work in pattern to last 3 sts, p 2, k 1.)

Work Dec Row every other row a total of 6 (9, 9, 11, 13, 15, 15, 16, 18) times, then every 4th row 1 (0, 2, 2, 1, 1, 1, 1, 0) times – 5 (5, 7, 11, 11, 11, 11, 11, 11) sts remain. Work even until armhole measures 6 (6¾, 9½, 10¾, 10¾, 12, 12, 12¾, 12¾)" [15 (17, 24, 27.5, 27.5, 30.5, 30.5, 32.5, 32.5) cm]. Bind off all sts.

NECKBAND

Sew Sleeves to Body along raglan shaping. With smaller circular needle, pick up and knit 36 (36, 42, 48, 54, 54, 60, 66, 66) sts evenly spaced around neck. Place marker and join for working in the round. Work in K3, P3 Rib for 1½ (1½, 2, 2½, 2½, 2½, 2½, 2½, 2½)" [4 (4, 5, 6.5, 6.5, 6.5, 6.5, 6.5, 6.5) cm].

Change to larger circular needles and continue in pattern as established for 2 (2, 2½, 3, 3, 3, 3, 3, 3)" [5 (5, 6.5, 7.5, 7.5, 7.5, 7.5, 7.5, 7.5) cm]. Bind off all sts in pattern.

FINISHING

Sew side and Sleeve seams. Turn back neck for turtleneck. Weave in ends.

ABBREVIATIONS / REFERENCES Click for explanation and illustration	
<u>beg = begin(s)(ning)</u>	<u>dec = decreas(e)(s)(ing)</u>
<u>inc = increas(e)(s)(ing)</u>	<u>k = knit</u>
<u>k2tog = knit 2 together</u>	<u>p = purl</u>
<u>Pm = place marker</u>	<u>RS = right side</u>
<u>ssk = slip, slip, knit</u>	<u>St st = Stockinette stitch</u>
<u>st(s) = stitch(es)</u>	<u>tog = together</u>
<u>WS = wrong side</u>	

Learn to knit instructions: <http://learnToKnit.LionBrand.com>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly.

34 West 15th Street, NY, NY 10011

Copyright ©1998-2013 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.