



Free Crochet Pattern
Lion Brand® Vanna's Tapestry
Crochet Poncho Pullover
Pattern Number: L40257



Designed by Vladimir Teriokhin.

Free Crochet Pattern from Lion Brand Yarn

Lion Brand® Vanna's Tapestry

Crochet Poncho Pullover

Pattern Number: L40257

SKILL LEVEL: Experienced (Level 5)

SIZE: Adult (Multiple Sizes)

S/M (L/1X, 2X/3X)

Finished Waist 80 (92, 104) in. (203 (233.5, 264) cm)

Finished Length at Back 32 in. (81.5 cm)

Finished Length at Front 30 1/2 in. (77.5 cm)

CORRECTIONS: None as of Sep 27, 2014. To check for later updates, click [here](#).

MATERIALS

- 864-201 Lion Brand Vanna's Tapestry: Brazil
14 16, 18 Balls **Vanna's Tapestry (Article #864). 100% acrylic; package size: 3.00oz/85.00 gr. (145yds/133m) pull skeins*
- Lion Brand Crochet Hook - Size J-10 (6 mm)
- Lion Brand Crochet Hook - Size I-9
- Lion Brand Split Ring Stitch Markers
- Lion Brand Large-Eye Blunt Needles (Set of 6)



GAUGE:

5 V-sts + 8 rows = 4 in. (10 cm) over Rows 1-3 using larger hook.

When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

Making a Gauge Swatch

STITCH EXPLANATION:

BPHDC (Back Post half double crochet) Yo, insert hook from back to front then to back again, going around post of indicated st, draw up a loop, yo and draw through all loops on hook. Skip st behind the BPHDC.


FP HDC (Front Post half double crochet) Yo, insert hook from front to back then to front, going around post of indicated st, draw up a loop, yo and draw through all loops on hook. Skip st behind the FP HDC.

hdc3tog (hdc 3 sts together) (Yarn over, insert hook in next st and draw up a loop) 3 times, yarn over and draw through all 7 loops – 2 sts decreased.

V-st (Dc, ch 1, dc) in indicated st.

NOTES:

1. Left Back is worked from lower edge up, then Right Back is worked sideways from sts picked up along Left Back.
2. Left Front is worked from lower edge up, then Right Front is worked sideways from sts picked up along Left Front.
3. Neckband, cuffs and lower border are worked from sts picked up from Pullover.
4. Parts of the pattern involve working multiple shapings AT THE SAME TIME. We suggest that you read carefully through the pattern before beginning to be sure you are comfortable.
5. End with a WS row means that the last row you work should be a WS row, and the next row that you are ready to work will be a RS row.
6. When you see "- 12 sts". in the instructions, this lets you know how many sts you will have at the end of that specific row.



BACK

Left Back

With larger hook, ch 53 (61, 69).

Row 1 (WS): V-st in 5th ch from hook (beg ch counts as first dc), sk next ch, *V-st in next ch, sk next ch; rep from * to last ch, dc in last ch – you will have 50 (58, 66) dc; 24 (28, 32) V-sts with 1 dc at each end at the end of this row.

Row 2: Ch 3 (counts as first dc in this row and in all following rows), turn, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st.

Row 3: Rep Row 2.

Shape Side

Inc Row 4 (RS): Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last st, (V-st and dc) in last st – 52 (60, 68) dc; 25 (29, 33) V-sts with 1 dc at each end.

Rows 5 and 6: Rep Row 2.

Inc Row 7 (WS): Ch, turn, V-st in same sp, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st – 54 (62, 70) dc; 26 (30, 34) V-sts with 1 dc at each end.

Rows 8-13: Rep Rows 2-7 – 58 (66, 74) dc; 28 (32, 36) V-sts with 1 dc at each end on last row worked.

Rows 14-16: Rep Row 2.

Row 17: Rep Inc Row 7 – 60 (68, 76) dc; 29 (33, 37) V-sts with 1 dc at each end.

Rows 18-21: Rep Rows 14-17.

At the end of Row 21, you will have 62 (70, 78) dc; 30 (34, 38) V-sts with 1 dc at beg and end of row.

Rep Row 2 until piece measures 12 in. (30.5 cm) from beg, end with a WS row as the last row you work.

Place a marker at shaped side edge of last row for beg of sleeve.

Rep Row 2 until piece measures 18 in. (45.5 cm) from beg, end with a RS row as the last row you work.

Place a marker at shaped side edge of last row for end of sleeve.

Shape Shoulder

Dec Row 1 (WS): Ch 1, turn, sc in first st, sc in ch-1 sp of next 2 V-sts, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last dc – 57 (65, 73) dc; 28 (32, 36) V-sts with 1 dc at straight (center) edge.

Dec Row 2 (RS): Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last 2 V-sts, sc in next V-st, leave rem sts unworked – 53 (61, 69) dc; 26 (30, 34) V-sts with 1 dc at straight (center) edge.

Rep last 2 rows 2 (4, 6) times – 37 (29, 21) dc; 18 (14, 10) V-sts with 1 dc at straight (center) edge on last row worked.

Dec Row 3 (WS): Ch 1, turn, sc in first st, sc in ch-1 sp of next V-st, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last dc – 35 (27, 19) dc rem; 17 (13, 9) V-sts with 1 dc at straight (center) edge.

Dec Row 4 (RS): Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last V-st, sc in next V-st, leave rem sts unworked – 33 (25, 17) dc; 16 (12, 8) V-sts with 1 dc at straight (center) edge.

Rep last 2 rows 6 (4, 2) times – 9 dc; 4 V-sts with 1 dc at straight (center) edge on last row worked. Fasten off.

Place marker at sloped edge of last row for neck edge.

Right Back

Row 1 (RS): From RS, join yarn with sl st at lower edge of Left Back, ch 1, work 72 sc evenly spaced along straight edge to neck edge.

Row 2: Ch 3, turn, V-st in next sc, *sk next sc, V-st in next sc; rep from * to last sc, dc in last sc – 72 dc; 35 V-sts with 1 dc at each end.

Row 3: Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st.

Rows 4-6: Rep Row 3.

Place marker at beg of last row for neck edge.

Shape Shoulder

Dec Row 5 (RS): Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last V-st, sc in next V-st, leave rem sts unworked – 69 dc; 34 V-sts with 1 dc at straight (lower) edge.

Next 3 Rows: Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st.

Rep last 4 rows 5 more times – 60 dc; 29 V-sts with 1 dc at each edge on last row worked.

Note: Shoulder shaping continues and AT THE SAME TIME, side shaping begins when piece measures 20 (23, 26) in. (51 (58.5, 99) cm) from pick up row. Read ahead through pattern before beginning to familiarize yourself with the instructions.


Dec 1 V-st at shoulder edge every 3rd (4th, 5th) row 6 times, working decs on RS or WS rows at shoulder edge as for Dec Row 3 and 4 of Left Back, AT THE SAME TIME, when piece measures 20 (23, 26) in. (51 (58.5, 66) cm) from pick-up row, end with a WS row as the last row you work.

Shape Side

Dec Row 9 (RS): Ch 1, turn, sc in first st, sc in each dc and ch-1 sp of next 3 V-sts, work in pattern as established to end of row, continuing to work shoulder shaping as established.

Rep Dec Row 9 every RS row 4 more times – 8 V-sts rem when all decreases have been completed.

Work until piece measures 25 (28, 31) in. (63.5 (71, 79) cm) from pick-up row, Fasten off.



FRONT

Left Front

With larger hook, ch 53 (61, 69).

Row 1 (WS): V-st in 5th ch from hook (beg ch counts as first dc), sk next ch, *V-st in next ch, sk next ch; rep from * to last ch, dc in last ch – 50 (58, 66) dc; 24 (28, 32) V-sts with 1 dc at each end at the end of this row.

Row 2: Ch 3 (counts as first dc in this row and in all following rows), turn, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st.

Row 3: Rep Row 2.

Shape Side

Inc Row 4 (RS): Ch 3, turn, V-st in same sp, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st – 52 (60, 68) dc; 25 (29, 33) V-sts with 1 dc at each end.

Rows 5 and 6: Rep Row 2.

Inc Row 7 (WS): Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last st, (V-st and dc) in last st – 54 (62, 70) dc; 26 (30, 34) V-sts with 1 dc at each end.

Rows 8-13: Rep Rows 2-7 – 58 (66, 74) dc; 28 (32, 36) V-sts with 1 dc at each end on last row worked.

Rows 14-16: Rep Row 2.

Row 17: Rep Inc Row 7 – 60 (68, 76) dc; 29 (33, 37) V-sts with 1 dc at each end.

Rows 18-21: Rep rows 14-17 – 62 (70, 78) dc; 30 (34, 38) V-sts with 1 dc at each end at the end of Row 21.

Rep Row 2 until piece measures 12 in. (30.5 cm) from beg, end with a WS row as the last row you work.

Place marker at shaped side edge for beg of sleeve.

Rep Row 2 until piece measures 18 in. (45.5 cm) from beg, end with WS row as last row worked.

Place marker at shaped side edge for end of sleeve.

Shape Neck and Shoulder

Dec Row 1 (RS): Ch 1, turn, sc in first st, sc in ch-1 sp of next 2 V-sts, *V-st in ch-1 sp of next V-st; rep from * to last V-st, sc in ch-1 sp of last V-st, leave rem sts unworked – 54 (62, 70) dc; 27 (31, 35) V-sts.

Dec Row 2: Ch 3, turn, sc in next V-st, *V-st in ch-1 sp of next V-st; rep from * to last 2 V-sts, sc in ch-1 sp of next V-st, leave rem sts unworked – 48 (56, 64) dc; 24 (28, 32) V-sts with 1 dc at straight edge.

Rep Dec Rows 1-2 once more – 36 (44, 52) dc rem; 18 (22, 26) V-sts.

Dec Row 3: Ch 1, turn, sc in first st, sc in ch-1 sp in next 2 V-sts, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st – 33 (41, 49) dc; 16 (20, 24) V-sts and 1 dc at neck edge.

Dec Row 4: Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last 2 V-sts, sc in ch-1 sp of next V-st, leave rem sts unworked – 29 (37, 45) dc; 14 (18, 22) V-sts with 1 dc at neck edge.

Rep Dec Rows 3 and 4 for 0 (2, 4) more time(s) – 29 (21, 13) dc; 14 (10, 6) V-sts with 1 dc at neck edge when all decreases have been completed.

Dec Row 5: Ch 1, turn, sc in first st, sc in ch-1 sp of next V-st, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st – 27 (19, 11) dc; 13 (9, 5) V-sts with 1 dc at neck edge.

Dec Row 6: Ch 3 (counts as first dc), turn, *V-st in ch-1 sp of next V-st; rep from * to last V-st, sc in ch-1 sp of next V-st, leave rem sts unworked – 25 (17, 9) dc; 12 (8, 4) V-sts with 1 dc at neck edge.

Rep Dec Rows 5 and 6 for 6 (4, 2) more times – 13 (9, 5) dc; 6 (4, 2) V-sts with 1 dc at neck edge when all decreases have been completed.

Fasten off.

Right Front

Row 1 (RS): From RS, join yarn with sl st at neck edge of Left Front, work 49 sc evenly spaced along straight edge to lower corner.

Row 2: Ch 3, turn, *sk next sc, V-st in next sc; rep from * to last 2 sc, sk next sc, dc in last sc – 48 dc; 23 V-sts with 1 dc at each end.

Shape Neck

Row 3: Ch 10, turn, V-st in 5th ch from hook (beg ch counts as first dc), sk next ch, (V-st in next ch, sk next ch) twice, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st – 54 dc; 26 V-sts with 1 dc at each end.

Row 4: Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st.

Row 5: Ch 10, turn, V-st in 5th ch from hook (beg ch counts as first dc), sk next ch, (V-st in next ch, sk next ch) 2 times, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st – 60 dc; 29 V-sts with 1 dc at each end.

Row 6: Rep Row 4.

Row 7: Ch 16, turn, V-st in 5th ch from hook, sk next ch, (V-st in next ch, sk next ch) 5 times, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st – 72 dc; 35 V-sts with 1 dc at each end.

Shape Shoulder

Dec Row 5 (RS): Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last V-st, sc in ch-1 sp of next V-st, leave rem sts unworked – 69 dc; 34 V-sts with 1 dc at straight (lower) edge.

Next 3 Rows: Ch 3, turn, *V-st in ch-1 sp of next V-st; rep from * to last st, dc in last st.

Rep last 4 rows 5 more times – 60 dc; 29 V-sts with 1 dc at each edge on last row worked.

Note: Shoulder shaping continues and AT THE SAME TIME, side shaping begins when piece measures 20 (23, 26) in. (51 (58.5, 99) cm) from pick up row. Read ahead before beginning to familiarize yourself with the instructions.

Dec 1 V-st at shoulder edge every 3rd (4th, 5th) row 6 times, working decs on RS or WS rows at shoulder edge as for Dec Row 3 and 4 of Left Back, AT THE SAME TIME, when piece measures about 20 (23, 26) in. (51 (58.5, 66) cm) from pick-up row, end with WS row as the last row.

Shape Side

Dec Row 9 (RS): Ch 1, turn, sc in first st, sc in each dc and ch-1 sp of next 3 V-sts, work in pattern as established to end of row, continuing to work shoulder shaping as established.

Keeping shoulder shaping as established, rep Dec Row 9 every RS row 4 more times – 8 V-sts rem when all decreases have been completed.

Work until piece measures about 25 (28, 31) in. (63.5 (71, 79) cm) from pick-up row.

Fasten off.

FINISHING

Lower Border

Row 1 (RS): From RS, work 128 (148, 166) sc evenly spaced across lower edge of Backs.

Row 2: Ch 2 (counts as first hdc), hdc in next sc and in each sc across.

Row 3: Ch 2 (does not count as a st), turn, *FPHDC, BPHDC; rep from * across.

Rep Row 3 until border measures about 4 in. (10 cm).

Fasten off.

Rep across lower edge of Front until border measures about 2 1/2 in. (6.5 cm).

Fasten off.

Sew one shoulder seam.

Neckband

Row 1 (RS): From RS with smaller hook, join yarn with sl st at neck edge of unsewn shoulder, work 119 sc evenly spaced around neck edge.

Place marker around center st at base of V-neck.

Row 2: Ch 2 (counts as first hdc), hdc in next sc and in each sc to 1 st before center marked st, remove marker, hdc3tog, replace marker around this st, hdc in each st to end of row.

Row 3: Ch 2, (does not count as a st), turn, *FPHDC, BPHDC; rep from * to 1 st before center marked st, remove marker, hdc3tog, replace marker around this st, *BPHDC, FPHDC; rep from * to end of row.

Row 4: Ch 2 (does not count as a st), turn, *BPHDC, FPHDC; rep from * to 1 st before center marked st, remove marker, hdc3tog, replace marker around this st, *FPHDC, BPHDC; rep from * to end of row.

Rep Rows 3 and 4 until Rib measures about 1 in. (2.5 cm).

Fasten off.

Sew shoulder including neckband.

Sleeve Cuff

Row 1 (RS): From RS with smaller hook, work 44 sc evenly spaced between sleeve markers.

Row 2: Ch 2 (counts as first hdc), hdc in next st and in each st across.

Row 3: Ch 2 (does not count as a st), turn, *FPHDC, BPHDC; rep from * to last st, hdc in last st.

Rep Row 3 until cuff measures about 5 in. (12.5 cm).

Fasten off.

Rep for other cuff.

Sew side seams, leaving lower border of Front and Back unsewn.

Weave in ends.

| ABBREVIATIONS / REFERENCES | |
|--------------------------------------------------|-------------------------------------------|
| Click for explanation and illustration | |
| beg = begin(s)(ning) | ch(s) = chain(s) |
| ch-space = space previously made | dc = double crochet |
| dec = decreas(e)(s)(ing) | hdc = half double crochet |
| inc = increas(e)(s)(ing) | rem = remain(s)(ing) |
| rep = repeat(s)(ing) | RS = right side |
| sc = single crochet | sk = skip |
| sl st = slip stitch | st(s) = stitch(es) |
| tog = together | WS = wrong side |
| yo = yarn over | |

Learn to crochet instructions: <http://learnToCrochet.LionBrand.com>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly.

34 West 15th Street, NY, NY 10011