

Free Knitting Pattern Lion Brand® Heartland® Essential Fall Pullover

Pattern Number: L40025



Designed by Mari Lynn Patrick.

Free Knitting Pattern from Lion Brand Yarn Lion Brand® Heartland® Essential Fall Pullover

Pattern Number: L40025

SKILL LEVEL: Intermediate (Level 3)

SIZE: Small, Medium, Large, 1X, 2X, 3X

Finished Bust 38 (42, 46, 50, 54, 58) in. (96.5 (106.5, 117, 127, 137, 147.5) cm)

Finished Length 25 1/2 (26, 26 1/2, 27 1/2, 28, 28 1/2) in. (65 (66, 67.5, 69, 71, 72.5) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: (applied May 6, 2015)

LEFT SLEEVE

With smaller straight needles and C, cast on 43 (45, 49, 53, 57, 61 **59, 65**) sts.

...

Next Row (RS): K14 (16, 17, 18, 19, 20), M1, k15 (15, 15, 17, 19, 21 **21, 25**), M1, k to end of row - 45 (47, 51, 57, 63, 69 **55, 61, 67**) sts.

Purl one row.

Next Row: K1, M1, k to last st, M1, k1.

Work in St st for 9 rows.

Next Row: K1, M1, k to last st, M1, k1.

Rep last 10 rows 7 (8, 8, 9, 9, 9) **5 (6, 6, 8, 8, 8)** times more - 59 (63, 67, 75, 81, 87) sts.

FINISHING

Note: When you sew the Side Panel to the Front and Back you'll be sewing the 19" (48.5 cm) edge of the Side Panel to the edge of the Front/Back shown on the schematic as measuring 18 1/2" (47 cm). But, if you lay your pieces out flat, you'll see that the Front/Back edge that you're sewing the Side Panel to is actually longer than 18 1/2" (47 cm) along the diagonal, so the pieces will fit together!

MATERIALS

• 136-369 <u>Lion Brand Heartland Yarn:</u> <u>Shenandoah Tweed</u>

3 3, 3, 4, 4, 5 Balls (A)

• 136-350 <u>Lion Brand Heartland Yarn: Mount Rainier Tweed</u>

1 1, 2, 2, 2, 3 Ball (B)

• 136-353 <u>Lion Brand Heartland Yarn: Black</u> <u>Canyon Tweed</u>

2 2, 2, 3, 3, 3 Balls (C)

- <u>Lion Brand Knitting Needles- Size 5 [3.75 mm]</u>
- <u>Lion Brand Knitting Needles Size 7 [4.5 mm]</u>
- Boye Aluminum Circular Knitting Needles 16 inches Size 5
- Lion Brand Split Ring Stitch Markers
- Lion Brand Large-Eye Blunt Needles (Set of 6)

*Heartland (Article #136). **Solids:** 100% Acrylic **Tweeds:** 94% Acrylic, 6% Rayon; package size: **Solids:** 5oz/142g (251yd/230m)

Tweeds: 40z/113g (200yd/183m)



GAUGE:

18 sts + 24 rows = 4 in. (10 cm) in St st (k on RS, p on WS) with larger needles.

When you match the <u>gauge</u> in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

Making a Gauge Swatch

STITCH EXPLANATION:

kfb (knit in front and back) Knit next st without removing it from left needle, then k through back of same st – 1 st increased.

M1 (make 1) An increase worked by lifting the horizontal strand lying between needles and placing it onto left needle. Knit this new stitch through the back loop -1 st increased.

skp Slip 1 as if to knit, knit 1, pass slip stitch over knit stitch – 1 st decreased.

sk2p Slip 1 as if to knit, knit 2 together, pass slipped stitch over – 2 sts decreased.

PATTERN STITCHES

K1, p1 Rib (worked over an odd number of sts)

Row 1: K1, *p1, k1; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K1, p1 rib worked over an odd number of sts.

K1, p1 Rib (worked over an even number of sts)

Row 1: *K1, p1; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K1, p1 rib worked over an even number of sts.

NOTES:

- 1. Pullover is worked in 6 pieces, Back, Front, 2 Side Panels and 2 Sleeves.
- 2. For sizes S and M, wind a second ball of B before beginning.
- 3. End with a WS row means that the last row you work should be a WS row, and the next row that you are ready to work will be a RS row.
- 4. When you see '- 12 sts' in the instructions, this lets you know how many sts you will have at the end of that specific row.

BACK

With smaller straight needles and A, cast on 55 (59, 63, 67, 71, 75) sts. Work in K1, p1 Rib until piece measures 2 1/2 in. (6.5 cm) from beg. Change to larger straight needles and, beginning with a RS (knit) row, work in St st (k on RS, p on WS) for 14 rows.

Inc Row (RS): K2, kfb, knit to last 4 sts, kfb, k3 – 57 (61, 65, 69, 73, 77) sts. Rep Inc Row every 16th row 4 more times – 65 (69, 73, 77, 81, 85) sts when all incs have been completed.

Work in St st until piece measures $18\ 1/2$ in. $(47\ cm)$ from beg, end with a WS row as the last row you work. Place marker (pm) on each side edge of last row worked.


Shape Raglan

Dec Row: K1, k2tog, knit to last 3 sts, skp, k1 – 63 (67, 71, 75, 79, 83) sts rem.

Next Row: Purl.

Rep last 2 rows until 23 sts rem.

Bind off.



FRONT


Work as for Back until 39 sts rem.

Shape Neck

Mark center 13 sts for neck.

Note: For the Front, you will be working the raglan shaping just as you did for the Back, but you will also work neck shaping AT THE SAME TIME. Read carefully through the next section of the instructions before beginning to be sure you understand what to do.

Next Row (RS): K1, k3tog, knit to center marked sts, join a 2nd ball of yarn and bind off center 13 sts, knit to last 4 sts, sk2p, k1 - 11 sts rem each side. Working both sides with separate balls of yarn, work in St st and continue to dec 2 sts at each side edge for raglan and AT THE SAME TIME, work neck shaping by binding off 3 sts from each neck edge once, then 2 sts once - 2 sts rem each side after all neck and raglan shaping has been completed. Bind off.



SIDE PANELS (Make 2)


With smaller straight needles and B, cast on 24 (28, 32, 36, 40, 46) sts. Work in K1, p1 Rib until piece measures 2 1/2 in. (6.5 cm) from beg. Change to larger straight needles and work in St st until piece measures 17 in. (43 cm) from beg, end with a WS row as the last row you work.

Shape Armhole

Mark center 10 (14, 18, 22, 26, 30) sts for armhole.

Row 1 (RS) Work to center marked sts, join a 2nd ball of yarn and bind off center 10 (14, 18, 22, 26, 30) sts, knit to end – 7 (7, 7, 7, 7, 8) sts rem on each side. Working both sides AT THE SAME TIME with separate balls of yarn, bind off 2 (2, 2, 2, 2, 3) sts from armhole edge once, then bind off 1 st from each armhole edge 4 times – 1 st rem on each side.

Fasten off last st.



LEFT SLEEVE

With smaller straight needles and C, cast on 43 (45, 49, 53, 59, 65) sts. Work in K1, p1 Rib until piece measures 2 1/2 in. (6.5 cm) from beg. Change to larger straight needles.

Next Row (RS): K14 (16, 17, 18, 19, 20), M1, k15 (15, 15, 17, 21, 25), M1, k to end of row – 45 (47, 51, 55, 61, 67) sts. Purl one row.

Next Row: K1, M1, k to last st, M1, k1.

Work in St st for 9 rows.

Next Row: K1, M1, k to last st, M1, k1.

Rep last 10 rows 5 (6, 6, 8, 8, 8) times more – 59 (63, 67, 75, 81, 87) sts. Continue even (without increasing or decreasing) in St st until piece measures 18 in. (45.5 cm) from beg, end with a WS row as the last row you work.

Shape Raglans

Bind off 5 (5, 5, 6, 6, 7) sts at beg of next 2 rows, then bind off 4 (4, 4, 5, 6, 6) sts at beg of next 2 rows – 41 (45, 49, 53, 57, 61) sts rem.

Dec Row (RS): K1, k2tog, knit to last 3 sts, skp, k1 – 39 (43, 47, 51, 55, 59) sts rem. Continue in St st and rep Dec Row every other row 1 (3, 5, 7, 9, 11) more times, then every 4th row 9 times, end with a Dec Row as the last row you work – 19 sts rem.

Shape Front Neck

Next Row (WS): Bind off 7 sts, purl to end - 12 sts rem.

Continue to dec 1 st at beg of RS row every 4th row twice more AT THE SAME TIME, bind off 2 sts from beg of next WS row 4 times.

Bind off rem 2 sts.

RIGHT SLEEVE


Work as for Left Sleeve until 19 sts rem, end with first WS row after Dec Row as the last row you work.

Shape Front Neck

Next Row (RS): Bind off 7 sts, knit to end of row - 12 sts rem.

Continue to dec 1 st at end of RS row every 4th row twice more AT THE SAME TIME, bind off 2 sts from beg of next RS row 4 times.

Bind off rem 2 sts.



FINISHING

Note: When you sew the Side Panel to the Front and Back you'll be sewing the 19" (48.5 cm) edge of the Side Panel to the edge of the Front/Back shown on the schematic as measuring 18 1/2" (47 cm). But, if you lay your pieces out flat, you'll see that the Front/Back edge that you're sewing the Side Panel to is actually longer than 18 1/2" (47 cm) along the diagonal, so the pieces will fit together!

Sew side edges of Side Panels to Front and Back, aligning top of Side Panel with markers on Front and Back. Sew Sleeve seams, then sew Sleeves into raglan armholes.

Neckband

From RS with circular needle, join A at right shoulder, pick up and knit 20 sts evenly spaced across Back neck, 18 sts along top edge of Sleeve, 28 sts around Front neck, and 18 sts along top of opposite Sleeve – 84 sts.

Place marker for beg of rnd and join by knitting the first st on left hand needle with the working yarn from the right hand needle. Purl 1 rnd, knit 1 rnd.

Next Rnd: *K1, p1; rep from * around.

Rep last rnd until neckband measures about 1 1/2 in. (4 cm).

Bind off loosely in rib.

Weave in ends.

ABBREVIATIONS / REFERENCES Click for explanation and illustration	
<pre>beg = begin(s)(ning)</pre>	dec = decreas(e)(s)(ing)
<pre>inc = increas(e)(s)(ing)</pre>	<u>k = knit</u>
k2tog = knit 2 together	k3tog = knit 3 together
p = purl	rem = remain(s)(ing)
<pre>rep = repeat(s)(ing)</pre>	rnd(s) = round(s)
RS = right side	St st = Stockinette stitch
st(s) = stitch(es)	tog = together
WS = wrong side	

Learn to knit instructions: http://www.lionbrand.com/learn/how-to-knit

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click <u>here</u> to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com
To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and

over 100 classes and events monthly. 34 West 15th Street, NY, NY 10011

Copyright ©1998-2016 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.