



Free Knitting Pattern
Lion Brand® Heartland® - Vanna's Glamour®
Pocketed Pullover
Pattern Number: L40637



Use a combination of Vanna's Glamour® and Heartland to knit this chic sweater. Add multiple pockets to keep all your notions accessible and easy to reach - the perfect gift for any crafter.
Designed by Galina Carrol.

Free Knitting Pattern from Lion Brand Yarn

Lion Brand® Heartland® - Vanna's Glamour®

Pocketed Pullover

Pattern Number: L40637

SKILL LEVEL: Easy + (Level 3)

SIZE: S/L, 1X-3X

S-L (1X-3X)

Finished Bust About 50 (62) in. (127 (157.5) cm)

Finished Length About 26 (28) in. (66 (71) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: None as of Oct 1, 2016. To check for later updates, click [here](#).

MATERIALS

- 136-151 [Lion Brand Heartland Yarn: Katmai](#)
2 3 Balls (A)

- 136-125 [Lion Brand Heartland Yarn: Mammoth Cave](#)
1 2 Ball (B)

- 861-150 [Lion Brand Vanna's Glamour Yarn: Platinum](#)
1 2 Ball (C)

- 861-149 [Lion Brand Vanna's Glamour Yarn: Moonstone](#)
1 2 Ball (D)

- 861-134 [Lion Brand Vanna's Glamour Yarn: Copper](#)
1 2 Ball (E)

- [Lion Brand Knitting Needles - Size 7 \[4.5 mm\]](#)

- [Boye Aluminum Circular Knitting Needles 16 inches Size 7](#)

- [Lion Brand Stitch Holders](#)

- [Lion Brand Split Ring Stitch Markers](#)

- [Lion Brand Large-Eye Blunt Needles \(Set of 6\)](#)

**Heartland (Article #136). Solids: 100% Acrylic*

Tweeds: 94% Acrylic, 6% Rayon; package size: Solids: 5oz/142g (251yd/230m)

Tweeds: 4oz/113g (200yd/183m)

**Vanna's Glamour (Article #861). 96% Acrylic, 4%*

Metallic Polyester; package size: 1.75oz/49.61 gr. (202yds/185m) pull skeins



GAUGE:

20 sts + 26 rows = about 4 in. (10 cm) in St st (k on RS, p on WS) with any of the yarns.

When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

[Making a Gauge Swatch](#)

STITCH EXPLANATION:

kfb (knit into front and back) Knit next st without removing it from left needle, then k through back of same st -1 st increased.

Chain Stitch Thread needle and bring from back to front through knitted piece. *Hold short length of yarn on front forming a small loop. Insert needle back into where it last came out, do not pull tight.

Bring needle back through work and through small loop; repeat from * until chain is desired length.

PATTERN STITCH

K1, p1 Rib (worked over an even number of sts)

Row 1 (RS): *K1, p1; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K1, p1 Rib.

STRIPE SEQUENCE

Work 2 rows with D, 4 rows with A, 2 rows with C, 2 rows with D, 2 rows with C, 4 rows with A, 2 rows with D, 4 rows with B, 2 rows with D, 2 rows with E, 2 rows with D, 4 rows with B. Rep these 32 rows for Stripe Sequence.

NOTES:

1. Pullover is made in 4 pieces: 2 Side Panels, Center Front and Center Back.
2. Each Side Panel starts at lower back edge and is worked up and over shoulder then down to lower front edge. Pockets are worked as part of the Side Panels, then folded up over fronts and sides seamed.
3. Both Side Panels start with a ribbed lower edge then are worked in St st (k on RS, p on WS) changing yarn color to make stripes. Sts are cast on to beg sleeves and bound off later to finish sleeves.
4. The Center Front and Center Back are sewn to the unshaped edges of the Side Panels.
5. Sts for the neckband are picked up around the neck edge of the Pullover, then worked in the round on a circular needle.

LEFT SIDE PANEL

With straight needles and A, cast on 52 (64) sts.

Back

Work in K1, p1 Rib for 4 rows.

Beg Stripe Sequence

Change to D.

Work in St st (k on RS, p on WS) and change color following Stripe Sequence until piece measures about 18 in. (45.5 cm) from beg; end with a RS row as the last row you work.

Cast On for Sleeve

Note: Continue to change color following Stripe Sequence until you reach the Pocket.

Row 1 (WS): Cast on 25 sts for sleeve, p to end of row – you will have 77 (89) sts at the end of this row.

Work even in St st until Sleeve measures about 8 (10) in. (20.5 (25.5) cm) from cast-on edge.

Front

Work even in St st until Sleeve measures about 16 (20) in. (40.5 (51) cm) from cast-on edge; end with a RS row as the last row you work.

Next Row (WS): Bind off 25 sts for sleeve, p to end of row – 52 (64) sts.

Work even in St st until Front measures same length as Back.

Pocket

Change to A.

Work in rev St st (k on WS, p on RS) with A only until pocket measures about 5 in. (12.5 cm); end with a WS row as the last row you work.

Work in K1, p1 Rib for 4 rows.

Bind off in rib.

RIGHT SIDE PANEL

With straight needles and A, cast on and work same as Left Side Panel to Cast On for Sleeve; end with a WS row as the last row you work.

Cast On for Sleeve

Row 1 (RS): Cast on 25 sts for sleeve, k to end of row – 77 (89) sts.

Work even in St st until Sleeve measures about 8 (10) in. (20.5 (25.5) cm) from cast-on edge.

Front

Work even in St st until Sleeve measures about 16 (20) in. (40.5 (51) cm) from cast-on edge; end with a WS row as the last row you work.


Next Row (RS): Bind off 25 sts for sleeve, k to end of row – 52 (64) sts.

Work even in St st until Front measures same length as Back.

Pocket

Work same as Pocket of Left Side Panel.

Bind off.



CENTER BACK

With straight needles and A, cast on 14 (18) sts.

Work in K1, p1 Rib for 2 rows.


*Work in St st for 5 in. (12.5 cm); end with a WS row as the last row you work.

Increase Row (RS): K1, kfb, k to last st, kfb, k1 – 16 (20) sts.

Rep from * 2 more times – 20 (24) sts when all increases are completed.



Work even in St st until piece measures about 24 (26) in. (61 (66) cm) from beg.

Place sts on a holder for back neck.



CENTER FRONT

With straight needles and A, cast on and work same as Center Back until piece measures about 16 (18) in. (40.5 (45.5) cm) from beg. Place sts on a holder for front neck.



FINISHING

Cuffs

From RS with straight needles, pick up and k56 (70) sts as evenly spaced as possible along lower edge of sleeve. Work in K1, p1 Rib for 4 rows.

Bind off in rib.

Rep on other sleeve.

Pockets

Following diagram, fold pocket up and over front. Sew sides of pockets to RS of Pullover.

Note: Refer to diagram to work the following seaming. The Center Back panel reaches to the lower edge of the Side Panels, but the Center Front panel ends at the top of the Pockets. The center front along the edges of the Pockets is left open.

From RS, beg at top of pockets, sew Center Front to unshaped edges of Side Panels, leaving about 4 in. (10 cm) of front of Side Panels unsewn for neck. From RS, beg at lower edge, sew Center Back to unshaped edges of Side Panels, leaving about 2 in. (5 cm) of back of Side Panels unsewn for neck.

Neckband

From RS, with circular needle and A, k the 20 (24) back neck sts from holder, pick up and k24 sts as evenly spaced as possible along left neck edge, k the 20 (24) front neck sts from holder, then pick up and k24 sts as evenly spaced as possible along right neck edge – 88 (96) sts. Place marker for beg of rnd. Join by working the first st on the left hand needle with the working yarn from the right hand needle.

Next 4 Rnds: *K1, p1; rep from * around.

Bind off.

Divide Pockets

From RS with B, embroider a vertical chain st through both thicknesses (Pocket and Side Panel) along the center of Pocket to divide it in half. Rep on other Pocket.

Sew side and sleeve seams.

Weave in ends.

ABBREVIATIONS / REFERENCES

Click for explanation and illustration

beg = begin(s)(ning)

p = purl

rep = repeat(s)(ing)

rnd(s) = round(s)

St st = Stockinette stitch

WS = wrong side

k = knit

rem = remain(s)(ing)

Rev St st = reverse stockinette stitch

RS = right side

st(s) = stitch(es)

Learn to knit instructions: <http://www.lionbrand.com/learn/how-to-knit>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

**When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly.
34 West 15th Street, NY, NY 10011**

Copyright ©1998-2016 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.