

Free Crochet Pattern Lion Brand[®] Vanna's Glamour[®] Curvy Girl Openwork Top Down Pullover Pattern Number: L50165



Designed by Teresa Chorzepa.

Free Crochet Pattern from Lion Brand Yarn Lion Brand[®] Vanna's Glamour[®] Curvy Girl Openwork Top Down Pullover

Pattern Number: L50165

SKILL LEVEL: Intermediate (Level 3)

SIZE: Adult (Multiple Sizes)

Curvy Girl 1 (2, 3, 4) **Finished Bust Unstretched** 41 1/2 (45 1/2, 49, 53) in. (105.5 (115.5, 124.5, 134.5) cm) **Finished Bust Stretched** 46 (50, 54, 58) in. (117 (127, 137, 147.5) cm) **Finished Length** 24 1/2 (25 1/2, 26 1/2, 27 1/2) in. (62 (65, 67.5, 70) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

CORRECTIONS: None as of Sep 1, 2015. To check for later updates, click <u>here</u>. **MATERIALS**

 861-145 Lion Brand Vanna's Glamour Yarn: Purple Topaz 5 6, 6, 7 Balls

*<u>Vanna's Glamour</u> (Article #861). 96% Acrylic, 4% Metallic Polyester; package size: 1.75oz/49.61 gr. (202yds/185m) pull skeins



- <u>Lion Brand Crochet</u> <u>Hook - Size F-5 (3.75</u> mm)
- Lion Brand Large-Eye Blunt Needles (Set of <u>6)</u>

GAUGE:

4 1/2 pattern reps = about 8 1/2 in. (21.5 cm); 9 rnds = about 4 1/4 in. (11 cm) in Block Mesh pattern, unstretched. 20 sc = about 4 in. (10 cm).

When you match the <u>gauge</u> in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

Making a Gauge Swatch

STITCH EXPLANATION:

rev sc (reverse single crochet) Single crochet worked from left to right (right to left, if left-handed). Insert hook into next stitch to the right (left), under loop on hook, and draw up a loop. Yarn over and draw through all loops on hook.

PATTERN STITCH

Block Mesh

Rnd 1 (RS): SI st in last ch-sp of previous rnd, ch 1, sc in same ch-sp, ch 5, sk next dc-group, sc in next ch-sp, *ch 5, sk next sc, sc in next ch-sp, ch 5, sk next dc-group, sc in next ch-sp; rep from * to last sc, ch 5, sk last sc; join with sl st in first sc. **Rnd 2 (RS):** SI st in first ch of first ch-5 sp, ch 3 (counts as first dc), 4 dc in same ch-5 sp,

ch 5, sc in next ch-5 sp, *ch 5, 5 dc in next ch-5 sp, ch 5, sc in next ch-5 sp; rep from * around, ch 5; join with sl st in top of beg ch.

Rep Rnds 1 and 2 for Block Mesh pattern.

NOTES:


1. Pullover is worked in rounds in one piece beginning with the yoke.

2. After working yoke, you will crochet a chain at each underarm to begin working the body of the Pullover.


3. This pattern includes some crochet lingo. When you see '- 12 sts' at the end of a sentence, this is the number of sts you will have after working that round.

4. Our pattern includes diagrams to help you visualize how the Pullover is made and put together. Take the time to review the diagrams before you start crocheting. The Pullover is easy to make, but having the big picture will make it even easier!

5. Finished measurements and schematics show the unstretched measurements of the Pullover. This sweater was designed to be close fitting and to be worn with negative ease (negative ease means that the garment should measure less than your actual body measurements).







Ch 112 (120, 128, 132). Taking care not to twist ch; join with sl st in first ch to form a ring. **Rnd 1 (RS):** Ch 1, sc in same ch as joining and in each ch around; join with sl st in first sc.

Rnd 2: Ch 3 (counts as first dc), dc in same st as joining (increase made), *dc in next 13 (14, 7, 5) sts, 2 dc in next st; rep from * 6 (6, 14, 18) times, dc in each st to end of rnd; join with sl st in top of beg ch – at the end of Rnd 2 you will have 120 (128, 144, 152) dc.

Rnd 3: Ch 1, sc in same st as joining, *ch 5, sk next 3 sts, sc in next st; rep from * to last 3 sts, ch 5, sk last 3 sts; join with sl st in first sc – 30 (32, 36, 38) sc and 30 (32, 36, 38) ch-5 sps.

Rnd 4: SI st in first 2 ch of first ch-5 sp, ch 1, sc in same ch-5 sp, *ch 5, sc in next ch-5 sp; rep from * around, ch 5; join with sI st in first sc.

Rnd 5: Ch 6 (counts as first dc, ch 3), sc in first ch-5 sp, *ch 3, dc in next sc, ch 3, sc in next ch-5 sp; rep from * around, ch 3; join with sl st in 3rd ch of beg ch – 30 (32, 36, 38) dc, 30 (32, 36, 38) sc, and 60 (64, 72, 76) ch-3 sps.

Note: To sl st in the last ch-sp of a previous rnd, angle the hook to reach the ch-sp.

Rnd 6: SI st in last ch-3 sp of previous rnd, ch 1, sc in same ch-3 sp, ch 3, sk next dc, sc in next ch-3 sp, *ch 5, sk next sc, sc in next ch-3 sp, ch 3, sk next dc, sc in next ch-3 sp; rep from * to last sc, ch 5, sk last sc; join with sI st in first sc -60 (64, 72, 76) sc, 30 (32, 36, 38) ch-3 sps, and 30 (32, 36, 38) ch-5 sps.

Rnd 7: SI st in first ch of first ch-3 sp, ch 3 (counts as first dc), dc in same ch-3 sp, ch 3, sc in next ch-5 sp, *ch 3, 2 dc in next ch-3 sp, ch 3, sc in next ch-5 sp; rep from * around, ch 3; join with sI st in top of beg ch – 30 (32, 36, 38) 2-dc groups, 30 (32, 36, 38) sc, and 60 (64, 72, 76) ch-3 sps.

Rnd 8: SI st in last ch-3 sp of previous rnd, ch 1, sc in same ch-3 sp, ch 4, sk next dc-group, sc in next ch-3 sp, *ch 5, sk next sc, sc in next ch-3 sp, ch 4, sk next dc-group, sc in next ch-3 sp; rep from * to last sc, ch 5, sk last sc; join with sl st in first sc -60(64, 72, 76) sc, 30 (32, 36, 38) ch-4 sps, and 30 (32, 36. 38) ch-5 sps.

Rnd 9: SI st in first ch of first ch-4 sp, ch 3 (counts as first dc), 2 dc in same ch-4 sp, ch 3, sc in next ch-5 sp, *ch 3, 3 dc in next ch-4 sp, ch 3, sc in next ch-5 sp; rep from * around, ch 3; join with sI st in top of beg ch - 30 (32, 36, 38) 3-dc groups, 30 (32, 36, 38) sc, and 60 (64, 72, 76) ch-3 sps. **Rnd 10:** Rep Rnd 8.

Rnd 11: SI st in first ch of first ch-4 sp, ch 3 (counts as first dc), 2 dc in same ch-4 sp, ch 4, sc in next ch-5 sp, *ch 4, 3 dc in next ch-4 sp, ch 4, sc in next ch-5 sp; rep from * around, ch 4; join with sI st in top of beg ch - 30 (32, 36, 38) 3-dc groups, 30 (32, 36, 38) sc, and 60 (64, 72, 76) ch-4 sps.

Rnd 12: SI st in last ch-sp of previous rnd, ch 1, sc in same ch-sp, ch 5, sk next dc-group, sc in next ch-sp, *ch 5, sk next sc, sc in next ch-sp, ch 5, sk next dc-group, sc in next ch-sp; rep from * to last sc, ch 5, sk last sc; join with sl st in first sc – 60 (64, 72, 76) sc and 60 (64, 72, 76) ch-sps.

Rnd 13: SI st in first ch of first ch-sp, ch 3 (counts as first dc), 3 dc in same ch-sp, ch 4, sc in next ch-sp, *ch 4, 4 dc in next ch-sp, ch 4, sc in next ch-sp; rep from * around, ch 4; join with sI st in top of beg ch – 30 (32, 36, 38) 4-dc groups, 30 (32, 36, 38) sc, and 60 (64, 72, 76) ch-sps.

Rnds 14 and 16: Rep Rnd 12.

Rnd 15: Rep Rnd 13.


Rnd 17: SI st in first ch of first ch-5 sp, ch 3 (counts as first dc), 4 dc in same ch-5 sp, ch 4, sc in next ch-5 sp, *ch 4, 5 dc in next ch-5 sp, ch 4, sc in next ch-5 sp; rep from * around, ch 4; join with sI st in top of beg ch - 30 (32, 36, 38) 5-dc groups, 30 (32, 36, 38) sc, and 60 (64, 72, 76) ch-sps. Beg with Rnd 1 of Block Mesh pattern, work in Block Mesh pattern for 4 (6, 8, 10) rnds - 30 (32, 36, 38)

pattern reps.

Fasten off.

STEP 2 Underarm Chains

STEP 2



First Underarm Chain

Join yarn with sl st in sc immediately before joining of last rnd, ch 25, sk next 12 (12, 14, 14) ch-sps for first sleeve, sl st in next sc.


Fasten off.

Second Underarm Chain

Sk next 20 (22, 24, 26) ch-sps at end of first underarm ch, join yarn with sl st in next sc, ch 25, sk next 12 (12, 14, 14) ch-sps for second sleeve, sl st in next sc. Do not fasten off.

STEP 3 Body





Rnd 1 (RS): SI st in next ch-sp, ch 1, sc in same ch-sp, (ch 5, sk next 5-dc group, sc in next ch-sp, ch 5, sk next sc, sc in next ch-sp) 7 (8, 9, 10) times, ch 5, sk next 5-dc group, sc in next ch-sp, ch 5; working across first underarm ch, sk first 3 ch, sc in next ch, (ch 5, sk next 5 ch, sc in next ch) 3 times, ch 5, sk last 3 ch; working over front sts, sc in next ch-sp (immediately following underarm ch), (ch 5, sk next 5-dc group, sc in next ch-sp, ch 5; sk next 5-dc group, sc in next ch-sp, ch 5, sk next sc, sc in next ch-sp) 9 (10, 11, 12) times, ch 5, sk next 5-dc group, sc in next ch-sp, ch 5; working across first underarm ch, sk first 3 ch, sc in next ch, (ch 5, sk next 5-dc group, sc in next ch-sp, ch 5; working across first underarm ch, sk first 3 ch, sc in next ch, (ch 5, sk next 5 ch, sc in next ch-sp, ch 5; working across first underarm ch, sk first 3 ch, sc in next ch, (ch 5, sk next 5 ch, sc in next ch) 3 times, ch 5, sk last 3 ch; join with sl st in first sc – 44 (48, 52, 56) ch-sps.

Rnds 2-30: Beg with Rnd 2 of Block Mesh pattern, work in Block Mesh pattern for 29 rnds.

Rnd 31: SI st in last ch-sp of previous rnd, ch 1, sc in same ch-sp, ch 5, sk next dc-group, sc in next ch-sp, *ch 6, sk next sc, sc in next ch-sp, ch 5, sk next dc-group, sc in next ch-sp; rep from * to last sc, ch 6, sk last sc; join with sl st in first sc - 44 (48, 52, 56) sc, 22 (24, 26, 28) ch-5 sps, and 22 (24, 26, 28) ch-6 sps.

Rnd 32: SI st in first ch of first ch-5 sp, ch 3 (counts as first dc), 4 dc in same ch-5 sp, ch 5, sc in next ch-6 sp, *ch 5, 5 dc in next ch-5 sp, ch 5, sc in next ch-6 sp; rep from * around, ch 5; join with sI st in top of beg ch - 22 (24, 26, 28) pattern reps.

Rnds 33 and 34: Rep Rnds 31 and 32.

Rnd 35: Rep Rnd 31.

Rnd 36: SI st in first ch of first ch-sp, ch 3 (counts as first dc), 3 dc in same ch-sp, *dc in next sc, 4 dc in next ch-sp; rep from * around; join with sI st in top of beg ch – 220 (240, 260, 280) dc.

Rnd 37: Ch 1, sc in same st as joining and in each st around; join with sl st in first sc.


Note: Rnd 38 should be worked tightly.

Use a smaller hook if desired.

Rnd 38: Ch 1, work rev sc in each st around; join with sl st in beg ch. Fasten off.

STEP 4 Sleeves





Rnd 1 (RS): From RS and working across opposite side of one underarm ch, sk first 3 ch, join yarn with sl st in next ch, ch 1, sc in same ch, (ch 5, sk next 5 ch, sc in next ch) 3 times, ch 5, sk last 3 ch; working over sleeve sts, sc in next ch-sp, (ch 5, sk next 5-dc group, sc in next ch-sp, ch 5, sk next sc, sc in next ch-sp) 5 (5, 6, 6) times, ch 5, sk next 5-dc group, sc in next ch-sp, ch 5; join with sl st in first sc – 16 (16, 18, 18) ch-sps.

Rnds 2-9 (2-9, 2-11, 2-11): Beg with Rnd 2 of Block Mesh pattern, work in Block Mesh pattern for 8 (8, 10, 10) rnds.

Rnd 10 (10, 12, 12): SI st in first ch of first ch-5 sp, ch 3 (counts as dc), 3 dc in same ch-5 sp, dc in next sc, 3 dc in next ch-sp, dc in next sc, *4 dc in next ch-sp, dc in next sc, 3 dc in next ch-5 sp, dc in next sc; rep from * around; join with sl st in top of beg ch - 72 (72, 81, 81) dc.

Rnd 11 (11, 13, 13): Ch 1, sc in same st as joining and in each st around; join with sl st in first sc. **Note:** Final Rnd should be worked tightly. Use a smaller hook if desired.

Final Rnd: Ch 1, work rev sc in each st around; join with sl st in beg ch.

Fasten off.

Rep on opposite underarm chain to make second sleeve.

FINISHING

Neck Edging

From RS and working along opposite side of foundation ch, join yarn with a sl st anywhere along neck edge. Ch 1, work rev sc in each ch around; join with sl st in beg ch. Fasten off.

Weave in ends.

ABBREVIATIONS / REFERENCES Click for explanation and illustration	
<u>beg = begin(s)(ning)</u>	<u>ch(s) = chain(s)</u>
ch-space = space previously made	<u>dc = double crochet</u>
<u>rep = repeat(s)(ing)</u>	rnd(s) = round(s)
<u>RS = right side</u>	<u>sc = single crochet</u>
<u>sk = skip</u>	<u>sl st = slip stitch</u>
$\underline{st(s)} = \underline{stitch(es)}$	

Learn to crochet instructions: http://learnToCrochet.LionBrand.com

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click <u>here</u> to explain your problem and someone will help you!

For thousands of free patterns, visit our website <u>www.LionBrand.com</u> To order visit our website <u>www.lionbrand.com</u> or call: (800) 258-YARN (9276) any time!

When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly. 34 West 15th Street, NY, NY 10011

Copyright ©1998-2015 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.