

Free Knitting Pattern Lion Brand® Scarfie Rosewood Poncho

Pattern Number: L50273



Click here to see a video of this poncho!



Free Knitting Pattern from Lion Brand Yarn Lion Brand® Scarfie Rosewood Poncho

Pattern Number: L50273

SKILL LEVEL: Easy (Level 2)

SIZE: S/M, L/1X

S/M (L/1X)

Finished Bust About 46 (55) in. (117 (139.5) cm), measured about 7 in. (18 cm) below shoulder

Finished Length About 26 1/2 (27 1/2) in. (67.5 (70) cm), not including neck

Note: Pattern is written for smaller size with changes for larger size in parentheses. When only one number is given, it applies to both sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning. **CORRECTIONS:** (applied May 5, 2016)

Back

. . .

Next 24 25 Rows: Rep Row 4.

Next Row (Increase Row - WS RS): Work in K1, p1 Rib as established over first 7 sts, work in St st to 1 st before first marker, M1, k1, remove marker, work next row of Cable pattern to next marker, remove marker, k1, M1, (k10 (12), M1) 8 times, work in St st to 1 st before next marker, M1, k1, remove marker, work next row of Cable pattern to next marker, remove marker, k1, M1, work in St st to last 7 sts, work in K1, p1 Rib as established to end of row - 149 (177) sts.

MATERIALS

- 826-205 <u>Lion Brand Scarfie:</u> <u>Cranberry/Black</u>
 3 4 Balls
- Boye Aluminum Circular Knitting Needles 16 inches Size 9
- Boye Aluminum Circular Knitting Needles 29 inches Size 9
- Lion Brand Cable Needles (Set of 2)
- Lion Brand Stitch Holders
- <u>Lion Brand Split Ring Stitch</u>
 <u>Markers</u>
- <u>Lion Brand Large-Eye Blunt</u>
 <u>Needles (Set of 6)</u>

*<u>Scarfie</u> (Article #826). 78% acrylic, 22% wool; package size: 5.30oz/150.00 qr. (312yds/285m) pull skeins



GAUGE:

14 sts + 20 rows = about 4 in. (10 cm) in St st worked in rnds (k every rnd). 8-sts of Cable pattern = about 1 1/2 in. (4 cm).

When you match the <u>gauge</u> in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

Making a Gauge Swatch

STITCH EXPLANATION:

3/3 LC (3 over 3 left cross) Slip 3 sts to cable needle and hold in front, k3, then k3 from cable needle. **M1 (make 1)** An increase worked by lifting the horizontal strand lying between needles and placing it onto the left needle. Knit this new stitch through the back loop – 1 st increased.

PATTERN STITCHES

K1, p1 Rib worked in rows (worked over an odd number of sts)

Row 1: K1, *p1, k1; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K1, p1 Rib.

Cable Pattern worked in rnds (worked over 8 sts)

Rnd 1: P1, 3/3 LC, p1. **Rnds 2-8:** P1, k6, p1.

Rep Rnds 1-8 for Cable pattern worked in rnds.

Cable Pattern worked in rows (worked over 8 sts)


Row 1 (RS): P1, 3/3 LC, p1. **Rows 2, 4, and 6:** K1, p6, k1. **Rows 3, 5, and 7:** P1, k6, p1.

Row 8: K1, p6, k1.

Rep Rows 1-8 for Cable pattern worked in rows.

NOTES:

- 1. Poncho is worked in rnds in one piece. Piece is divided at armholes then back and front are worked separately in rows.
- 2. When you see 'as established' in the instructions, this means to continue in the current pattern st. For example, to continue in a rib pattern, k the knit sts and p the purl sts.



PONCHO

With shorter circular needle, cast on 70 (78) sts. Place marker for beg of rnd. Join by working the first st on the left hand needle with the working yarn from the right hand needle and being careful not to twist sts.

Neck

Work in St st worked in rnds (k every rnd) until piece measures about 9 in. (23 cm) from beg. **Next Rnd:** K14 (16), place marker (pm), k8, pm, k27 (31), pm, k8, pm, k13 (15).

Shape Body

Change to longer circular needle.

Rnd 1 (Increase Rnd): K to 2 sts before first marker, (M1, k1) twice, slip marker (sm), work Rnd 1 of Cable pattern worked in rnds to next marker, sm, (k1, M1) twice, k to 2 sts before next marker, (M1, k1) twice, sm, work Rnd 1 of Cable pattern worked in rnds to next marker, sm, (k1, M1) twice, k to end of rnd – you will have 78 (86) sts at the end of this rnd.

Rnd 2: K to first marker, sm, work next rnd of Cable pattern worked in rnds to next marker, sm, k to next marker, sm, work next rnd of Cable pattern worked in rnds to next marker, sm, k to end of rnd.

Rnd 3: Rep Rnd 1 - 86 (94) sts.

Rnds 4-19 (27): Rep Rnds 2 and 3 for 8 (12) more times – 150 (190) sts when all increases have been completed. **Next 4 Rnds:** Rep Rnd 2.

Increase Rnd: K to 1 st before first marker, M1, k1, sm, work next rnd of Cable pattern to next marker, sm, k1, M1, k to 1 st before next marker, M1, k1, sm, work next rnd of Cable pattern to next marker, sm, k1, M1, k to end of rnd – 154 (194) sts.

Rep last 5 rnds 7 more times - 182 (222) sts.

Next 6 (2) Rnds: Rep Rnd 2.

Divide for Armholes

Notes: You will now be working in rows. Work back and forth on circular needle as if working on straight needles. Be sure to use Cable pattern worked in rows instead of Cable pattern worked in rnds.

Back

Row 1 (RS): K to first marker, sm, working Cable pattern worked in rows, work next row of Cable pattern to next marker, sm, k8 (12), cast on 7 sts for armhole edging, TURN, leaving rem sts unworked – 65 (79) sts.

Row 2: K1, (p1, k1) 3 times for armhole edging, p to next marker, sm, work next row of Cable pattern worked in rows to next marker, sm, p to next marker, remove marker (end of rnd marker), p to next marker, sm, work next row of Cable pattern worked in rows to next marker, sm, p8 (12), cast on 7 sts for armhole edging; place rem 67 (79) sts on stitch holder for front – 129 (157) sts rem on needle (115 (143) sts for back plus 7 sts on each side for armhole edging).

Row 3: P1, (k1, p1) 3 times for armhole edging, k to next marker, sm, work next row of Cable pattern to next marker, sm, k to next marker, sm, k to last 7 sts, p1, (k1, p1) 3 times.

Rows 4-8: Work in K1, p1 Rib as established over first 7 sts, work in St st (k on RS, p on WS) to next marker, sm, work next row of Cable pattern to next marker, sm, work in St st to next marker, sm, work next row of Cable pattern to next marker, sm, work in St st to last 7 sts, work in K1, p1 Rib as established to end of row.

Increase Row (RS): Work in K1, p1 Rib as established over first 7 sts, work in St st to 1 st before first marker, M1, k1, sm, work next row of Cable pattern to next marker, sm, k1, M1, work in St st to 1 st before next marker, M1, k1, sm, work next row of Cable pattern to next marker, sm, k1, M1, work in St st to last 7 sts, work in K1, p1 Rib as established to end of row – 133 (161) sts.

Next 19 Rows: Rep Row 4. Rep Increase Row – 137 (165) sts.

Next 25 Rows: Rep Row 4.

Next Row (Increase Row – RS): Work in K1, p1 Rib as established over first 7 sts, work in St st to 1 st before first marker, M1, k1, remove marker, work next row of Cable pattern to next marker, remove marker, k1, M1, (k10 (12), M1) 8 times, work in St st to 1 st before next marker, M1, k1, remove marker, work next row of Cable pattern to next marker, remove marker, k1, M1, work in St st to last 7 sts, work in K1, p1 Rib as established to end of row – 149 (177) sts.

Work in K1, p1 Rib for 2 1/2 in. (6.5 cm).

Bind off.

Front

Slip 67 (79) front sts from holder back to longer circular needle. Join yarn so that you are ready to work a RS row. Work back and forth in rows as if working with straight needles.

Row 1 (RS): P1, (k1, p1) 3 times for armhole edging, k to last 7 sts, p1, (k1, p1) 3 times for armhole edging. **Rows 2-53:** Work in K1, p1 Rib as established over first 7 sts, work in St st to last 7 sts, work in K1, p1 Rib as established to end of row.

Increase Row (WS): Work in K1, p1 Rib over first 7 sts, p6 (9), (M1, p7 (8)) 6 times, p to last 7 sts, work in K1, p1 Rib to end of row – 73 (85) sts.

Work in K1, p1 Rib for 2 1/2 in. (6.5 cm).

Bind off.

FINISHING

Lap front ribbed armhole edging over back ribbed armhole edging. Sew ribbed edgings together along top edge. Rep on opposite armhole.

Sew ribbed lower edges of front and back together at sides, below armholes.

Weave in ends.

ABBREVIATIONS / REFERENCES Click for explanation and illustration	
<pre>beg = begin(s)(ning)</pre>	k = knit
p = purl	<pre>rem = remain(s)(ing)</pre>
<pre>rep = repeat(s)(ing)</pre>	rnd(s) = round(s)
RS = right side	St st = Stockinette stitch
st(s) = stitch(es)	WS = wrong side

Learn to knit instructions: http://www.lionbrand.com/learn/how-to-knit

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click <u>here</u> to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com
To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly.

34 West 15th Street, NY, NY 10011

Copyright ©1998-2016 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.