


# Free Knitting Pattern **Lion Brand® Fishermen's Wool®** Aran Knit Sampler Afghan Pattern Number: 864



# Free Knitting Pattern from Lion Brand Yarn Lion Brand® Fishermen's Wool® Aran Knit Sampler Afghan

**Pattern Number: 864** 

SKILL LEVEL: Experienced (Level 5)

**SIZE:** One Size 45 inches x 65 inches

**CORRECTIONS:** (applied Apr 8, 2005)

In Pattern IV, Row 2 should begin: K 1, p 2, \*RTP,

# **MATERIALS**

150-098 <u>Lion Brand</u>
 <u>Fishermen's Wool Yarn:</u>

 <u>Natural</u>
 Balls

• <u>Lion Brand Knitting</u> Needles- Size 9 [5.5 mm]

- <u>Lion Brand Double-Pointed</u> Needles - Size 9
- <u>Lion Brand Large-Eye Blunt</u>
   <u>Needles (Set of 6)</u>
- Additional Materials

\*Fishermen's Wool (Article #150). 100% Pure Virgin Wool Only 202: 78% Pure Virgin Wool, 13% Acrylic, 9% Rayon; package size: 8 oz (227 g), 465 yards (425 m) ONLY 202: 6 oz (170 g), 348 yards (318 m)



#### **GAUGE:**

Each pattern section measures 10 inches (25.5 cm) across. When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

Making a Gauge Swatch

#### STITCH EXPLANATION:

**RTK (Right Twist with Knit)** Skip next st on needle, k in front of next st and do not slip off needle, k the st just skipped and drop both sts off needle tog.

**RTP (Right Twist with Purl)** Skip 1 st and knit the 2<sup>nd</sup> st, then p the skipped st and slip both sts from needle tog.

**LT (Left Twist)** Skip 1 st and k the 2nd st through back loop, then k the skipped st and slip both sts from needle tog.

BC (Back Cross) Slip 1 st to dpn and hold in back, k 2, then p 1 from dpn.

**FC (Front Cross)** Slip 2 sts to dpn and hold in front, p 1, then k 2 from dpn.

#### **NOTES:**

The Afghan is made up of 5 different patterns, then sewn together following assembly diagram.

#### **AFGHAN**

# PATTERN I - Make 2

Cast on 48 sts.

Rows 1 and 3 (RS) K 1, \* p 2, k 6, p 2, RTK; repeat from \*, end last repeat p 2, k 1, instead of p 2, RTK.

Row 2 K 1 \* k 2, p 6, k 2, p 2; repeat from \*, end last repeat k 3 instead of k 2, p 2.

**Row 4** K 1, \* K 2, p 2, slip 2 with yarn in front, p 2, k 2, p 2; repeat from \*, end last repeat k 3 instead of p 2, k 2.

**Row 5** K 1, \* p 2, slip 2 to dpn and hold in back, k 1, k 2 from dpn, slip next st to dpn and hold in front, k 2, k 1 from dpn, p 2, RTK; repeat from \*, end last repeat p 2, k 1 instead of p 2, RTK.

Rows 6-9 Repeat Rows 4 and 5 twice.

Rows 10 and 12 Repeat Row 2.

Row 11 Repeat Row 1.

Repeat Rows 1-12 until piece measures 20 inches from beginning. Bind off.

#### **PATTERN II - Make 6**

Cast on 41 sts.

Row 1 K 1, \* p 1, k 1; repeat from \* across.

Repeat Row 1 for pattern for 10 inches. Bind off.

### PATTERN III - Make 3: 2 are 20 inches long, 1 is 10 inches long

Cast on 55 sts.

**Rows 1 and 3 (RS)** K 1, \* p 2, k 13, p 3; repeat from \* across.

Rows 2 and 4 K 1, \* k 2, p 13, k 3; repeat from \*.

**Row 5** K 1, \*p 2, slip 3 sts to dpn and hold in front, k 3, k 3 from dpn, k 1, slip 3 sts to dpn and hold in back, k 3, k 3 from dpn, p 3; repeat from \* across, end last repeat p 2, k 1.

Rows 6, 8, 10, and 12 Repeat Row 2.

Rows 7, 9, and 11 Repeat Row 1.

**Row 13** K 1, \* p 2, slip 3 sts to dpn and hold in back, k 3, k 3 from dpn, k 1, slip 3 sts to dpn and hold in front, k 3, k 3 from dpn, p 3; repeat from \* across, end last repeat p 2, k 1.

Rows 14 and 16 Repeat Row 2.

Rows 15 Repeat Row 1.

Repeat Rows 1-16 for Pattern III for indicated lengths. Bind off.

# PATTERN IV - Make 3: 2 are 10 inches long, 1 is 30 inches long

Cast on 50 sts.

Row 1 (WS) K 4, \* p 2, k 6; repeat from \* across, end last repeat k 4.

Row 2 K 1, p 2, \* RTP, LT, p 4; repeat from \*, end last repeat p 2, k 1.

Row 3 K 3, \* p 1, k 2, p 1, k 4; repeat from \* across, end last repeat k 3.

Row 4 K 1, p 1, \* RTP, p 2, LT, p 2; repeat from \* across, end last repeat p 1, k 1.

**Row 5** K 2, \* p 1, k 4, p 1, k 2; repeat from \* across.

Row 6 K 1, \* RTP, p 4, LT; repeat from \* across, end k 1.

**Row 7** K 1, \* p 1, k 6, p 1; repeat from \* across, end k 1.

**Row 8** K 2, \* p 6, skip 1 st and knit the 2nd st, then knit skipped st through back loop and slip both sts from needle tog; repeat from \* across, end p 6, k 2.

Rows 9, 11, 13, and 15 Repeat Rows 7, 5, 3, and 1.

**Row 10** K 1, \* LT, p 4, RTP; repeat from \* across, end k 1.

Row 12 K 1, p 1, \* LT, p 2, RTP, p 2; repeat from \* across, end last repeat p 1, k 1.

Row 14 K 1, p 2, \* LT, RTP, p 4; repeat from \* across, end last repeat p 2, k 1.

**Row 16** K 1, p 3, \* LT, p 6; repeat from \* across, end last repeat p 3, k 1. Repeat Rows 1-16 for Pattern IV for indicated lengths.

#### PATTERN V - Make 2

Cast on 62 sts.

**Row 1 (WS)** K 1, (k 3, p 2, k 3, p 4, k 3, p 2, k 3) 3 times, k 1.

Row 2 K 1, \* (p 2, BC) twice, (FC, p 2) twice; repeat from \* 3 times in all, k 1.

**Row 3 and all subsequent WS rows** K 1, (k all k sts and p all p sts) across, end k 1.

**Row 4** K 1, \* p 1, (BC, p 2) twice, FC, p 2, FC, p 1; repeat from \* 3 times in all, k 1.

**Row 6** K 1, \* (BC, p 2) twice, (p 2, FC) twice; repeat from \* 3 times in all, k 1.

Row 8 K 1, \* (FC, p 2) twice, (p 2, BC) twice; repeat from \* 3 times in all, k 1.

Row 10 K 1, \* p 1, (FC, p 2) twice, BC, p 2, BC, p 1; repeat from \* 3 times, k DIAGRAM:

**Row 12** K 1, \* (p 2, FC) twice, (BC, p 2) twice; repeat from \* 3 times in all, k 1.

Repeat Rows 1-12 for Pattern V for 20 inches. Bind off.

#### **FINISHING**

This assembly is made from pieces that have been knit to be different lengths. The assembly is NOT symmetrical. The assembly instructions are written as if the right side of all pieces is facing you.

To assemble right half of afghan:

- 1. Join 1 piece of pattern II and 1 of of the long pieces of pattern III. The piece of pattern II will be positioned so that the rows are horizontal; this end joins with the short end of pattern III. The resulting piece will be 10 inches in width and 30 inches long. This is piece A.
- 2 4 2 1 5 3 3 2 2 4 5 2 4 3 2 1
- 2. Join 1 piece of pattern I and one of pattern II. The short edge of the piece of pattern I is joined to the piece of pattern II; the pattern II piece positioned so that the rows are horizontal. The resulting piece will be 10 inches in width and 30 inches long. This is piece B.
- 3. Join the long edges of pieces A and B, positioning them so that the portions of pattern II are not together (they are at opposite ends when the piece is positioned lengthwise. The resulting piece will be 20 inches wide and 30 inches long This is piece C.
- 4. Join 1 piece of pattern II and one of the 10-inch pieces of pattern IV, positioning pattern IV so that the longer direction of the diamonds is vertical. The piece with pattern II is on the left, that with pattern IV is on the right. The piece will be 20 inches wide and 10 inches long. This is piece D.
- 5. Positioning D so that the portion with pattern II is on the left, join the remaining piece of pattern I to the bottom, positioning it so that it is horizontal. You will have a square 20 inches on each side. It has a long piece of pattern I on the bottom and a piece of pattern II and one of pattern IV above it. This is piece E.
- 6. Position one piece of pattern V horizontally across the top of piece E and join. Piece E now has a strip of pattern I positioned horizontally at the bottom and a strip of pattern V positioned horizontally at the top. It is 20 inches wide and 30 inches long. This is piece F.
- 7. Join the long top edge of piece F (this is pattern V) to the edge of piece C that has the short edge of pattern III and the short edge of pattern II. The resulting piece is 20 inches wide and 60 inches long.

This is the right side of the afghan.

- 8. Make a long strip by joining the short piece of pattern III, then a piece of pattern II and finally the long piece of pattern III positioned vertically. This piece will be 10 inches wide and 40 inches long. This is piece G.
- 9. Make a second long strip by joining the long piece of pattern IV and a piece of pattern II. The short side of pattern IV joins to a side of pattern II where pattern II is positioned with the rows horizontal. This piece will be 10 inches wide and 40 inches long. This is piece H.
- 10. Position piece G so that the short piece of pattern III is at the top and position piece H so that the portion with pattern IV is at the top. Piece G is on the left and piece H is on the right. Join together in the long direction. You will have a piece that is 20 inches wide and 40 inches long. This is piece J.
- 11. Join 1 piece of pattern II and one of the 10-inch pieces of pattern IV, positioning pattern IV so that the longer direction of the diamonds is vertical. The piece with pattern II is on the left, that with pattern IV is on the right. The piece will be 20 inches wide and 10 inches long. This is piece K.
- 12. Position the remaining piece of pattern V horizontally across the bottom of piece K and join. The piece will be 20 inches square. This is piece L.
- 13. Join the bottom edge of piece L (this is the remaining free horizontal edge of the piece of pattern V) to the portion of piece J that has pattern III on the left and pattern IV on the right. The resulting piece is 20 inches wide and 60 inches long.

This is the left side of the afghan.

14. Position the two pieces so that the long edge of the right side is adjacent to the long edge of the left side and join...

#### **Border with Mitered Corners**

Cast on 1 st. Working in Pattern II, increase 1 st at same edge every row until there are 11 sts on needle. Work even until piece measures 40 inches. Decrease 1 st at same edge as increases every row until 1 st remains. Bind off. Make 2 pieces 40 inches long from the short edges and 2 pieces 60 inches long for the long edges. Sew to Afghan invisibly and along mitered corners.

#### **ABBREVIATIONS / REFERENCES**

Click for explanation and illustration

k = knit p = purl

## Learn to knit instructions: http://www.lionbrand.com/learn/how-to-knit

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click <u>here</u> to explain your problem and someone will help you!

For thousands of free patterns, visit our website <a href="www.lionBrand.com">www.lionBrand.com</a>
To order visit our website <a href="www.lionbrand.com">www.lionbrand.com</a> or call: (800) 258-YARN (9276) any time!

When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly.

34 West 15th Street, NY, NY 10011

Copyright ©1998-2016 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.