

Free Knitting Pattern Lion Brand® Homespun® Modern Cabled Scarf

Pattern Number: L20392



SKILL LEVEL - Experienced

SIZE

About 15 1/2 x 60 in. (39.5 x 152.5 cm)

MATERIALS

- Lion Brand® Homespun® (Art. #790)
 - 412 Pearls 4 skeins
 - or color of your choice
- Lion Brand® cable needle
- Lion Brand® stitch markers (optional)
- Lion Brand® large-eyed blunt needle



ADDITIONAL MATERIALS

Circular knitting needle size 10 (6 mm), 60 in. (152.5 cm) long

GAUGE

14 sts = 4 in. (10 cm) over Traveling Cable pattern.

BE SURE TO CHECK YOUR GAUGE.

When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. If it takes you fewer stitches and rows to match the gauge, try using a smaller size hook or needles; if more stitches and rows, try a larger size hook or needles.

STITCH EXPLANATIONS

4/3 LC (4 over 3 left cross) Slip 4 sts to cable needle and hold in front, k3, then k4 from cable needle.

4/2 LC (2 over 4 left cross) Slip 4 sts to cable needle and hold in front, k2, then k4 from cable needle.

4/3 RC (4 over 3 right cross) Slip 3 sts to cable needle and hold in back, k4, then k3 from cable needle.

4/2 RC (4 over 2 right cross) Slip 2 sts to cable needle and hold in back, k4, then k2 from cable needle.

yo (yarn over)

An increase that also creates a small decorative hole (eyelet) in the fabric, worked as follows:

- 1. Bring yarn to front, between the needles.
- 2. Take yarn to back, over the right needle. This creates the new st. You are now ready to proceed with the next st as instructed.

NOTES

- 1. A circular needle is used to accommodate the large number of sts. Work back and forth on circular needle as if working on straight needles.
- 2. Scarf is worked in one piece with ribbing at each end and the Traveling Cable pattern for the body of the Scarf.
- 3. The Traveling Cable pattern can be worked by following the written instructions or by following the chart. If working from the chart, read RS rows of chart from right to left and WS rows from left to right.
- 4. The Traveling Cable pattern works columns of eyelets (made with yarn overs) between the cables. Sts are picked up along both sides of each eyelet column for faux cables.
- 5. Making the eyelets with yarn overs will increase the st count, but the count is reduced by working k2tog's or p2tog's on the following row.
- 6. Faux cables are created by working in St st (k on RS, K on RS) over picked up sts, then wrapping these St st sections at intervals.

SCARF

Cast on 47 sts.

Lower Ribbing

Row 1 (WS): P1, *k1, p1; rep from * to end of row.

Rows 2-5: K the knit sts and p the purl sts.

Note: In the next row you will begin working the Traveling Cable pattern across the row. If desired, place a st marker between each rep of the pattern to help keep your place in the pattern.

Beg Traveling Cable Pattern

Row 1 (RS): (P1, k1) twice, yo, p1, k1, p1, k7, 4/3 RC, p1, k1, yo, p1, k1, p1, 4/3 LC, k7, p1, k1, yo, (p1, k1) twice, p1 – 50 sts at the end of this row.

Row 2: (K1, p1) twice, k2tog, *p1, k1, p14, k1, p1, k2tog; rep from * once more, (p1, k1) twice – 47 sts.

Row 3: (P1, k1) 3 times, p1, k4, 4/2 RC, k4, (p1, k1) twice, p1, k4, 4/2 LC, k4, p1, (k1, p1) 3 times.

Row 4: K1, (p1, k1) 3 times, *p14, k1, (p1, k1) twice; rep from * once more, p1, k1.

Row 5: (P1, k1) 3 times, p1, k2, 4/2 RC, k6, (p1, k1) twice, p1, k6, 4/2 LC, k2, p1, (k1, p1) 3 times.

Row 6: Rep Row 4.

Row 7: (P1, k1) 3 times, p1, 4/3 RC, k7, (p1, k1) twice, p1, k7, 4/3 LC, p1, (k1, p1) 3 times.

Row 8: K1, (p1, k1) twice, yo, p1, k1, p14, k1, p1, k1, yo, p1, k1, p14, k1, p1, k1, yo, (p1, k1) twice – 50 sts.

Row 9: (P1, k1) twice, p2tog, k1, p1, k14, p1, k1, p2tog, k1, p1, k14, p1, k1, p2tog, (k1, p1) twice – 47 sts.

Row 10: Rep Row 4.

Row 11: (P1, k1) 3 times, p1, *k14, p1, (k1, p1) twice; rep from * once more, k1, p1.

Row 12: Rep Row 4.

Rows 13-16: Rep last 2 rows 2 more times.

Row 17-303: Rep Rows 1-16 seventeen more times, for a total of 18 Traveling Cable pattern reps, then rep Rows 1-15 once more.

Top Ribbing

Rep Rows 1-5 of Lower Ribbing.

Bind off.

VERTICAL FAUX CABLES

Faux Cable Right Half

Pick up and k313 sts on RS of Scarf immediately to the right of the first column of eyelet sts as follows:

Pick up and k5 sts evenly spaced across ribbed edge, pick up and k1 st next to eyelet, pick up and k6 sts evenly spaced to next eyelet, *pick up and k1 st next to eyelet, pick up and k8 sts evenly spaced to next eyelet, pick up and k1 st next to eyelet, pick up and k6 sts evenly spaced to next eyelet; rep from * to last eyelet, pick up and k1 st next to last eyelet, pick up and k7 sts evenly spaced to ribbed edge, pick up and k5 sts evenly spaced across ribbed edge – 313 sts.

Work in St st (k on RS, p on WS) for 8 rows, working so that RS of St st faces the eyelets.

Bind off.

Faux Cable Left Half

Make same as right half, picking up sts to the left of the same column of eyelet sts and working so that RS of St st faces the eyelets.

Rep right and left faux cable halves along all columns of eyelets.

Wrap Faux Cables

The faux cable sections will curl naturally toward the RS (the knit side).

Note: Our instructions are for working with a long length of yarn to wrap the faux cables. If you prefer, work with shorter lengths of yarn, knotting each as you finish working with it.

Cut a 90 in. (228.5 cm) length of yarn. Thread length into blunt needle. Beg at one end of Scarf, draw needle from WS to RS through first eyelet. *Wrap yarn around right faux cable, from WS to RS of band near the same eyelet, then from RS to WS of Scarf through same eyelet, then from WS to RS up through next eyelet; rep from * to opposite end of Scarf. Rep to wrap the left faux cable, then rep to wrap right and left halves of all faux cables.

FINISHING

Weave in ends.


ABBREVIATIONS

beg = begin(ning)(s)
k = knit
k2tog = knit 2 together
p = purl
p2tog = purl 2 together
rep = repeat

Lion Brand® Homespun® Modern Cabled Scarf Pattern Number: L20392

RS = right side st(s) = stitch(es) St st = Stockinette st WS = wrong side

Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual knitters or crocheters, human error, or typographical mistakes.



(increasing to 50 sts in Rows 1 and 8, decreasing back to 47 sts in Rows 2 and 9)

- □ kon RS, p on WS
- pon RS, kon WS
- yarn over
- 🗹 p2tog on RS, k2tog on WS
- 4/3 LC: Slip 4 sts to cable needle and hold in front, k3, then k4 from cable needle.
- 4/2 LC: Slip 4 sts to cable needle and hold in front, k2, then k4 from cable needle.
- 4/3 RC: Slip 3 sts to cable needle and hold in back, k4, then k3 from cable needle.
- 4/2 RC: Slip 2 sts to cable needle and hold in back, k4, then k2 from cable needle.