

Free Crochet Pattern Lion Brand® Heartland® Granny Triangles Shawl Pattern Number: L40037



Designed by Teresa Chorzepa

SKILL LEVEL - Easy

SIZE

About 26 in. x 57 in. (66 x 145 cm) at longest and widest, including border

MATERIALS

- Lion Brand® Heartland (Art. #136)
 - 153 Black Canyon 1ball (A)
 - 147 Hot Springs 1 ball (B)
 - 109 Olympic 1 ball (C)
 - 105 Glacier Bay 1 ball (D)
- Lion Brand® crochet hook size J-10 (6 mm)
- Lion Brand® large-eyed blunt needle



GAUGE

10 dc + 7 rnds = about 4 in. (10 cm). BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATION

rev sc (reverse single crochet) Single crochet worked from left to right (right to left, if left-handed). Insert hook into next stitch to the right (left), under loop on hook, and draw up a loop. Yarn over, draw through all loops on hook.

NOTES

- 1. Shawl is made from 3 Triangles: two of Triangle I and one of Triangle II. Triangles are crocheted together following Assembly Diagram.
- 2. A border is worked around the entire outer edge of Shawl.

TRIANGLE I (make 2)

With A, ch 6; join with sl st in first ch to form a ring.

Rnd 1 (RS): Ch 8 (counts as dc, ch 5 in this rnd and in all following rnds), (5 dc in ring, ch 5) twice, 4 dc in ring; join with sl st in 3rd ch of beg ch - 3 ch-5 sps and 5 dc across each side between ch-5 sps (15 dc total) at the end of this rnd.

Rnd 2: SI st in first 2 ch of first ch-5 sp, ch 8, 2 dc in same ch-5 sp, *dc in next 5 dc, (2 dc, ch 5, 2 dc) in next ch-5 sp (corner made); rep from * once, dc in next 5 dc, dc in first ch-5 sp; join with sI st in 3rd ch of beg ch – 3 corner ch-5 sps and 9 dc across each side between corner ch-5 sps (27 dc total).

Rnd 3: SI st in first 2 ch of first ch-5 sp, ch 8, 2 dc in same ch-5 sp, *dc in each dc to next corner ch-5 sp, (2 dc, ch 5, 2 dc) in corner ch-5 sp; rep from * once, dc in each dc to first ch-5 sp, dc in first ch-5 sp; join with sI st in 3rd ch of beg ch - 3 corner ch-5 sps and 13 dc across each side between corner ch-5 sps (39 dc total).

Fasten off.

Rnd 4: From RS, join B with a sl st in any corner ch-5 sp, ch 8, 2 dc in same ch-5 sp, *dc in each dc to next corner ch-5 sp, (2 dc, ch 5, 2 dc) in corner ch-5 sp; rep from * once, dc in each dc to first ch-5 sp, dc in first ch-5 sp; join with sl st in 3rd ch of beg ch – 3 corner ch-5 sps and 17 dc across each side between corner ch-5 sps (51 dc total).

Rnds 5 and 6: With B, rep Rnd 3 twice – 25 dc across each side between corner ch-5 sps (75 dc total) at the end of Rnd 6.

Fasten off.

Rnds 7-9: With C, rep Rnds 4-6 – 37 dc across each side between corner ch-5 sps (111 dc total) at the end of Rnd 9.

Fasten off.

Rnds 10-12: With D, rep Rnds 4-6 – 49 dc across each side between corner ch-5 sps (147 dc total) at the end of Rnd 12. Fasten off.

Rnd 13: From RS, join A with a sl st in any corner ch-5 sp, ch 10 (counts as dc, ch 7 in this rnd and in all following rnds), 2 dc in same corner ch-5 sp, *dc in each dc to next corner ch-5 sp, (2 dc, ch 7, 2 dc) in next corner ch-5 sp; rep from * once, dc in each dc to first ch-5 sp, dc in first ch-5 sp; join with sl st in 3rd ch of beg ch – 53 dc across each side between corner ch-7 sps (159 dc total).

Rnds 14 and 15: SI st in first 3 ch of first ch-7 sp, ch 10, 3 dc in first ch-7 sp, *dc in each dc to next corner ch-7 sp, (3 dc, ch 7, 3 dc) in corner ch-7 sp; rep from * once, dc in each dc to first ch-7 sp, 2 dc in first ch-7 sp; join with sI st in 3rd ch of beg ch—65 dc across each side between corner ch-7 sps (195 dc total) at the end of Rnd 15.

Fasten off.

TRIANGLE II

With D, ch 6.

Work as for Triangle I, working Rnds 1-3 with D; Rnds 4-6 with C; Rnds 7-9 with B; Rnds 10-12 with A; and Rnds 13-15 with D. Fasten off.

FINISHING

Follow Assembly Diagram for arrangement of Triangles.

Note: The Triangles are now joined tog with a single seam. Beg to join in one corner of Triangle II. One Triangle I is joined across one edge to tip of Triangle II. Then the other Triangle I is joined across opposite edge of Triangle II. Hold the first Triangle I and Triangle II with WS tog and sts of one edge matching.

Joining Triangles: From RS, working through both thicknesses, join C with a sc in first st at lower corner of Triangle II, working along the edges of both Triangles, sc in each st across to tip of Triangle II; hold the 2nd Triangle I tog with Triangle II, sc through both thicknesses in each st across to last corner of Triangle II. DO NOT fasten off.

Border

Rnd 1 (RS): Continuing with C, work sc evenly spaced around entire outer edge of Shawl; join with sl st in first sc.

Rnd 2: Ch 1, sc in each st around; join with sl st in first sc.

Fasten off.

Rnd 3: From RS, join B with a sl st in any Rnd 2 st of border, ch 1, work rev sc in each st around; join with sl st in first sc. Fasten off.

Weave in ends.

ABBREVIATIONS

beg = begin(ning)(s)
ch = chain
ch-sp(s) = chain space(s) previously made
dc = double crochet
rep = repeat
rnd(s) = round(s)
RS = right side
sc = single crochet
sl st = slip st
sp(s) = space(s)
st(s) = stitch(es)
tog = together
WS = wrong side

Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual crafters, human error, or typographical mistakes.

