



*Free Knitting Pattern*

LION BRAND® JEANS®

# GRANVILLE HOODED PULLOVER

Pattern Number: L60224



## SKILL LEVEL – Easy+

## SIZES

Child 2 (4, 6)

**Finished Chest** About 26 (28, 30) in. (66 (71, 76) cm)

**Finished Length** About 14 (15, 16) in. (35.5 (38, 40.5) cm), not including lower band and hood

**Note:** Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

## MATERIALS

- **Lion Brand® Jeans** (Art. #505)
  - 108 Brand New 1 (1, 1) ball (A)
  - 109 Stonewash 1 (1, 1) ball (B)
  - 105 Faded 1 (1, 1) ball (C)
  - 121 Top Stitch 1 (1, 1) ball (D)
  - 153 Stovepipe 1 (1, 1) ball (E)
  - or colors of your choice
- **Lion Brand®** stitch holders
- **Lion Brand®** stitch markers
- **Lion Brand®** large-eyed blunt needle



## ADDITIONAL MATERIALS

Circular knitting needle size 7 (4.5 mm), 24 in. (61 cm) long

1 button, 3/4 in. (19 mm) diameter

Sewing needle and thread

## GAUGE

20 sts + 24 rows = about 4 in. (10 cm) in St st (k on RS, p on WS).

**BE SURE TO CHECK YOUR GAUGE.**

## STITCH EXPLANATIONS

**M1 (make 1)** An increase worked by lifting the horizontal strand lying between needles and placing it onto the left hand needle. Knit this new stitch through the back loop – 1 st increased.

**ssk (slip, slip, knit)** Slip next 2 sts as if to knit, one at a time, to right hand needle; insert left hand needle into fronts of these 2 sts and knit them tog – 1 st decreased.

## NOTES

1. Pullover is worked in 4 pieces: Back, Front, and 2 Sleeves.
2. Back and Front are worked in panels. Refer to construction diagrams for how these pieces are made.
3. Sts for lower band and hood are picked up on completed Pullover.
4. A circular needle is used to accommodate working in the round on lower edge of Pullover. When working other pieces of Pullover, work back and forth in rows on the circular needle as if working with straight needles.

### Note:

The following corrections have been incorporated into the pattern below. We are highlighting the corrections separately here so that if you have printed out an earlier version of the pattern you'll know what was changed.

CORRECTIONS (applied February 03<sup>th</sup>, 2021)

Hood

From WS with D, purl 13 (15, 15) ~~right~~ **left** shoulder sts, 30 (34, 34) Back sts and 13 (15, 15) ~~left~~ **right** shoulder sts from holders – 56 (64, 64) sts.

...

## BACK

**Note:** Refer to construction diagram before beg to clarify construction of Back.

### **Center Panel**

With B, cast on 36 (40, 46) sts.

Beg with a RS (knit) row, work in St st (k on RS, p on WS) until piece measures about 9 (10, 11) in. (23 (25.5, 28) cm) from beg.

*Bind off.*

### **Right Side Panel**

**Pick-Up Row (RS):** From RS with D, pick up and k46 (50, 56) sts as evenly spaced as possible along right side edge of Center Panel.

**Next Row (WS):** Knit.

Change to C.

Work in rev St st (p on RS, k on WS) until right side panel measures about 3 in. (7.5 cm) from pick-up row.

*Bind off.*

### **Left Side Panel**

**Pick-Up Row (RS):** From RS with D, pick up and k46 (50, 56) sts as evenly spaced as possible along the left side edge of the Center Panel.

**Next Row (WS):** Knit.

Change to E and work in rev St st until left side panel measures same length as right side panel.

*Bind off.*

## ***Upper Panel***

**Pick-Up Row (RS):** From RS with D, pick up and k66 (70, 76) sts as evenly spaced as possible all the way along top edge of side and center panels.

**Next Row (WS):** Knit.

## ***Change to A.***

Work in rev St st until upper panel measures about 4 in. (10 cm) from pick-up row, end with a WS row as the last row you work.

*Do not bind off.*

## ***Shape Shoulders***

**Row 1 (RS):** Bind off 6 (6, 7) sts, p to end of row – you will have 60 (64, 69) sts at the end of this row.

**Row 2:** Bind off 6 (6, 7) sts, k to end of row – 54 (58, 62) sts.

**Rows 3-6:** Rep Rows 1 and 2 twice – you will have 30 (34, 34) sts when all binds offs are complete.

Place rem 30 (34, 34) sts on a holder.

## **FRONT**

### ***Center Panel***

With A, cast on 26 (30, 36) sts.

Beg with a RS row, work in rev St st until piece measures about 4 1/2 (5, 5 1/2) in. (11.5 (12.5, 14) cm) from beg.

Change to St st and work until piece measures about 9 (10, 11) in. (23 (25.5, 28) cm) from beg.

*Bind off.*

### ***Pocket***

From RS with D, pick up and k26 (30, 36) sts along the first row of St st of center panel.

Work in St st with D for about 3 (3 1/2, 4) in. (7.5 (9, 10) cm), end with a WS row as the last row you work.

**Next Row:** K11 (13, 16), k2tog, yarn over twice (for buttonhole), ssk, k11 (13, 16).

**Next Row:** P12 (14, 17), purl and knit into the double yarn over, p12 (14, 17) – 26 (30, 36) sts.

Continue in St st until pocket measures same length as center panel, end with a WS row as the last row you work.

Bind off on RS. Do not cut D. Use D in Pick-Up Row of following right side panel.

### ***Right Side Panel***

**Pick-Up Row (RS):** From RS with D, working through both layers (side edge of pocket and side edge of center panel), pick up and k23 (25, 28) sts evenly spaced along edge of pocket and side edge of center panel, then pick up and k23 (25, 28) sts evenly spaced along rem side edge of center panel – 46 (50, 56) sts.

**Next Row (WS):** Knit.

Change to B.

**Next 2 Rows:** Purl.

Work in St st until panel measures about 4 in. (10 cm).

*Bind off.*

## ***Left Side Panel***

**Pick-Up Row (RS):** From RS with D, pick up and k23 (25, 28) sts evenly spaced along side edge of center panel to pocket, then, working through both layers (side edge of pocket and rem side edge of center panel), pick up and k23 (25, 28) sts evenly spaced along edge of pocket and rem side edge of center panel – 46 (50, 56) sts.

**Next Row (WS):** Knit.

Change to E.

**Next 2 Rows:** Purl.

Work in St st until panel measures about 4 in. (10 cm).

*Bind off.*

## ***Left Shoulder Panel***

Place markers on top edge of center panel, one on each side of center 1 in. (2.5 cm).

**Pick-Up Row (RS):** From RS with D, pick up and k31 (33, 36) sts evenly spaced along top edge between top outer corner of left side panel and first marker.

**Next Row (WS):** Knit.

Change to B.

Work in rev St st until piece measures about 4 in. (10 cm) from pick-up row, end with a WS row as the last row you work.

## ***Shape Left Shoulder***

**Next Row (RS):** Bind off 6 (6, 7) sts, p to end of row – 25 (27, 29) sts.

**Next Row (WS):** Knit.

Rep last 2 rows 2 more times – 13 (15, 15) sts.

Place rem 13 (15, 15) sts on a holder.

## ***Right Shoulder Panel***

**Pick-Up Row (RS):** From RS with D, pick up and k31 (33, 36) sts evenly spaced along top edge between 2nd marker and top outer corner of right side panel.

**Next Row (WS):** Knit.

Change to C.

Work in rev St st until piece measures about 4 in. (10 cm) from pick-up row, end with a RS row as the last row you work.

## ***Shape Right Shoulder***

**Next Row (WS):** Bind off 6 (6, 7) sts, k to end of row – 25 (27, 29) sts.

**Next Row (RS):** Purl.

Rep last 2 rows 2 more times – 13 (15, 15) sts.

Place rem 13 (15, 15) sts on a holder.

## **RIGHT SLEEVE**

With B, cast on 37 sts.

Work in Garter st (k every row) for 6 rows.

**Increase Row (RS):** K1, M1, knit to last st, M1, k1 – 39 sts.

Work in St st for 3 rows.

Rep last 4 rows 5 (6, 7) more times – 49 (51, 53) sts.

Rep Increase Row – 51 (53, 55) sts.

**Next Row (WS):** Purl.

Change to D.

**Next Row (RS):** Purl.

**Next Row (WS):** Knit.

Change to A.

Rep Increase Row – 53 (55, 57) sts.

Work in St st for 3 more rows.

Rep last 4 rows 4 (5, 6) more times – 61 (65, 69) sts

Work in St st until piece measures about 8 1/2 (10, 11 1/2) in. (21.5 (25.5, 29) cm) from beg.

*Bind off.*

## **LEFT SLEEVE**

With A, cast on 37 sts.

Work in Garter st (k every row) for 6 rows.

**Increase Row (RS):** K1, M1, knit to last st, M1, k1 – 39 sts.

Work in St st for 3 rows.

Rep last 4 rows 5 (6, 7) more times – 49 (51, 53) sts.

Rep Increase Row – 51 (53, 55) sts.

**Next Row (WS):** Purl.

Change to D.

**Next Row (RS):** Purl.

**Next Row (WS):** Knit.

Change to C.

Rep Increase Row – 53 (55, 57) sts.

Work in St st for 3 more rows.

Rep last 4 rows 4 (5, 6) more times – 61 (65, 69) sts.

Work in St st until piece measures about 8 1/2 (10, 11 1/2) in. (21.5 (25.5, 29) cm) from beg.

*Bind off.*

## **Hood**

From WS with D, knit 13 (15, 15) left shoulder sts, 30 (34, 34) Back sts and 13 (15, 15) right shoulder sts from holders – 56 (64, 64) sts.

**Next Row (RS):** P26 (30, 30), place marker (pm), p4, pm, p26 (30, 30).

Change to E.

**Next Row:** Purl.

**Increase Row (RS):** K to first marker, M1, sm (slip marker), k to 2nd marker, sm, M1, k to end – 58 (66, 66) sts.

**Next Row:** Purl.

Rep last 2 rows 9 more times – 76 (84, 84) sts.

Change to B.

Work in rev St st until B section measures about 3 (3, 4) in. (7.5 (7.5, 10) cm), end with a WS row as the last row you work.

Change to D.

## **Shape Right Half of Hood**

**Next Row (RS):** K38 (42, 42), slip rem 38 (42, 42) sts to a holder for left half of hood.

**Next Row:** Purl.

**Decrease Row (RS):** K to last 2 sts, ssk – 37 (41, 41) sts.

Rep last 2 rows 6 more times – 31 (35, 35) sts.

**Next Row:** Purl.

*Bind off these 31 (35, 35) sts.*

## **Shape Left Half of Hood**

**Next Row (RS):** With A, k38 (42, 42) sts from holder.

**Next Row:** Purl.

**Decrease Row (RS):** K2tog, k to end of row – 37 (41, 41) sts.

Rep last 2 rows 6 more times – 31 (35, 35) sts.

**Next Row:** Purl.

*Bind off these 31 (35, 35) sts.*

## **FINISHING**

Sew shoulder seams. Place markers on both sides of Front and Back about 6 (6 1/2, 7) in. (15 (16.5, 18) cm) below shoulder seams. Sew tops of Sleeves between markers.

Sew Side and Sleeve seams.

With sewing needle and thread, sew button to Front opposite buttonhole on pocket.

## **Lower Edging**

**Pick-Up Rnd (RS):** From RS with D, pick up and k132 (140, 152) sts evenly spaced around lower edge of Pullover. Place marker for beg of rnd. Join by working the first st on left hand needle with the working yarn from the right hand needle.

Beg with a purl rnd work in Garter st worked in rnds (p 1 rnd, k 1 rnd) for 4 rnds.

*Bind off.*

For thousands of free patterns, visit our website [www.LionBrand.com](http://www.LionBrand.com)

To order visit our website [www.lionbrand.com](http://www.lionbrand.com) or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2021 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

## ***Hood and Neck Edging***

Seam top of hood.

From RS with D, beg at center front top edge of center panel, pick and k142 (142, 152) sts evenly spaced along entire front neck and hood edges.

Work back and forth in rows.

**Next Row (WS):** Purl.

Change to C.

With C, work in Garter st (k every row) for 5 rows.

*Bind off.*

*Weave in ends.*

## **ABBREVIATIONS**

**beg** = begin(ning)(s)

**k** = knit

**p** = purl

**k2tog** = knit 2 stitches together

**rem** = remain(ing)

**rep** = repeat

**rev St st** = reverse Stockinette stitch

**rnd(s)** = round(s)

**RS** = right side

**St st** = Stockinette stitch

**st(s)** = stitch(es)

**WS** = wrong side

*Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual knitters or crocheters, human error, or typographical mistakes.*

*©2021 Lion Brand Yarn Company, all rights reserved.*

For thousands of free patterns, visit our website [www.LionBrand.com](http://www.LionBrand.com)

To order visit our website [www.lionbrand.com](http://www.lionbrand.com) or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2021 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.






For thousands of free patterns, visit our website [www.LionBrand.com](http://www.LionBrand.com)

To order visit our website [www.lionbrand.com](http://www.lionbrand.com) or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2021 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

# BACK




For thousands of free patterns, visit our website [www.LionBrand.com](http://www.LionBrand.com)

To order visit our website [www.lionbrand.com](http://www.lionbrand.com) or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2021 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

# FRONT



For thousands of free patterns, visit our website [www.LionBrand.com](http://www.LionBrand.com)

To order visit our website [www.lionbrand.com](http://www.lionbrand.com) or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2021 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

