

# Free Crochet Pattern Lion Brand® Jeans® Lisbet Pullover

Pattern Number: L80242
Designed by Vladimir Teriokhin



# **SKILL LEVEL** – Easy+

## SIZES

S/M (L, 1X/2X)

**Finished Bust** About 48 (54, 60) in. (122 (137, 152.5) cm)

Finished Length About 29 1/2 (30 1/2, 31 1/2) in. (75 (77.5, 80) cm)

**Note:** Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

## **MATERIALS**

- Lion Brand® Jeans® (Art. #505)
  - 109 Stonewash 9 (11, 12) balls (A)
  - 108 Brand New 3 (4, 4) balls (B)
- Lion Brand® crochet hook size E-4 (3.5 mm)
- Lion Brand® large-eyed blunt needle



## **GAUGE**

20 dc + 12 rows = about 4 in. (10 cm). BE SURE TO CHECK YOUR GAUGE.

## **NOTES**

- 1. Pullover is made from 6 pieces: 2 Back Panels, 2 Front Panels, and 2 Sleeves.
- 2. Each piece is worked back and forth in rows from lower edge upwards.
- 3. Front Panels are seamed together at center front; Back Panels are seamed at center back.
- 4. To change yarn color, work last st of old color to last yarn over. Yarn over with new color and draw through all loops on hook to complete st. Proceed with new color. Fasten off old color.

#### LEFT BACK PANEL

With B, ch 62 (70, 78).

**Row 1 (RS):** Dc in 4th ch from hook (3 skipped ch count as dc) and in each ch across – you will have 60 (68, 76) dc in this row.

Row 2: Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

Rep Row 2 until piece measures about 6 in. (15 cm) from beg, change to A in last st of last row.

Fasten off B.

With A only, rep Row 2 until piece measures about 20 in. (51 cm) from beg, end with a WS row as the last row you work.

# **Shape Armhole**

**Note:** Continue with A only for remainder of Panel.

**Row 1 (Increase Row – RS):** Ch 3 (counts as dc), turn, sk first st, dc in each st to 1 dc before beg ch, 2 dc in next dc, dc in top of beg ch – 61 (69, 77) dc.

Rows 2 and 3: Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

Row 4 (Increase Row – WS): Ch 3 (count as dc), turn, sk first st, 2 dc in next st, dc in each st across, working last dc in top of beg ch – 62 (70, 78) dc.

Rows 5-6 (8, 8): Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

Row 7 (9, 9): Rep Row 1 – 63 (71, 79) dc.

Rep Rows 2-7 (9, 9) for 2 more times – 67 (75, 83) dc when all increases have been completed.

**Next Row:** Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

Rep last row until armhole measures about 8 (9, 10) in. (20.5 (23, 25.5 cm), end with a WS row as the last row you work.

# **Shape Shoulder and Neck**

**Row 1 (RS):** Ch 3 (counts as dc), turn, sk first st, dc in each st to last 7 (9, 11) sts, sc in last 7 (9, 11) sts – 60 (66, 72) dc.

**Row 2:** Turn, sl st in first 7 (9, 11) sc, sc in next 8 (9, 10) dc, dc in each st to last 26 (28, 30) sts, sc in next 2 sts; leave rem 24 (26, 28) sts unworked for neck – 26 (29, 32) dc.

**Row 3:** Turn, sl st in first 2 sc, sc in next 2 dc, dc in each st to last 8 (9, 10) dc, sc in last 8 (9, 10) dc; leave rem sc and sl sts unworked – 16 (18, 20) dc.

**Row 4:** Turn, sl st in first 8 (9, 10) sc, sc in next 8 (9, 10) dc, dc in each st to last 2 sc; leave rem sc and sl sts unworked – 8 (9, 10) dc.

Row 5: Ch 1, turn, sc in each dc across.

Fasten off.

## RIGHT BACK PANEL

With B, ch 62 (70, 78).

**Row 1 (RS):** Dc in 4th ch from hook (3 skipped ch count as dc) and in each ch across – you will have 60 (68, 76) dc in this row.

Row 2: Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

Rep Row 2 until piece measures about 15 in. (38 cm) from beg, change to A in last st of last row worked.

Fasten off B.

With A only, rep Row 2 until piece measures about 20 in. (51 cm) from beg, end

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website <a href="www.lionbrand.com">www.lionbrand.com</a> or call: (800) 258-YARN (9276) any time! Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

with a WS row as the last row you work.

## **Shape Armhole**

Note: Continue with A only for remainder of Panel.

**Row 1 (Increase Row – RS):** Ch 3 (counts as dc), turn, sk first st, 2 dc in next st, dc in each st across, working last dc in top of beg ch - 61 (69, 77) dc.

**Rows 2 and 3:** Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

**Row 4 (Increase Row – WS):** Ch 3 (counts as dc), turn, sk first st, dc in each st to 1 dc before beg ch, 2 dc in next dc, dc in top of beg ch – 62 (70, 78) dc.

Rows 5-6 (8, 8): Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

Row 7 (9, 9): Rep Row 1 – 63 (71, 79) dc.

Rep Rows 2-7 (9, 9) for 2 more times – 67 (75, 83) dc when all increases have been completed.

**Next Row:** Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

Rep last row until armhole measures about 8 (9, 10) in. (20.5 (23, 25.5 cm), end with a WS row as the last row you work.

# Shape Shoulder and Neck

**Row 1 (RS):** Ch 1, turn, sc in first 7 (9, 11) sts, dc in each st across, working last dc in top of beg ch - 60 (66, 72) dc.

**Row 2:** Turn, sl st in first 24 (26, 28) sts for neck, sc in next 2 sts, dc in each st to last 8 (9, 10) dc, sc in last 8 (9, 10) dc; leave rem sc sts unworked – 26 (29, 32) dc.

**Row 3:** Turn, sl st in first 8 (9, 10) sc, sc in next 8 (9, 10) dc, dc in each st to last 2 dc, sc in last 2 dc; leave rem sc and sl sts unworked – 16 (18, 20) dc.

**Row 4:** Turn, sl st in first 2 sc, dc in each st to last 8 (9, 10) dc, sc in last 8 (9, 10) dc; leave rem sc and sl sts unworked – 8 (9, 10) dc.

Row 5: Turn, sl st in first 8 (9, 10) sc, sc in rem 8 (9, 10) dc; leave sl sts unworked.

Fasten off.

## **LEFT FRONT PANEL**

Make same as Right Back Panel.

## RIGHT FRONT PANEL

Make same as Left Back Panel.

## SLEEVES (make 2)

With A, ch 42 (44, 48) sts.

**Row 1 (RS):** Dc in 4th ch from hook (3 skipped ch count as dc) and in each ch across – 40 (42, 46) sts.

**Rows 2-8:** Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

**Row 9 (Increase Row):** Ch 3 (counts as dc), turn, sk first st, dc in next 3 (2, 2) sts, (dc in next st, 2 dc in next st) 16 (18, 20) times, dc in each st across, working last dc in top of beg ch - 56 (60, 66) sts.

Rows 10-13: Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

Row 14 (Increase Row): Ch 3 (counts as dc), turn, sk first st, 2 dc in next st, dc in each st to 1 dc before beg ch, 2 dc in next dc, dc in top of beg ch -58 (62, 68) sts.

**Next 3 (2, 2) Rows:** Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

**Next Row:** Rep Row 14 – 60 (64, 70) sts.

Rep last 4 (3, 3) rows 8 (10, 12) more times – 76 (84, 94) sts.

**Next Row:** Ch 3 (counts as dc), turn, sk first st, dc in each st across, working last dc in top of beg ch.

Rep last row until piece measures about 17 (17 1/2, 18) in. (43 (44.5, 45.5) cm) from beg.

# **Shape Cap (top of Sleeve)**

**Row 1:** Ch 1, turn, sc in first 7 (8, 10) sts, dc in each st to last 7 (8, 10) sts, sc in last 7 (8, 10) sts – 62 (68, 74) dc.

**Row 2:** Turn, sl st in first 7 (8, 10) sc, sc in next 7 (8, 10) dc, dc in each st to last 7 (8, 10) dc, sc in last 7 (8, 10) dc; leave rem sc sts unworked – 48 (52, 54) dc.

**Row 3:** Turn, sl st in first 7 (8, 10) sc, sc in next 8 (9, 10) dc, dc in each st to last 8 (9, 10) dc, sc in last 8 (9, 10) dc; leave rem sc and sl sts unworked -32 (34, 34) dc.

Fasten off.

#### **FINISHING**

**Note:** Center front and back seams are designed as RS visible seams.

From RS, sew the 2 Front Panels tog along center front to make the Front, leaving about 6 in. (15 cm) at lower edge unsewn for front slit.

Repeat with 2 Back Panels.

Sew shoulder seams.

Sew tops of Sleeves along armhole edges.

Sew side and Sleeve seams.

#### Neck Edging

From RS, join A with a sl st in either shoulder seam.

Rnd 1: Ch 3 (counts as dc), work about 109 (119, 129) dc evenly spaced around neck edge; join with sl st in top of beg ch – 110 (120, 130) dc.

Rnds 2 and 3: Ch 1, sc in same st as joining, sc in each st around; join with sl st in first sc.

Fasten off.

Weave in ends.

# **ABBREVIATIONS**

beg = begin(ning)
ch = chain
dc = double crochet
rem = remain(ing)(s)
rep = repeat
rnd(s) = round(s)
RS = right side
sc = single crochet
sk = skip
sl st = slip st
st(s) = stitch(es)
tog = together

WS = wrong side

Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual crafters, human error, or typographical mistakes.

