



Free Knitting Pattern

Lion Brand® Wool-Ease® Thick & Quick® Cabled Topper With Pockets

Pattern Number: L30251



Free Knitting Pattern from Lion Brand Yarn

Lion Brand® Wool-Ease® Thick & Quick® Cabled Topper With Pockets

Pattern Number: L30251

SKILL LEVEL: Intermediate (Level 3)

SIZE: Varies

XS/S (M/L, 1X/2X)

Finished Bust 41 (49, 56) in. (104 (124.5, 142) cm)

Finished Hip 49 (56, 63) in. (124.5 (142, 160) cm)

Finished Length 33 (34, 35) in. (84 (86.5, 89) cm)

CORRECTIONS: (applied Jul 17, 2014)

RIGHT FRONT

...

...;end with a RS **WS** row.

Shape Neck

Next Row (WS RS): Bind off 7 (8, 9) sts, work in Seed st to end of row – 17 (20, 23) sts.
Work in Seed st for 1 row.

Next Row (WS RS): K2tog, work in Seed st to end of row – 16 (19, 22) sts.
Rep last 2 rows – 15 (18, 21) sts.

Work even in Seed st until piece measures same as Back at shoulder, end with a WS **RS** row.

Shape Shoulder

Next Row (RS WS): Bind off 7 (9, 10) sts, work in Seed st to end of row – 8 (9, 11) sts.

MATERIALS

- 640-099 Lion Brand Wool-Ease Thick & Quick Yarn: Fisherman
8 10, 11 Balls
- Lion Brand Knitting Needles Size 11 [8 mm]
- Lion Brand Knitting Needles- Size 13 [9 mm]
- Lion Brand Split Ring Stitch Markers
- Lion Brand Cable Needles (Set of 2)
- Lion Brand Stitch Holders
- Lion Brand Large-Eye Blunt Needles (Set of 6)

**Wool-Ease Thick & Quick (Article #640).*

Solids, Heathers, Twists: 80% Acrylic, 20% Wool

Wheat & Wood: 86% Acrylic; 10% Wool; 4% Rayon

Oatmeal & Barley & Grey Marble: 82% Acrylic; 10% Wool; 8% Rayon

Metallics: 79% Acrylic, 20% Wool, 1% Metallic Poly; package size: Solids, Heathers, Twists,

Tweeds: 6 oz./170g (106 yd/97 m)

Prints, Stripes: 5 oz./140g (87 yd/80 m)

Metallics: 5 oz./140g (92 yd/84 m)



GAUGE:

9 sts + 16 rows = about 4 in. (10 cm) in Seed st with larger needles.

16 sts = about 4 in. (10 cm) in Wandering Cable with larger needles.

When you match the gauge in a pattern, your project will be the size specified in the pattern and the materials specified in the pattern will be sufficient. The needle or hook size called for in the pattern is based on what the designer used, but it is not unusual for gauge to vary from person to person. If it takes you fewer stitches and rows to make your swatch, try using a smaller size hook

or needles; if more stitches and rows, try a larger size hook or needles.

Making a Gauge Swatch

STITCH EXPLANATION:

kfb (knit in front and back) Knit next st without removing it from left needle, then k through back of same st - 1 st increased.

6-st RPC (6-st Right Purl Cross) Sl 4 sts to cable needle and hold to back of work, k2, sl the 2 purl sts from cable needle back to left-hand needle and purl them, then k2 from cable needle.

6-st LPC (6-st Left Purl Cross) Sl 4 sts to cable needle and hold to front of work, k2, sl the 2 purl sts from cable needle back to left-hand needle and purl them, then k2 from cable needle.

PATTERN STITCHES

K2, p2 Rib (multiple of 4 sts + 2 additional sts)

Row 1 (WS): K2, *p2, k2; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep last 2 rows for K2, p2 Rib.

Seed St (multiple of 2 sts)

Row 1 (RS): *K1, p1; rep from * to end of row.

Row 2: K the purl sts and p the knit sts.

Rep Row 2 for Seed st.

Wandering Cable (multiple of 12 sts + 2 additional sts)

Row 1 (RS): P2, *k2, p2; rep from * to end of row.

Row 2 and all WS Rows: K2, *p2, k2; rep from * to end of row.

Row 3: P2, *6-st RPC, p2, k2, p2; rep from * to end of row.

Rows 5-8: Rep Rows 1 and 2 twice.

Row 9: P2, *k2, p2, 6-st LPC, p2; rep from * to end of row.

Rows 11 and 12: Rep Rows 1 and 2.


Rep Rows 1-12 for Wandering Cable.

NOTES:

1. Topper is worked in 3 pieces: Back, Left Front, and Right Front. Each piece is worked from lower edge upwards.
2. Pocket Linings are worked separately and joined as Fronts are worked.



Wandering Cable Rib



□ k on RS, p on WS

■ p on RS, k on WS

2/2/2 LPC: Sl 4 sts to cable needle and hold to front, k2, sl the 2 purl sts from cable needle back to left-hand needle and purl them, then k2 from cable needle

2/2/2 RPC: Sl 4 sts to cable needle and hold to back, k2, sl the 2 purl sts from cable needle back to left-hand needle and purl them, then k2 from cable needle

BACK

With smaller needles, cast on 66 (74, 82) sts.

Beg with a WS row, work in K2, p2 Rib until piece measures 6 in. (15 cm) from beg, end with a WS row. **Note:** End with a WS row means that the last row you work should be a WS row, and the next row that you are ready to work will be a RS row.

Begin Cable Pattern

Change to larger needles.

Row 1: Set-Up Row (RS): (K1, p1) 10 (12, 14) times for Seed st section, place marker (pm), work Row 1 of Wandering Cable over next 26 sts, pm, (k1, p1) 10 (12, 14) times for Seed st section.


Rows 2-16: Work in Seed st to marker, slip marker (sm), work next row of Wandering Cable to next marker, sm, work in Seed st to end of row.

Row 17 Decrease Row (RS): K2tog, work in Seed st to marker, sm, work next row of Wandering Cable to next marker, sm, work in Seed st to last 2 sts, k2tog - 64 (72, 80) sts.

Rows 18-65: Rep Rows 2-17 three more times - 58 (66, 74) sts.

Row 66: Work in Seed st to marker, sm, work next row of Wandering Cable to next marker, sm, work in Seed st to end of row.

Rep last row until piece measures about 24 in. (61 cm) from beg.



Place a marker at each end of last row for armhole.
Rep last row until piece measures 8 (9, 10) in. (20.5 (23, 25.5) cm) from armhole markers, end with a WS row.

Shape Shoulders

Next 2 Rows: Bind off 7 (9, 10) sts, work in Seed st to marker, sm, work next row of Wandering Cable to next marker, sm, work in Seed st to end of row - 44 (48, 54) sts.

Next 2 Rows: Bind off 8 (9, 11) sts, work in Seed st to marker, sm, work next row of Wandering Cable to next marker, sm, work in Seed st to end of row - 28 (30, 32) sts.
Bind off.

POCKET LININGS (make 2)

With larger needle, cast on 16 sts.
Work in Seed st until piece measures 8 in. (20.5 cm) from beg.
Sl sts to a holder.

LEFT FRONT

With smaller needles, cast on 34 (38, 42) sts.
Beg with a WS row, work in K2, p2 Rib until piece measures 6 in. (15 cm) from beg, end with a WS row.

Begin Cable Pattern

Change to larger needles.

Row 1 (RS): (K1, p1) 4 (5, 6) times for Seed st, place marker (pm), p2, k2, work Row 1 of Wandering Cable over next 14 sts, k2, p2, pm, (k1, p1) 2 (3, 4) times for Seed st.

Row 2: Work in Seed st to marker, slip marker (sm), k2, p2, work next row of Wandering Cable to 4 sts before next marker, p2, k2, sm, work in Seed st to end of row.

Row 3: Work in Seed st to marker, sm, p2, k2, work next row of Wandering Cable to 4 sts before next marker, k2, p2, sm, work in Seed st to end of row.

Row 4: Rep Row 2.

Rows 5-16: Rep Rows 3 and 4 six times.

Row 17 (Decrease Row) (RS): K2tog, work in Seed st to marker, sm, p2, k2, work next row of Wandering Cable to 4 sts before next marker, k2, p2, sm, work in Seed st to end of row - 33 (37, 41) sts.

Rows 18-27: Rep Rows 2 and 3 five times.

Row 28 (WS): Rep Row 2.

Pocket

Rows 29-32: Work in Seed st to marker, sm, k the knit sts and p the purl sts to next marker, sm, work in Seed st to end of row.

Join Pocket Lining


Row 33 (RS): Removing markers as you go, k2tog, work in Seed st to marker, bind off the 22 sts between markers in rib pattern, work in Seed st to end of row - 6 (8, 10) sts before and 4 (6, 8) sts after bound off sts.

Row 34 (WS): Work in Seed st over first 4 (6, 8) sts, continue in Seed st over 16 sts of one Pocket Lining, work in Seed st over rem 6 (8, 10) sts - 26 (30, 34) sts.

Rows 35-48: Work even in Seed st.

Row 49 (Decrease Row) (RS): K2tog, work in Seed st to end of row - 25 (29, 33) sts.

Begin Cable Pattern



Row 50 (WS): Work in Seed st over first 6 (8, 10) sts, pm, (kfb, p2) 3 times, kfb, pm, work in Seed st to end of row - 14 sts between markers.

Row 51: Work in Seed st to marker, sm, work Row 1 of Wandering Cable to next marker, sm, work in Seed st to end of row.

Rows 52-64: Work in Seed st to marker, sm, work next row of Wandering Cable to next marker, sm, work in Seed st to end of row.

Row 65 (Decrease Row) (RS): K2tog, work in Seed st to marker, sm, work next row of Wandering Cable to next marker, sm, work in Seed st to end of row - 28 (32, 36) sts.

Rows 66-85: Work in Seed st to marker, sm, work next row of Wandering Cable to next marker, sm, work in Seed st to end of row, placing a marker at the end of Row 74 for armhole.

Row 86 (Decrease Row) (WS): Work in Seed st to marker, remove marker, k2tog, (k2, k2tog) 3 times, remove marker, work in Seed st to end of row - 24 (28, 32) sts.
Work even in Seed st until piece measures 30 (31, 32) in. (76 (78.5, 81.5) cm) from beg, end with a RS row.

Shape Neck

Next Row (WS): Bind off 7 (8, 9) sts, work in Seed st to end of row - 17 (20, 23) sts.

Work even in Seed st for 1 row.

Next Row (WS): K2tog, work in Seed st to end of row - 16 (19, 22) sts.

Rep last 2 rows - 15 (18, 21) sts.

Work even in Seed st until piece measures same as Back to shoulder, end with a WS row.

Shape Shoulder Next Row (RS): Bind off 7 (9, 10) sts, work in Seed st to end of row - 8 (9, 11) sts.

Work even in Seed st for 1 row.

Bind off all sts.

RIGHT FRONT

With smaller needles, cast on 34 (38, 42) sts.

Beg with a WS row, work in K2, p2 Rib until piece measures 6 in. (15 cm) from beg, end with a WS row.

Begin Cable Pattern

Change to larger needles.

Row 1 (RS): (K1, p1) 2 (3, 4) times for Seed st, place marker (pm), p2, k2, work Row 1 of Wandering Cable over next 14 sts, k2, p2, pm, (k1, p1) 4 (5, 6) times for Seed st.

Row 2: Work in Seed st to marker, slip marker (sm), k2, p2, work next row of Wandering Cable to 4 sts before next marker, p2, k2, sm, work in Seed st to end of row.

Row 3: Work in Seed st to marker, sm, p2, k2, work next row of Wandering Cable to 4 sts before next marker, k2, p2, sm, work in Seed st to end of row.

Row 4: Rep Row 2.

Rows 5-16: Rep Row 3 and 4 six times.

Row 17 (Decrease Row) (RS): Work in Seed st to marker, sm, p2, k2, work next row of Wandering Cable to 4 sts before next marker, k2, p2, sm, work in Seed st to last 2 sts, k2tog - 33 (37, 41) sts.

Rows 18-27: Rep Rows 2 and 3 five times.

Row 28 (WS): Rep Row 2.

Pocket Front

Rows 29-32: Work in Seed st to marker, sm, k the knit sts and p the purl sts to next marker, sm, work in Seed st to end of row.

Join Pocket Lining

Row 33 (RS): Removing markers as you go, work in Seed st to marker, bind off the 22 sts between markers in rib pattern, work in Seed st to last 2 sts, k2tog - 4 (6, 8) sts before and 6 (8, 10) sts after bound off sts.

Row 34 (WS): Work in Seed st over first 6 (8, 10) sts, continue in Seed st over 16 sts of one Pocket Lining, work in Seed st over rem 4 (6, 8) sts - 26 (30, 34) sts.

Rows 35-48: Work even in Seed st.

Row 49 (Decrease Row) (RS): Work in Seed st over first 6 (8, 10) sts, pm, work in Seed st over next 10 sts, pm, work in Seed st to last 2 sts, k2tog - 25 (29, 33) sts.

Begin Cable Pattern

Row 50 (WS): Work in Seed st to marker, sm, (kfb, p2) 3 times, kfb, sm, work in Seed st to end of row - 14 sts between markers.

Row 51: Work in Seed st to marker, sm, work Row 1 of Wandering Cable to next marker, sm, work in Seed st to end of row.

Rows 52-64: Work in Seed st to marker, sm, work next row of Wandering Cable to next marker, sm, work in Seed st to end of row.

Row 65 (Decrease Row) (RS): Work in Seed st to marker, sm, work next row of Wandering Cable to next marker, sm, work in Seed st to last 2 sts, k2tog - 28 (32, 36) sts.

Rows 66-85: Work in Seed st to marker, sm, work next row of Wandering Cable to next marker, sm, work in Seed st to end of row.

Place marker at end of Row 74 for armhole.

Row 86 (Decrease Row) (WS): Work in Seed st to marker, remove marker, k2tog, (k2, k2tog) 3 times, remove marker, work in Seed st to end of row - 24 (28, 32) sts.

Work even in Seed st until piece measures 30 (31, 32) in. (76 (78.5, 81.5) cm) from beg, end with a WS row.

Shape Neck

Next Row (RS): Bind off 7 (8, 9) sts, work in Seed st to end of row - 17 (20, 23) sts.

Work even in Seed st for 1 row.

Next Row (RS): K2tog, work in Seed st to end of row - 16 (19, 22) sts.

Rep last 2 rows - 15 (18, 21) sts.

Work even in Seed st until piece measures same as Back to shoulder, end with a RS row.

Shape Shoulder

Next Row (WS): Bind off 7 (9, 10) sts, work in Seed st to end of row - 8 (9, 11) sts.

Work even in Seed st for 1 row.

Bind off all sts.

FINISHING

Sew shoulder seams.

Neck Edging

Row 1 (RS): From RS with smaller needles, beg at right front corner of neck edge, pick up and k12 (13, 14)

sts evenly spaced across right front neck edge to shoulder seam, 20 (22, 24) sts across back neck, and 12 (13, 14) sts across left front neck edge - 44 (48, 52) sts.

Row 2: Knit.

Rows 3 and 4: Purl.

Rows 5 and 6: Knit.

Bind off as if to purl.

Right Front Band

Row 1 (RS): From RS with smaller needles, beg at lower corner of right front, pick up and k76 (78, 80) sts evenly spaced across right front edge.

Rep Rows 2-6 of Neck Edging.

Bind off as if to purl.

Left Front Band

Row 1 (RS): From RS with smaller needles, beg at top corner of left front, pick up and k76 (78, 80) sts evenly spaced across left front edge.

Rep Rows 2-6 of Neck Edging.

Bind off as if to purl.

Armhole Bands

Row 1 (RS): From RS with smaller needles, pick up and k40 (45, 50) sts evenly spaced along one armhole, between front and back armhole markers.

Rep Rows 2-6 of Neck Edging.

Bind off as if to purl.

Rep on opposite armhole.

Sew side seams, including edges of armhole bands. Sew Pocket Linings to WS of fronts.

Weave in ends.

ABBREVIATIONS / REFERENCES	
Click for explanation and illustration	
<u>beg = begin(s)(ning)</u>	<u>dec = decreas(e)(s)(ing)</u>
<u>k = knit</u>	<u>k2tog = knit 2 together</u>
<u>p = purl</u>	<u>Pm = place marker</u>
<u>rem = remain(s)(ing)</u>	<u>rep = repeat(s)(ing)</u>
<u>RS = right side</u>	<u>sm = slip marker</u>
<u>st(s) = stitch(es)</u>	<u>WS = wrong side</u>

Learn to knit instructions: <http://learnToKnit.LionBrand.com>

Every effort has been made to have the knitting and crochet instructions accurate and complete. We cannot be responsible for variance of individual knitters and crocheters, human errors, or typographical mistakes.

We want your project to be a success! If you need help with this or any other Lion Brand pattern, e-mail support is available 7 days per week. Just click [here](#) to explain your problem and someone will help you!

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com **or call: (800) 258-YARN (9276) any time!**

When in New York City, visit the Lion Brand Yarn Studio where we have the largest selection of our yarns anywhere and over 100 classes and events monthly.

34 West 15th Street, NY, NY 10011

Copyright ©1998-2014 Lion Brand Yarn Company, all rights reserved. No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying -- without written permission of Lion Brand Yarn Company.