

Free Knitting Pattern Lion Brand® Feels Like Butta Soft Sweet Turtleneck

Pattern Number: L80357
Designed by Heather Lodinsky



SKILL LEVEL - Experienced

SIZES

S (M, L, 1X, 2X)

Finished Bust About 36 (39, 45, 48, 54) in. (91.5 (99, 114.5, 122, 137) cm) **Finished Length** About 22 (22 1/2, 23, 23 1/2, 24) in. (56, 57, 58.5, 59.5, 61) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

MATERIALS

- Lion Brand® Feels Like Butta (Art. #215)
 - 101 Pink 6 (7, 8, 9, 10) balls
- Lion Brand® stitch markers
- Lion Brand® stitch holders
- Lion Brand® large-eyed blunt needle



ADDITIONAL MATERIALS

Circular knitting needle size 6 (4 mm), 16 in. (40.5 cm) long Circular knitting needle size 6 (4 mm), 29 in. (73.5 cm) long Circular knitting needle size 8 (5 mm), 29 in. (73.5 cm) long

GAUGE

18 sts + 26 rows = about 4 in. (10 cm) in St st (k on RS, p on WS) with larger needle.

BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATIONS

psso2 (pass slip stitch over 2 knit stitches) Pass last slipped st over last 2 sts knit and off right needle.

sk2p Slip 1 as if to knit, knit 2 together, pass slipped stitch over – 2 sts decreased.

ssk (slip, slip, knit) Slip next 2 sts as if to knit, one at a time, to right needle; insert left needle into fronts of these 2 sts and knit them together – 1 st decreased.

PATTERN STITCHES

K2, p2 Rib (worked over a multiple of 4 sts + 2 additional sts)

Row 1 (WS): K2, *p2, k2; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K2, p2 Rib.

Mock Cable (worked over a multiple of 5 sts)

Row 1 (RS): *P1, slip 1, k2, psso2, p1; rep from * to end.

Row 2: *K1, p1, yo, p1, k1; rep from * to end.

For thousands of free patterns, visit our website www.LionBrand.com
To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!
Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Lion Brand® Feels Like Butta Soft Sweet Turtleneck Pattern Number: L80357

Row 3: *P1, k3, p1; rep from * to end. Row 4: *K1, p3, k1; rep from * to end. Rep Rows 1-4 for Mock Cable pattern.

NOTES

- 1. Turtleneck is made in 4 separate pieces: Back, Front, and 2 Sleeves.
- 2. All pieces begin with a ribbed lower edge changing to Mock Cable pattern and St st (k on RS, p on WS).
- 3. The longer circular needles are used to accommodate the large number of sts. Work back and forth in rows on the circular needle as if working on straight needles.
- 4. The neckband is worked from sts picked up around the neck edge.
- 5. When you see 'as established' in the instructions, this means to continue in the current pattern st.
- 6. When you see 'work even' in the instructions, this means to continue on in the pattern st you have established without changing the st count by increasing, decreasing, or binding off.

BACK

With smaller long circular needle, cast on 98 (106, 122, 130, 146) sts. Work back and forth in rows as if working with straight needles.

Work in K2, p2 Rib until piece measures about 1 1/2 in. (4 cm) from beg, end with a RS row as the last row you work.

Mock Cable note

The st count is decreased on Row 1 of the Mock Cable pattern, and then is restored on Row 2. For this reason, the majority of st counts are given on WS rows to avoid accidentally giving the wrong st count if a RS row also turns out to involve a Row 1 of Mock Cable. Consecutive st counts can increase and decrease a little surprisingly - if you forget that Row 1 decreases and Row 2 increases again!

Begin Patterns Mock Cable Section

Change to larger circular needle.

Next Row (WS): K1, work Row 2 of Mock Cable pattern to last st, k1 – 122 (132, 152, 162, 182) sts.

Next Row: P1, work next row of Mock Cable pattern to last st, p1. Continue working Mock Cable pattern as established, keeping first and last st in Reverse St st (k on WS, p on RS), until piece measures about 11 in. (28 cm) from beg, end with a Row 4 of Mock Cable pattern as the last row you work.

Mock Cable and St st Section

Row 1 (RS): K1, (k1, sk2p, k1) 1 (2, 2, 3, 3) time(s), place marker (pm), *work

For thousands of free patterns, visit our website www.LionBrand.com
To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!
Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Row 1 of Mock Cable pattern over next 10 sts, pm, (k1, sk2p, k1) 3 (3, 4, 4, 5) times, pm; rep from * 3 more times, work Row 1 of Mock Cable pattern over next 10 sts, pm, (k1, sk2p, k1) 1 (2, 2, 3, 3) times, k1 – 84 (90, 102, 108, 120) sts.

Row 2: Work in St st (k on RS, p on WS) to marker, sm, *work in Mock Cable pattern as established to next marker, sm, work in St st to next marker, sm, rep from * 3 more times, work in Mock Cable pattern as established to next marker, sm, work in St st to end of row – 94 (100, 112, 118, 130) sts.

Rep Row 2 until piece measures about 14 in. (35.5 cm) from beg, end with a WS row as the last row you work.

Shape Armholes

Next 2 Rows: Bind off 4 (5, 6, 7, 8) sts, work in pattern as established to end of row – 86 (90, 100, 104, 114) sts.

Work even in pattern as established until armholes measure about 6 1/2 (7, 7 1/2, 8, 8 1/2) in. (16.5 (18, 19, 20.5, 21.5) cm), end with a Row 4 of Mock Cable pattern as the last row you work.

Shape Neck

Place a marker on each side of center 34 (34, 36, 36, 38) sts for back neck.

Row 1 (RS): Work in pattern as established to first neck marker, place the center 34 (34, 36, 36, 38) sts between markers onto a stitch holder and remove neck markers; join a 2nd ball of yarn and work in pattern as established to end of row for left side of neck.

You will now work both sides of the neck AT THE SAME TIME using separate balls of yarn.

Row 2: On left side, work in pattern as established to end of side; on right side, with a separate ball of yarn bind off 2 sts, work in pattern as established to end – 26 (28, 32, 34, 38) sts on left side and 24 (26, 30, 32, 36) sts on right side.

Row 3: On right side, work in pattern as established to end of side; on left side, bind off 2 sts, work in pattern as established to end.

Row 4: On left side, work in pattern as established to end of side; on right side, bind off 1 st, work in pattern as established to end -24 (26, 30, 32, 36) sts on left side and 23 (25, 29, 31, 35) sts on right side.

Row 5: On right side, work in pattern as established to end of side; on left side, bind off 1 st, work in pattern as established to end.

Rows 6-9: Rep Rows 4 and 5 for 2 more times – 22 (24, 28, 30, 34) sts on left side and 21 (23, 27, 29, 33) sts on right side in Row 8.

Work even in pattern as established on both sides, using separate balls of yarn, until armholes measure about 8 (8 1/2, 9, 9 1/2, 10) in. (20.5 (21.5, 23, 24, 25.5) cm).

Bind off both sides using separate balls of yarn.

FRONT

Work same as Back until armholes measure about 5 (5 1/2, 6, 6 1/2, 7) in. (12.5 (14, 15, 16.5, 18) cm), end with a Row 4 of Mock Cable pattern as the last row you work.

Shape Neck

Place a marker on each side of center 26 (26, 28, 28, 30) sts for front neck.

Row 1 (RS): Work in pattern as established to first neck marker, place the center 26 (26, 28, 28, 30) sts between markers onto a stitch holder and remove neck markers; join a 2nd ball of yarn and work in pattern as established to end of row for right side of neck.

You will now work both sides of the neck AT THE SAME TIME using separate balls of yarn.

Row 2: On right side, work in pattern as established to end of side; on left side, bind off 5 sts, work in pattern as established to end – 30 (32, 36, 38, 42) sts on right side and 25 (27, 31, 33, 37) sts on left side.

Row 3: On left side, work in pattern as established to end of side; on right side, bind off 5 sts, work in pattern as established to end.

Row 4: On right side, work in pattern as established to end of side; on left side, bind off 2 sts, work in pattern as established to end – 25 (27, 31, 33, 37) sts on right side and 23 (25, 29, 31, 35) sts on left side.

Row 5: On left side, work in pattern as established to end of side; on right side, bind off 2 sts, work in pattern as established to end.

Row 6: On right side, work in pattern as established to end of side; on left side, bind off 1 st, work in pattern as established to end – 23 (25, 29, 31, 35) sts on right side and 22 (24, 28, 30, 34) sts on left side.

Row 7: On left side, work in pattern as established to end of side; on right side, bind off 1 st, work in pattern as established to end.

Rows 8 and 9: Rep Rows 6 and 7 - 22 (24, 28, 30, 34) sts on right side and 21 (23, 27, 29, 33) sts on left side.

Work even in pattern as established on both sides, using separate balls of yarn, until armholes measure same as Back armholes.

Bind off both sides using separate balls of yarn.

SLEEVES (make 2)

With either smaller circular needle, cast on 66 (74, 74, 82, 82) sts. Work back and forth in rows as if working on straight needles.

Work in K2, p2 Rib until piece measures about 1 1/2 in. (4 cm) from beg, end

For thousands of free patterns, visit our website www.LionBrand.com
To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!
Copyright ©1998-2018 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Lion Brand® Feels Like Butta Soft Sweet Turtleneck Pattern Number: L80357

with a RS row as the last row you work.

Begin Patterns

Mock Cable Section

Change to larger circular needle.

Next Row (WS): K1, work Row 2 of Mock Cable pattern to last st, k1 - 82 (92, 92, 102, 102) sts.

Next Row: P1, work next row of Mock Cable pattern to last st, p1.

Continue in Mock Cable pattern as established, keeping first and last st in Reverse St st, until piece measures about 9 1/2 in. (24 cm) from beg, end with a Row 1 of Mock Cable pattern as the last row you work – you will have 66 (74, 74, 82, 82) sts in last row worked.

Mock Cable and St st Section

Row 1 (WS): P29 (33, 33, 37, 37), pm, work Row 2 of Mock Cable pattern over next 8 sts, pm, p to end of row – 68 (76, 76, 84, 84) sts.

Row 2: Work in St st to marker, sm, work in Mock Cable pattern as established to next marker, sm, work in St st to end of row.

Rep Row 2 until piece measures about 12 in. (30.5 cm) from beg, end with a WS row as the last row you work.

Shape Sleeve Cap (top of Sleeve)

Rows 1 and 2: Bind off 4 (5, 6, 7, 8) sts, work in pattern as established to end of row – 60 (66, 64, 70, 68) sts.

Row 3 (Decrease Row – RS): K1, k2tog, work in pattern as established to last 3 sts, ssk, k1.

Row 4: Work even in pattern as established – 58 (64, 62, 68, 66) sts.

Rep Rows 3 and 4 for 12 (14, 16, 18, 20) more times – 34 (36, 30, 32, 26) sts in last row.

Last 4 Rows: Bind off 4 sts, work in pattern as established to end of row – 18 (20, 14, 16, 10) sts in last row. Bind off.

FINISHING

Sew shoulder seams.

Neckband

From RS with smaller short circular needle, beg at right shoulder seam, pick up and k6 sts evenly spaced along right back neck edge, k34 (34, 36, 36, 38) back neck sts from holder, pick up and k6 sts evenly spaced along left back neck edge to left shoulder seam, pick up and k18 sts evenly spaced along left front neck edge, k26 (26, 28, 28, 30) front neck sts from holder, pick up and k18 sts evenly spaced along right front neck edge – 108 (108, 112, 116) sts.

Place marker for beg of rnd. Join by working the first st on the left hand needle

Lion Brand® Feels Like Butta Soft Sweet Turtleneck Pattern Number: L80357

with the working yarn from the right hand needle.

Rnd 1: *K2, p2; rep from * to end of rnd. Rep Rnd 1 for about 3 in. (7.5 cm). Bind off loosely in rib.

Sew in Sleeves. Sew side and Sleeve seams.

Weave in ends.

ABBREVIATIONS

beg = begin(ning)
k = knit
k2tog = knit 2 stitches together
p = purl
rem = remain(ing)(s)
rep = repeat
RS = right side
st(s) = stitch(es)
St st = Stockinette stitch
WS = wrong side

Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual crafters, human error, or typographical mistakes.



