



Free Knitting Pattern
Lion Brand®
LB Collection® Pure Wool
Funnel Neck Cable Sweater

Pattern Number: L80377
Designed by Heather Lodinsky



SKILL LEVEL – Intermediate

SIZES

S (M, L, 1X, 2X)

Finished Bust: About 38 (42, 46, 50, 54) in. (96.5 (106.5, 117, 127, 137) cm)

Finished Length About 23 (23 1/2, 24, 24 1/2, 25) in. (58.5 (59.5, 61, 62, 63.5) cm)

Note: Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

MATERIALS

- Lion Brand® LB Collection® Pure Wool (Art. #489)
 - 098 Natural 6 (7, 8, 9, 10) hanks
- Lion Brand® circular needle size 10.5 (6.5 mm), 29 in. (73.5 cm) long
- Lion Brand® cable needle
- Lion Brand® stitch markers
- Lion Brand® stitch holders
- Lion Brand® large-eyed blunt needle



ADDITIONAL MATERIALS

Circular knitting needle size 9 (5.5 mm), 16 in. (40.5 cm) long

Circular knitting needle size 9 (5.5 mm), 29 in. (73.5 cm) long

GAUGE

16 sts + 24 rows = about 4 in. (10 cm) in Moss St pattern with larger needle.

26 sts = about 4 1/2 in. (11.5 cm); 24 rows = about 4 in. (10 cm) in cable patterns in Row 1 (Set-Up Row) of Back with larger needle.

24 sts = about 4 in. (10 cm) in Honeycomb Cable pattern with larger needle, lightly blocked.

BE SURE TO CHECK YOUR GAUGE.

STITCH EXPLANATIONS

2/1 LPC (2 over 1 left purl cross): Slip 2 sts to cable needle and hold in front, p1, then k2 from cable needle.

2/1 RPC (2 over 1 right purl cross): Slip 1 st to cable needle and hold in back, k2, then p1 from cable needle.

2/2 LC (2 over 2 left cross): Slip 2 sts to cable needle and hold in front, k2, then k2 from cable needle.

2/2 RC (2 over 2 right cross): Slip 2 sts to cable needle and hold in back, k2, then k2 from cable needle.

4/4 LC (4 over 4 left cross): Slip 4 sts to cable needle and hold in front, k4, then k4 from cable needle.

4/4 RC (4 over 4 right cross): Slip 4 sts to cable needle and hold in back, k4, then k4 from cable needle.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2019 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

M1 (make 1) An increase worked by lifting the horizontal strand lying between needles and placing it onto the left needle. Knit this new stitch through the back loop – 1 st increased.

PATTERN STITCHES

K2, p2 Rib (worked over a multiple of 4 sts + 2 additional sts)

Row 1 (WS): K2, *p2, k2; rep from * to end of row.

Row 2: K the knit sts and p the purl sts.

Rep Row 2 for K2, p2 Rib.

Moss Stitch (worked over an odd number of sts)

Rows 1 and 2: P1, *k1, p1; rep from * to end of row.

Rows 3 and 4: K1, *p1, k1; rep from * to end of row.

Rep Rows 1-4 for Moss St pattern.

Rope Cable (worked over 6 sts)

Row 1 (WS): K1, p4, k1.

Row 2: P1, k4, p1.

Row 3: K1, p4, k1.

Row 4: P1, 2/2 RC, p1

Rep Rows 1-4 for Rope Cable pattern.

Staghorn Cable (worked over 22 sts)

Row 1 (WS): K1, p20, k1.

Row 2: P1, k6, 2/2 RC, 2/2 LC, k6, p1.

Row 3 and all rem WS rows: K the knit sts and p the purl sts.

Row 4: P1, k4, 2/2 RC, k4, 2/2 LC, k4, p1.

Row 6: P1, k2, 2/2 RC, k8, 2/2 LC, k2, p1.

Row 8: P1, 2/2 RC, k12, 2/2 LC, p1.

Rep Rows 1-8 for Staghorn Cable pattern.

Chain Cable (worked over 10 sts)

Row 1 (WS): K1, p8, k1.

Row 2: P1, k8, p1.

Row 3 and all rem WS rows: K1, p8, k1.

Row 4: P1, 2/2 RC, 2/2 LC, p1.

Row 6: P1, k8, p1

Row 8: P1, 2/2 LC, 2/2 RC, p1.

Rep Rows 1-8 for Chain Cable pattern.

Basket Lattice Cable (worked over a multiple of 6 sts + 8 additional sts)

Row 1 (WS): K2, *p4, k2; rep from * across.

Row 2: P2, *2/2 RC, p2; rep from * across.

Row 3 and all rem WS rows: K the knit sts and p the purl sts.

Row 4: P1, *2/1 RPC, 2/1LPC; rep from * to last st, p1.

Row 6: P1, k2, p2, *2/2 LC, p2; rep from * to last 3 sts, k2, p1.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2019 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Row 8: P1, *2/1LPC, 2/1 RPC; rep from * to last st, p1.
Rep Rows 1-8 for Basket Lattice Cable pattern.

Plait Cable (worked over 14 sts)

Row 1 (WS): K1, p12, k1.

Row 2: P1, 4/4 LC, k4, p1.

Row 3 and all rem WS rows: K1, p12, k1.

Row 4: P1, k12, p1.

Row 6: P1, k4, 4/4 RC, p1.

Row 8: P1, k12, p1.

Rep Rows 1-8 for Plait Cable pattern.

Honeycomb Cable (worked over a multiple of 8 sts + 4 additional sts)

Row 1 (WS): Purl.

Row 2: K2, *2/2 RC, 2/2 LC; rep from * to last 2 sts, k2.

Row 3 and all rem WS rows: Purl.

Row 4: Knit.

Row 6: K2, *2/2 LC, 2/2 RC, rep from * to last 2 sts, k2

Row 8: Knit.

Rep Rows 1-8 for Honeycomb Cable pattern.

NOTES

1. Sweater is made in 4 pieces: Back, Front and 2 Sleeves.
2. Front and Back are identical.
3. A circular needle is used to accommodate the large number of stitches. Work back and forth in rows on the circular needle as if working on straight needles.
4. The funnel neck is worked in the rnd directly onto the neck edge.
5. Cable patterns can be worked by following written instructions or reading charts. Read RS rows of charts from right to left and WS rows from left to right.
6. When you see 'as established' in the instructions, this means to continue in the current pattern sts, lining up sts as in previous rows.
7. When you see work 'even' in the instructions, this means to continue on in the pattern st you have established without changing the st count by increasing, decreasing, or binding off.

BACK

With smaller longer needle, cast on 102 (110, 118, 126, 134) sts.

Beg with Row 1 of pattern, work in K2, p2 Rib until piece measures about 1 1/2 in. (4 cm) from beg, end with a RS row as the last row you work.

Change to larger needle.

Row 1 (Set-Up Row – WS): Beg with Row 1 of each pattern; work in Moss St pattern over first 9 (13, 17, 21, 25) sts, place marker (pm), work in Rope Cable pattern over next 6 sts, pm, work in Staghorn Cable pattern over next 22 sts, pm,

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2019 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

work in Chain Cable pattern over next 10 sts, pm, work in Basket Lattice Cable pattern over next 32 sts, pm, work in Plaited Cable pattern over next 14 st, pm, work in Moss St pattern over last 9 (13, 17, 21, 25) sts.

Work even in patterns as established, slipping markers as you come to them, until piece measures about 14 in. (35.5 cm) from beg, end with a WS row as the last row you work.

Shape Armholes

Row 1 (RS): Bind off 4 (6, 8, 10, 12) sts, work in patterns as established to end of row – you will have 98 (104, 110, 116, 122) sts in this row.

Row 2: Rep Row 1 – 94 (98, 102, 106, 110) sts.

Work even in patterns as established until armholes measure about 8 (8 1/2, 9, 9 1/2, 10) in. (20.5 (21.5, 23, 24, 25.5) cm), end with a WS row as the last row you work.

Shape Shoulders

Rows 1-6: Bind off 6 (6, 7, 7, 8) sts, work in patterns as established to end of row – 58 (62, 60, 64, 62) sts when all bind offs have been completed.

Place rem sts onto a holder.

FRONT

Cast on and make same as Back.

SLEEVES (make 2)

With smaller longer needle, cast on 62 (70, 78, 78, 86) sts.

Beg with Row 1 of pattern, work in K2, p2 Rib until piece measures about 1 1/2 in. (4 cm) from beg, end with a WS row as the last row you work.

Increase Row (RS): [K2, M1, k2 (2, 3, 3, 3), M1] 15 times, k to end of row – 92 (100, 108, 108, 116) sts.

Change to larger needle.

Beg with Row 1 of pattern, work in Honeycomb Cable pattern until piece measures about 13 (13 1/2, 14, 14 1/2, 15) in. (33 (34.5, 35.5, 37, 38) cm) from beg, end with a WS row as the last row you work.

Shape Sleeve Cap (top of Sleeve)

Rows 1-6: Bind off 8 sts, work in pattern as established to end of row – 44 (52, 60, 60, 68) sts when all bind offs have been completed.

Bind off.

FINISHING

Blocking

Dampen pieces thoroughly. Spread a towel onto a flat surface, then lay pieces onto towel and smooth into shape. Gently shape each piece to match finished measurements. Allow to air dry.

Sew shoulder seams.

For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2019 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.

Funnel Neck

Place front neck and back neck sts from holders onto shortest needle – 116 (124, 120, 128, 124) sts.

Place marker for beg of rnd. Join by working the first st on the left hand needle with the working yarn from the right hand needle.

Rnd 1: *K2, p2; rep from * around.

Rep Rnd 1 for about 1 1/2 in. (4 cm).

Bind off in rib.

Sew Sleeves into armholes.

Sew Sleeve and side seams.

Weave in ends.

ABBREVIATIONS

beg = begin(ning)

k = knit

p = purl

rem = remain(ing)(s)

rep = repeat

rnd(s) = round(s)

RS = right side

st(s) = stitch(es)

WS = wrong side



Every effort has been made to produce accurate and complete instructions. We cannot be responsible for variance of individual crafters, human error, or typographical mistakes.







For thousands of free patterns, visit our website www.LionBrand.com

To order visit our website www.lionbrand.com or call: (800) 258-YARN (9276) any time!

Copyright ©1998-2019 Lion Brand Yarn Company, all rights reserved.

No pattern or other material may be reproduced -- mechanically, electronically, or by any other means, including photocopying - without written permission of Lion Brand Yarn Company.





KEY	
	knit on RS, purl on WS
	purl on RS, knit on WS
	2/1 LPC (2 over 1 left purl cross)
	2/1 RPC (2 over 1 right purl cross)
	2/2 LC (2 over 2 left cross)
	2/2 RC (2 over 2 right cross)
	4/4 LC (4 over 4 left cross)
	4/4 RC (4 over 4 right cross)